

Cucumber Report

Jul 20, 2022, 7:16:29 PM

Start : Jul 20, 7:16:01.898 PM

End : Jul 20, 7:16:28.533 PM

Duration : 26.635 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 13
FAILED - 1
SKIPPED - 1







#	Feature Name	T	P	F	S	Duration
1	<u>Check the functionality of product master</u>	1	0	1	0	26.635 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Check the functionality of product master</u>	<u>Product Master - Modify records (approve, reject and return) at maker stage</u>	15	13	1	1	26.629 s





(F)- Check the functionality of product master

FAILED	DURATION - 26.635 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 15 Pass - 13 Fail - 1 Skip - 1	
/ 7:16:01.898 PM // 7:16:28.533 PM /					





(S)- Product Master - Modify records (approve, reject and return) at maker stage


FAILED	DURATION - 26.629 s		Steps Total - 15 Pass - 13 Fail - 1 Skip - 1	
/ 7:16:01.904 PM // 7:16:28.533 PM /				
Check the functionality of product master				
@M5				

#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	11.369 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.400 s
	screenshot		
			
2	And User Login as maker	PASSED	0.000 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.578 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	Then user should navigate to product master	PASSED	0.332 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.234 s
	screenshot 		
4	And click on edit view of product master	PASSED	0.236 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.447 s
	screenshot 		
5	Then click on edit button of record to modify	PASSED	0.805 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.414 s
	screenshot 		
6	Then user should verify the buttons available on screen while modify	PASSED	0.913 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.724 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
7	Then verify system should modify before approved the record	PASSED	0.496 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.217 s
	screenshot		
			
8	And click on eye icon of product master	PASSED	0.574 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.348 s
	screenshot		
			
9	Then verify system should modify already approved record	PASSED	1.286 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.164 s
	screenshot		
			
10	Then verify system allow user to save modified record with valid data	PASSED	0.168 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.427 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
11	Then system should display the confirmation message	PASSED	0.231 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.265 s
	screenshot 		
12	Then click on inbox button	PASSED	0.276 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.272 s
	screenshot 		
13	And select the modified record from inbox to approve	PASSED	0.627 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.328 s
	screenshot 		
14	Then click on submit button	FAILED	0.029 s
	<p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[@ng-reflect-label='Submit']/span[2]}" (Session info: chrome=100.0.4896.127) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [766d6e0c32ac60394018040d6fe0f04b, findElement {using=xpath, value=//button[@ng-reflect-label='Submit']/span[2]}] Capabilities</p>		

#	Step / Hook Details	Status	Duration
	<pre> {acceptInsecureCerts: false, browserName: chrome, browserVersion: 100.0.4896.127, chrome: {chromedriverVersion: 99.0.4844.51 (d537ec02474b5..., userDataDir: C:\Users\ININDC~1\AppData\Local\Google\Chrome\User Data\Default\Profile 1\Extensions\ javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57023/devtools/page/1, se:cdpVersion: 100.0.4896.127, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 766d6e0c32ac60394018040d6fe0f04b at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy45.click(Unknown Source) at stepdefinitions.ProductMaster_Retail.click_on_submit_button(ProductMaster_Retail.java:153) at ?.click on submit button(file:///C:/Users/inindc00091/git/Azentio_ULS_04/AzentioAutomationFramework/src/test/java/features/ ProductMaster_Retail.feature:17) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.206 s
15	Then user verify that system should display confirmation message after submit	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master - Modify records
(approve, reject and return) at maker
stage

(F) Check the functionality of product
master

AZENTIO™

- Asset Collateral Config
- Business Rules
- Corporate Masters
- Misc Config
- Other Masters
- Product Definitions
- Product Setup
- Regulatory Product Defini...
- Project Setup
- Config Manager
- Sample Screens

Product wise Analysis

Product-wise Amount Financed

Subproduct-wise Amount Financed

Scheme wise Amount Financed

Powered by Metabase

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master - Modify records
(approve, reject and return) at maker
stage

(F) Check the functionality of product
master

AZENTIO™

- Asset Collateral Config
- Business Rules
- Corporate Masters
- Misc Config
- Other Masters
- Product Definitions
- Product Setup
- Regulatory Product Defini...
- Project Setup
- Config Manager
- Sample Screens

Product wise Analysis

Product-wise Amount Financed

Productcode	Amount Financed
AHL	97.0M
AAL	23.0M
APL	26.0M
CD	5.0M
AFC	2.0M
CC	2.0M
TL	6.0M

Subproduct-wise Amount Financed


Scheme wise Amount Financed

Powered by Metabase

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master - Modify records
(approve, reject and return) at maker
stage


(F) Check the functionality of product
master



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master - Modify records
(approve, reject and return) at maker
stage


(F) Check the functionality of product
master



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master - Modify records
(approve, reject and return) at maker
stage

(F) Check the functionality of product
master




The screenshot displays the Azentio Product Master interface. On the left is a dark blue sidebar with the Azentio logo and a list of navigation items: Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup, Asset Auto Master, Asset CD Master, Product master (highlighted), Sub Product Master, Regulatory Product Defini..., Project Setup, and Config Manager. The main content area shows a table titled 'Product Master' with columns: Action, Product Group, Product Code, Product Description, Retail/Corporate, Status, and Authorization Status. The table contains five rows of data, all with 'Active' status. At the bottom, it indicates 'Showing 6 to 10 of 134 entries' with pagination controls. The top right of the interface shows user information for 'Puneet' on '01-Sep-2023'.

Action	Product Group	Product Code	Product Description	Retail/Corporate	Status	Authorization Status
	98303249	APL	I		Active	
	98303249	HLL		R	Active	
	98303249	HL		R	Active	
	98303249	LFH		R	Active	
	98303275	depo15		R	Active	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master - Modify records
(approve, reject and return) at maker
stage

(F) Check the functionality of product
master



The screenshot shows the Azentio Product Master edit form. The sidebar is identical to the previous screenshot. The main form area has a title 'Product Master' and a 'Product Master' section. It contains several input fields: 'Product Group' (dropdown with 'Deposits' selected), 'Product Code' (text field with 'depo15'), 'Product Description' (text field), 'Retail/Corporate' (dropdown with 'Retail' selected), 'DM Code' (text field with 'depo15'), 'Status' (toggle switch), and 'Remarks' (text area with 'ok'). At the top right of the form are 'Submit', 'Cancel', and a help icon. The top of the interface shows the same user information as the previous screenshot.

English ▼LOS ▼Azentio Software ▼

Puneet

01-Sep-2023

←

Product Master

Submit

Cancel

Product Master

Product Group *

Deposits ▼

Product Description *

desc11 🔍

DM Code

depo15

Remarks

ok


Product Code *




depo15

Retail/Corporate *


Retail ▼



Status











- ① Asset Collateral Config
- ② Business Rules
- ③ Corporate Masters
- ④ Misc Config
- ⑤ Other Masters
- ⑥ Product Definitions
- ⑦ Product Setup



 Asset Auto Master



 Asset CD Master

 Product master








- ⑧ Sub Product Master



- ⑨ Regulatory Product Defini...
- ⑩ Project Setup
- ⑪ Config Manager




The screenshot shows the Azzentio Product Master application. At the top, there is a dark blue header bar with a menu icon on the left and a green status bar on the right displaying a checkmark and the word "Success". Below the header, the main content area is titled "Product Master" in a large, bold, black font. The interface features a table with multiple rows and columns, each containing a small square icon representing a product. The table is organized into a grid-like structure with a light gray background. On the far right, there is a vertical sidebar with a dark blue background and a white gear icon, likely representing settings or a navigation menu.




- Product master
- Sub Product Master
- Regulatory Product Defini...
- Project Setup
- Config Manager













- ⌚ Asset Collateral Config
- ⌚ Business Rules
- ⌚ Corporate Masters
- ⌚ Misc Config
- ⌚ Other Masters
- ⌚ Product Definitions
- ⌚ Product Setup

 Asset Auto Master
 


 Asset CD Master
 


 **Product master**



 Sub Product Master
 


- ⌚ Regulatory Product Defini...
- ⌚ Project Setup
- ⌚ Config Manager

☰

English ▾

LOS ▾

Azentio Software ▾

☐☐☐☐☐☐☐☐

✓ Success ✕

←

Product Master


📄 ⓘ

Product Master

Product Group *

Deposits ▾

Product Description *

desc11 

DM Code

yz

Remarks

ok

Product Code *


xy




Retail/Corporate *

Retail ▾


Status

☒










- ① Asset Collateral Config
- ② Business Rules
- ③ Corporate Masters
- ④ Misc Config
- ⑤ Other Masters
- ⑥ Product Definitions
- ⑦ Product Setup






Asset Auto Master






Asset CD Master





Product master



Sub Product Master

- ⑧ Regulatory Product Defini...
- ⑨ Project Setup
- ⑩ Config Manager


The screenshot shows the 'Product Master' interface in the Azzentio Software application. The top navigation bar includes a menu icon, a mail icon, language selection ('English'), user selection ('LOS'), application name ('Azzentio Software'), a grid icon, and a green 'Success' status bar with a checkmark and a close button. The main content area is titled 'Product Master' and features a table with 7 columns and 5 rows of data. Each row is represented by a light gray placeholder box. On the left side of the table, there are two columns of square icons, each row containing two icons. A blue circular button with a white gear icon is located in the bottom right corner of the interface.

- Product master
- Sub Product Master
- Regulatory Product Defini...
- Project Setup
- Config Manager

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master - Modify records
(approve, reject and return) at maker
stage

(F) Check the functionality of product
master




Action	Product Group	Product Code	Product Description	Retail/Corporate	Status	Authorization Status
	98303277	APL		I	Active	CHECKER
	98303277	APL		I	Active	CHECKER
	98303277	APL		I	Active	CHECKER
	98303277	APL		I	Active	CHECKER
	98303275	APL			Active	CHECKER

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master - Modify records
(approve, reject and return) at maker
stage

(F) Check the functionality of product
master




Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product
	5545	PRODUCT_MST	MAKER	LOSMKR	in00135	20-Jul-2022 19:16	TSW	
	40	SCHEME_MST	MAKER	LOSMKR	in00135	20-Jul-2022 19:8	TSW	
	39	SCHEME_MST	MAKER	LOSMKR	in00135	20-Jul-2022 19:5	TSW	
	38	SCHEME_MST	MAKER	LOSMKR	in00135	20-Jul-2022 19:3	TSW	
	37	SCHEME_MST	MAKER	LOSMKR	in00135	20-Jul-2022 18:59	TSW	
	36	SCHEME_MST	MAKER	LOSMKR	in00135	20-Jul-2022 18:56	TSW	
	35	SCHEME_MST	MAKER	LOSMKR	in00135	20-Jul-2022 18:52	TSW	
	34	SCHEME_MST	MAKER	LOSMKR	in00135	20-Jul-2022 18:49	TSW	
	5548	SUB_PRD_MAST	MAKER	LOSMKR	in00135	20-Jul-2022 18:37	TSW	
	33	SCHEME_MST	MAKER	LOSMKR	in00135	20-Jul-2022 17:44	TSW	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master - Modify records
(approve, reject and return) at maker
stage

(F) Check the functionality of product
master




The screenshot shows the Azentio software interface. At the top, there is a navigation bar with a hamburger menu, an envelope icon, 'English', 'LOS', 'Azentio Software', and a 'Success' message with a close button. Below the navigation bar is a 'Product Master' form. The form has a title bar with a back arrow and the text 'Product Master'. The form fields include: Product Group (Deposits), Product Code (xy), Product Description (empty), Retail/Corporate (Retail), DM Code (yz), Status (toggle switch), and Remarks (ok). There are 'Submit', 'Cancel', and 'Info' buttons at the top right of the form.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master - Modify records
(approve, reject and return) at maker
stage

(F) Check the functionality of product
master



The screenshot shows the Azentio software interface. At the top, there is a navigation bar with a hamburger menu, an envelope icon, 'English', 'LOS', 'Azentio Software', and a 'Success' message with a close button. Below the navigation bar is a 'Product Master' form. The form has a title bar with a back arrow and the text 'Product Master'. The form fields include: Product Group (Deposits), Product Code (xy), Product Description (empty), Retail/Corporate (Retail), DM Code (yz), Status (toggle switch), and Remarks (ok). There are 'Submit', 'Cancel', and 'Info' buttons at the top right of the form.