

Cucumber Report

24-Nov-2022, 11:56:58 am

Start : Nov 24, 11:56:20.692 am

End : Nov 24, 11:56:52.345 am

Duration : 31.653 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 7
FAILED - 1
SKIPPED - 8







#	Feature Name	T	P	F	S	Duration
1	<u>check the functionality of the Warehouse Master</u>	1	0	1	0	31.653 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	check the functionality of the Warehouse Master	TO verify user can able to serach the list view record with matching and un matching input and user can able to *	16	7	1	8	31.648 s


* The feature name and/or scenario name has been cropped to fit in the available space.

(F)- check the functionality of the Warehouse Master




FAILED	DURATION - 31.653 s	Scenarios		Steps	
/ 11:56:20.692 am // 11:56:52.345 am /		Total - 1		Total - 16	
		Pass - 0		Pass - 7	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 8	

(S)- TO verify user can able to serach the list view record with matching and un matching input and user can able to download the the xls and pdf format file


FAILED	DURATION - 31.648 s		Steps Total - 16 Pass - 7 Fail - 1 Skip - 8	
/ 11:56:20.697 am // 11:56:52.345 am /				
check the functionality of the Warehouse Master				
@AT_WHM_T011				


#	Step / Hook Details	Status	Duration
1	Given user log in as uls application maker	PASSED	13.218 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.365 s
	screenshot		
			
2	Then user change Application Type as Los	PASSED	2.822 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.367 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	And go to configuration main menu	PASSED	0.108 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.580 s
	screenshot		
			
4	And Go to config manager main menu	PASSED	0.181 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.927 s
	screenshot		
			
5	And click on view button in ware house master	PASSED	0.160 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.348 s
	screenshot		
			
6	And click on search button in ware house list view	PASSED	1.769 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.302 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
7	And enter the matching data in search test box	PASSED	0.443 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.838 s
	screenshot		
			
8	Then verify user can able to see the matching records	FAILED	1.838 s
	<p>java.lang.AssertionError: no such element: Unable to locate element: {"method":"xpath","selector":"//span[text()='MI_DESC ']} (Session info: chrome=106.0.5249.119) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d208d01773fff9cfe80a07e54e84cdfe, findElement {using=xpath, value=//span[text()='MI_DESC ']} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 106.0.5249.119, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:59405}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:59405/devtoo..., se:cdpVersion: 106.0.5249.119, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: d208d01773fff9cfe80a07e54e84cdfe</p> <p>at org.testng.Assert.fail(Assert.java:99)</p> <p>at stepdefinitions.WareHouseMaster.verify_user_can_able_to_see_the_matching_records(WareHouseMaster.java:1208)</p> <p>at ?.verify user can able to see the matching records(file:///C:/Users/inindc00075/git/Arshath_ULS/Arshath_AzentioULSFramework/src/test/java/features/MDM_Warehouse_Master.feature:341)</p> <p>* Not displayable characters are replaced by '?'. </p>		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.268 s
	screenshot		
			
9	And enter invalid text input in search box	SKIPPED	0.000 s
10	Then verify system should not show the result for the un matched record	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
11	And click on export button	SKIPPED	0.000 s
12	And choose xls format to download the Xls file	SKIPPED	0.000 s
13	Then verify xls file is downloded in download section	SKIPPED	0.000 s
14	And click on export button	SKIPPED	0.000 s
15	And choose pdf format to download pdf file	SKIPPED	0.001 s
16	Then verify pdf file is downloded in download section	SKIPPED	0.000 s


<p>(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)</p>	
<p><u>(S) TO verify user can able to serach the list view record with matching and un matching input and user can able to download the the xls and pdf format file</u></p>	
<p><u>(F) check the functionality of the Warehouse Master</u></p>	

<p>(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)</p>	
<p><u>(S) TO verify user can able to serach the list view record with matching and un matching input and user can able to download the the xls and pdf format file</u></p>	
<p><u>(F) check the functionality of the Warehouse Master</u></p>	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) TO verify user can able to serach the
list view record with matching and un
matching input and user can able to
download the the xls and pdf format file


(F) check the functionality of the
Warehouse Master



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) TO verify user can able to serach the
list view record with matching and un
matching input and user can able to
download the the xls and pdf format file

(F) check the functionality of the
Warehouse Master



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) TO verify user can able to serach the
list view record with matching and un
matching input and user can able to
download the the xls and pdf format file

(F) check the functionality of the
Warehouse Master

The screenshot shows the AZENTIO ONEBOOKING application dashboard. The left sidebar contains a menu with the following items: Dashboard, Configurations (with a sub-menu: Config Manager), Collateral, Warehouse Master, Collateral sub type, LO Module Waiver, Collateral type, Fee master, Asset Auto Master, Charge master, Asset CD Master, Appropriation master, Transactions, and Reports. The 'Warehouse Master' item is highlighted. The top header displays the date 31-Dec-2023, language (Engl...), and user profile. The main content area is empty.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) TO verify user can able to serach the
list view record with matching and un
matching input and user can able to
download the the xls and pdf format file

(F) check the functionality of the
Warehouse Master

The screenshot shows the AZENTIO ONEBOOKING application with the 'Warehouse Master' list view. The left sidebar is the same as in the previous screenshot. The top header shows the date 31-Dec-2023, language (Engl...), and user profile. The main content area displays a table with the following columns: Action, Description, Address, Country, State, City, Zip Code, Phone 1, Fax, E-mail, Contact Person, and Status. The table contains five records, all with 'Active' status. The bottom of the table shows 'Showing 1 to 5 of 41 entries' and a pagination control.

Action	Description	Address	Country	State	City	Zip Code	Phone 1	Fax	E-mail	Contact Person	Status
	Re_Modify_HNKDesc	Re_Modify_HNKAddress	1105415	1105474	1105414	98303324	6549873212	4654321	azentio@gmail.com	MEEE	Active
	Re_Modify_HNKDesc	Re_Modify_HNKAddress	1105415	1105474	1105414	98303324	6549873212	4654321	azentio@gmail.com	MEEE	Active
	Azentio	Vashi	1105415	1105474	1105414	98303323	512520018	8868889966	oppo4545@gmail.com	8585854545	Active
	Re_Modify_HNKDesc	Re_Modify_HNKAddress	1105415	1105474	1105414	98303324	6549873212	4654321	azentio@gmail.com	MEEE	Active
	4545	Turbhe	1105415	1105474	1105414	98303323	8585858585	4545454545	oppo4545@gmail.com	1	Active

Showing 1 to 5 of 41 entries << < 1 2 3 4 5 > >> 5

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) TO verify user can able to serach the
list view record with matching and un
matching input and user can able to
download the the xls and pdf format file

(F) check the functionality of the
Warehouse Master

The screenshot displays the AZENTIO ONE Banking Warehouse Master interface. The left sidebar contains a navigation menu with options: Dashboard, Configurations (Config Manager, Collateral, Warehouse Master, Collateral sub type, LO Module Waiver, Collateral type, Fee master, Asset Auto Master, Charge master, Asset CD Master, Appropriation master), Transactions, and Reports. The main content area shows a table with columns: Action, Description, Address, Country, State, City, Zip Code, Phone 1, Fax, E-mail, Contact Person, and Status. The table contains four records, all with a status of 'Active'. A search bar at the top right contains the text 'ML_DESC'. Below the table, it says 'Showing 1 to 5 of 41 entries'.

Action	Description	Address	Country	State	City	Zip Code	Phone 1	Fax	E-mail	Contact Person	Status
	Re_Modify_HNKDesc	Re_Modify_HNKAddress	1105415	1105474	1105414	98303324	6549873212	4654321	azentio@gmail.com	MEEE	Active
	Re_Modify_HNKDesc	Re_Modify_HNKAddress	1105415	1105474	1105414	98303324	6549873212	4654321	azentio@gmail.com	MEEE	Active
	Azentio	Vashi	1105415	1105474	1105414	98303323	512520018	8868889966	oppo4545@gmail.com	8585854545	Active
	Re_Modify_HNKDesc	Re_Modify_HNKAddress	1105415	1105474	1105414	98303324	6549873212	4654321	azentio@gmail.com	MEEE	Active
	4545	Turbhe	1105415	1105474	1105414	98303323	8585858585	4545454545	oppo4545@gmail.com	1	Active

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) TO verify user can able to serach the
list view record with matching and un
matching input and user can able to
download the the xls and pdf format file

(F) check the functionality of the
Warehouse Master

The screenshot displays the AZENTIO ONE Banking Warehouse Master interface. The left sidebar contains a navigation menu with options: Dashboard, Configurations (Config Manager, Collateral, Warehouse Master, Collateral sub type, LO Module Waiver, Collateral type, Fee master, Asset Auto Master, Charge master, Asset CD Master, Appropriation master), Transactions, and Reports. The main content area shows a table with columns: Action, Description, Address, Country, State, City, Zip Code, Phone 1, Fax, E-mail, Contact Person, and Status. The table is empty. A search bar at the top right contains the text 'ML_DESC'. Below the table, it says 'Showing 0 to 0 of 0 entries'.

Action	Description	Address	Country	State	City	Zip Code	Phone 1	Fax	E-mail	Contact Person	Status
--------	-------------	---------	---------	-------	------	----------	---------	-----	--------	----------------	--------