

Cucumber Report

17-Nov-2022, 4:17:06 pm

Start : Nov 17, 4:16:15.334 pm

End : Nov 17, 4:17:00.578 pm

Duration : 45.244 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 0


FAILED - 1

SKIPPED - 0

PASSED - 8


FAILED - 1

SKIPPED - 2







#	Feature Name	T	P	F	S	Duration
1	<u>Check the functionality of Living Expenses Master</u>	1	0	1	0	45.244 s







#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Check the functionality of Living Expenses Master</u>	<u>Creation of Living Expenses record with invalid data</u>	11	8	1	2	45.232 s





(F)- Check the functionality of Living Expenses Master



FAILED	DURATION - 45.244 s	Scenarios		Steps	
/ 4:16:15.334 pm // 4:17:00.578 pm /		Total - 1		Total - 11	
		Pass - 0		Pass - 8	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 2	


(S)- Creation of Living Expenses record with invalid data

<div>FAILED</div> <div>DURATION - 45.232 s</div>			<div>Steps</div> <div>Total - 11</div> <div>Pass - 8</div> <div>Fail - 1</div> <div>Skip - 2</div>	
/ 4:16:15.346 pm // 4:17:00.578 pm /				
Check the functionality of Living Expenses Master				
@AT_LE_005_Validation				

#	Step / Hook Details	Status	Duration
1	Given user log in as uls application maker	PASSED	21.225 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.175 s
	screenshot		
			
2	Then user change Application Type as Los	PASSED	1.025 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.368 s
	screenshot		
			

#	Step / Hook Details	Status	Duration
3	Then user click on configurations Tab	PASSED	0.089 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.330 s
	screenshot		
			
4	When user click Config Manager menu	PASSED	0.449 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.371 s
	screenshot		
			
5	And user click on List view Icon of Living Expenses	PASSED	0.665 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.831 s
	screenshot		
			
6	And user click on Add Icon for Living Expenses	PASSED	0.325 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.405 s
	screenshot		
			
7	And user save the Record in Living Expenses	PASSED	0.749 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.327 s
	screenshot		


#	Step / Hook Details	Status	Duration
			
8	And user Pass the Exceldata value for Invalid	PASSED	0.015 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.308 s
	screenshot		
			
9	And user verify the Blank field in Living Expense	FAILED	1.027 s
	<p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"(//ion-badge[contains(text(),'Required field')])[1]"} (Session info: chrome=106.0.5249.119) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVDAP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [80c1f2bfaac50a5c844fa59224296404, findElement {using=xpath, value=(//ion-badge[contains(text(),'Required field')])[1]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 106.0.5249.119, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:60324}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60324/devtoo..., se:cdpVersion: 106.0.5249.119, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 80c1f2bfaac50a5c844fa59224296404</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381)</p>		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at stepdefinitions.LivingExpense_Master.user_verify_the_blank_field_in_living_expense(LivingExpense_Master.java:777) at ?.user verify the Blank field in Living Expense(file:///C:/Users/inindc00075/git/Arshath_ULS/Arshath_AzentioULSFramework/src/test/java/features/MDM_LivingExp_Master.feature:133) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.525 s
	screenshot		
			
10	And user Enter Invalid value in Description2 and verify it	SKIPPED	0.000 s
11	And Validate the Message and verify it	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Living Expenses record
with invalid data


(F) Check the functionality of Living
Expenses Master





(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Living Expenses record
with invalid data

(F) Check the functionality of Living
Expenses Master




<p>(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)</p>		
<p><u>(S) Creation of Living Expenses record with invalid data</u></p>		
<p><u>(F) Check the functionality of Living Expenses Master</u></p>		

<p>(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)</p>		
<p><u>(S) Creation of Living Expenses record with invalid data</u></p>		
<p><u>(F) Check the functionality of Living Expenses Master</u></p>		

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Living Expenses record
with invalid data

(F) Check the functionality of Living
Expenses Master




The screenshot shows the AZENTIO ONEBOOKING application interface. The left sidebar contains a menu with the following items: Dashboard, Configurations (with a sub-menu containing Project Master, Notification Master, Report Master, Target Master, Business Division Master, Approval Reviewer Level Matrix, Income Group Definition, Facility Type, NPA Identification, Classification Master, and Living Expense), Transactions, and Reports. The 'Living Expense' item is highlighted. The main content area is empty, and the top right corner shows the date 17-Nov-2022, language (Engl...), and user profile.





(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Living Expenses record
with invalid data

(F) Check the functionality of Living
Expenses Master



The screenshot shows the AZENTIO ONEBOOKING application interface with the 'List of Living Expense Model' table displayed. The table has the following columns: Action, Description, Rule ID, Effective Date, and Status. The table contains four entries, all with a status of 'Active'.

Action	Description	Rule ID	Effective Date	Status
	Test	98303335	2022-10-15	Active
	yugydygugc	98303256	2022-10-25	Active
	Descr1	98303254	2022-10-16	Active
	Test expense	98303254	2022-10-04	Active

The bottom of the table shows pagination: 'Showing 1 to 4 of 4 entries' and a page number '1'.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Living Expenses record
with invalid data

(F) Check the functionality of Living
Expenses Master

AZENTIO
ONEBOOKING

17-Nov-2022 [Calendar] [Email] [Grid] [Engl...] [LOS] [Aze...] [User]

Search the menu

Living Expense Definition

Living Expense Definition

Description *

Description2 *

Description3 *

Rule

Effective Date *

[Save]

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Living Expenses record
with invalid data

(F) Check the functionality of Living
Expenses Master

AZENTIO
ONEBOOKING

17-Nov-2022 [Calendar] [Email] [Grid] [Engl...] [LOS] [Aze...] [User]

Search the menu

Living Expense Definition

Living Expense Definition

Description *

Description2 *

Description3 *

Rule

Effective Date *

[Save]

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Living Expenses record
with invalid data

(F) Check the functionality of Living
Expenses Master

The screenshot displays the AZENTIO ONEBOOKING application interface. On the left is a blue sidebar menu with a search bar and a list of configuration items: Dashboard, Project Master, Notification Master, Report Master, Target Master, Business Division Master, Approval Reviewer Level Matrix, Income Group Definition, Facility Type, NPA Identification, Classification Master, and Living Expense. Below these are sections for Transactions and Reports. The main content area is titled 'Living Expense Definition' and contains a form with the following fields: 'Description' (with a red asterisk), 'Description2' (with a red asterisk), 'Description3' (with a red asterisk), 'Rule' (a dropdown menu currently showing 'Select'), and 'Effective Date' (with a red asterisk). A blue save icon is located at the bottom right of the form. The top of the application shows the date '17-Nov-2022', a calendar icon, an email icon, a grid icon, and language/region dropdowns for 'Engl...', 'LOS', and 'Aze...'. A user profile icon is also visible in the top right corner.