

Cucumber Report

09-Sep-2022, 5:18:34 pm

Start : Sep 09, 5:18:07.740 pm

End : Sep 09, 5:18:33.477 pm

Duration : 25.737 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 10
FAILED - 1
SKIPPED - 45







#	Feature Name	T	P	F	S	Duration
1	<u>Check The functionality of the Personal Details App data Entry</u>	1	0	1	0	25.737 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check The functionality of the Personal Details App data Entry	verify the availability of Add button and create a new Record of customer details tab	56	10	1	45	25.731 s

(F)- Check The functionality of the Personal Details App data Entry


FAILED	DURATION - 25.737 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 56 Pass - 10 Fail - 1 Skip - 45	
/ 5:18:07.740 pm // 5:18:33.477 pm /					


(S)- verify the availability of Add button and create a new Record of customer details tab


<div>FAILED</div> <div>DURATION - 25.731 s</div>			<div>Steps</div> <div>Total - 56</div> <div>Pass - 10</div> <div>Fail - 1</div> <div>Skip - 45</div>	
/ 5:18:07.746 pm // 5:18:33.477 pm /				
Check The functionality of the Personal Details App data Entry				
@AT_PDE_002				

#	Step / Hook Details	Status	Duration
1	Given User Launch the KULS url for Transaction	PASSED	11.195 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.324 s
	screenshot		
			
2	Then user click on Transaction Module	PASSED	0.117 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.191 s
	screenshot		


#	Step / Hook Details	Status	Duration
			
3	And user click on Application Details	PASSED	5.364 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.259 s
	screenshot 		
4	And user click on Inbox Icon	PASSED	0.277 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.310 s
	screenshot 		
5	And user click search icon	PASSED	0.159 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.190 s
	screenshot 		
6	And user search Appdata Entry	PASSED	0.131 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.155 s


#	Step / Hook Details	Status	Duration
	<p>screenshot</p> 		
7	And user click on First record of Appdata Entry	PASSED	0.224 s
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.574 s
8	And user click on Customer Details Tab	PASSED	0.668 s
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.327 s
9	And user click the Add button and verify it	PASSED	0.308 s
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.218 s
10	And user Choose customer Type	PASSED	0.397 s

#	Step / Hook Details	Status	Duration
	<div>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</div> <div>screenshot</div> <div></div>	PASSED	0.200 s
11	<div>And user Enter CIF ID</div> <div>org.openqa.selenium.ElementNotInteractableException: element not interactable (Session info: chrome=105.0.5195.102) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [7a72e3077420de601a771bf9f1b01fd4, sendKeysToElement {id=7d0df621-b24b-4dd4-9e1f-09e2ce34d7a2, value=[Ljava.lang.CharSequence;@6136e1fc]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 105.0.5195.102, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: C:\Users\ININDC~1\AppData\Local\Google\Chrome\User Data\Default\Profile 1\Extensions\gphmoeikfimehdhbhlgmhnlgfobkplm}, goog:chromeOptions: {debuggerAddress: localhost:65120}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:65120/devtools, se:cdpVersion: 105.0.5195.102, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (7a72e3077420de601a771bf9f1b01fd4)] -> xpath: //ion-label[text()=' CIF ID ']/following-sibling::ion-input[input] Session ID: 7a72e3077420de601a771bf9f1b01fd4 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:107) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy46.sendKeys(Unknown Source)</div>	FAILED	0.187 s

#	Step / Hook Details	Status	Duration
	at stepdefinitions.PersonalDetails_AppDataEntry.user_enter_cif_id(PersonalDetails_AppDataEntry.java:597) at ?.user Enter CIF ID(file:///C:/Users/inindc00075/git/Arshath_ULS/Arshath_AzentioULSFramework/src/test/java/features/PersonalDetails_AppDataEntry.feature:55) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.212 s
12	And user Enter Application Number	SKIPPED	0.000 s
13	And user Enter Customer Name	SKIPPED	0.000 s
14	And user choose ID Type	SKIPPED	0.000 s
15	And user Enter ID Number	SKIPPED	0.000 s
16	And user Enter Mobile Number	SKIPPED	0.000 s
17	And user Choose Date of Birth	SKIPPED	0.000 s
18	And user Enter Email ID	SKIPPED	0.000 s
19	And user Click the search button	SKIPPED	0.000 s
20	And user click the Create New Record button	SKIPPED	0.000 s
21	And user Enter the customer Type field	SKIPPED	0.000 s
22	And user Enter the Applicant Type field	SKIPPED	0.000 s
23	And user Enter the Salutation field	SKIPPED	0.000 s
24	And user Enter the First Name field	SKIPPED	0.000 s
25	And user Enter the Middle Name filed	SKIPPED	0.000 s
26	And user Enter the Last Name field	SKIPPED	0.000 s
27	And user Enter the Father First Name field	SKIPPED	0.000 s
28	And user Enter the Father Middle Name field	SKIPPED	0.001 s
29	And user Enter the Father Last Name Field	SKIPPED	0.000 s
30	And user Enter the spouse First Name field	SKIPPED	0.000 s
31	And user Enter the spouse Middle name field	SKIPPED	0.001 s
32	And user Enter the spouse Last Name field	SKIPPED	0.000 s
33	And user Enter the No of children field	SKIPPED	0.000 s
34	And user Enter the spouse status field	SKIPPED	0.001 s

#	Step / Hook Details	Status	Duration
35	And user Enter the Date of birth field	SKIPPED	0.000 s
36	And user Enter the gender field	SKIPPED	0.000 s
37	And user Enter the Education Level field	SKIPPED	0.000 s
38	And user Enter the Marital status field	SKIPPED	0.000 s
39	And user Enter the Nationality field	SKIPPED	0.000 s
40	And user Enter the Ethnicity field	SKIPPED	0.000 s
41	And user Enter the Religion field	SKIPPED	0.001 s
42	And user Enter the Residential status field	SKIPPED	0.000 s
43	And user Enter the Language field	SKIPPED	0.000 s
44	And user Enter the No Of dependents field	SKIPPED	0.000 s
45	And user Enter the Mothers maiden name field	SKIPPED	0.001 s
46	And user Enter the Type of Residence field	SKIPPED	0.000 s
47	And user Enter the category of client field	SKIPPED	0.000 s
48	And user Enter the Rating field	SKIPPED	0.000 s
49	And user Enter the Remark fields	SKIPPED	0.000 s
50	And user Enter the Phone Number in Contact Details	SKIPPED	0.000 s
51	And user Enter the Mobile Number Primary in Contact Details	SKIPPED	0.000 s
52	And user Enter the Mobile Number Secondary in Contact Details	SKIPPED	0.000 s
53	And user Enter the Email Address in Contact Details	SKIPPED	0.000 s
54	And user Select the Preferred contact Methods in Contact Details	SKIPPED	0.000 s
55	And user Enter the Preferred time for contact in Contact Details	SKIPPED	0.000 s
56	And user click the Save the button	SKIPPED	0.000 s

<p>(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)</p>	 <p>The screenshot shows the AZENTIO ONEBanking dashboard. The top navigation bar includes the logo, a search bar, and user profile information. The left sidebar contains a menu with options: Dashboard, Configurations, Transactions, and Reports. The main content area is titled 'Product wise Analysis' and displays three sections: 'Product-wise Amount Financed', 'Subproduct-wise Amount Financed', and 'Scheme wise Amount Financed'. A loading spinner is visible in the 'Subproduct-wise Amount Financed' section.</p>
<p><u>(S) verify the availability of Add button and create a new Record of customer details tab</u></p>	
<p><u>(F) Check The functionality of the Personal Details App data Entry</u></p>	

<p>(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)</p>	 <p>This screenshot is identical to the one above, showing the AZENTIO ONEBanking dashboard with the 'Product wise Analysis' section and a loading spinner in the 'Subproduct-wise Amount Financed' area.</p>
<p><u>(S) verify the availability of Add button and create a new Record of customer details tab</u></p>	
<p><u>(F) Check The functionality of the Personal Details App data Entry</u></p>	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify the availability of Add button
and create a new Record of customer
details tab

(F) Check The functionality of the
Personal Details App data Entry

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify the availability of Add button
and create a new Record of customer
details tab

(F) Check The functionality of the
Personal Details App data Entry

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product
	10725	APP_CREATE	OFFERING	CREOFF	in02040	01-Sep-2022 12:39	HLW	AHL
	10720	APP_CREATE	DUPAPPDEC	BRMANG	in02040	29-Aug-2022 13:37	HLW	AHL
	10739	APP_CREATE	NEWAPP	BREXEC	in02040	11-Aug-2022 10:29	HLW	AHL
	10738	APP_CREATE	APPDATAENT	CPUEXEC	in02040	10-Aug-2022 17:10	HLW	AHL
	10727	APP_CREATE	LEGVRFY	CPUEXEC	in02040	10-Aug-2022 13:50	HLW	AHL
	10734	APP_CREATE	APPDATAENT	CPUEXEC	in02040	08-Aug-2022 12:33	HLW	AHL
	159	FLOATING_RATE	MAKER	LOSMKR	in02040	08-Aug-2022 12:16	TSW	
	10728	APP_CREATE	LEGVRFY	CPUEXEC	in02040	06-Aug-2022 13:12	HLW	AHL
	10733	APP_CREATE	LEGVRFY	CPUEXFC	in02040	06-Aug-	HLW	AHL

(F) Check The functionality of the Personal Details App data Entry

AZENTIO
 ONEBanking

Engl... ▾ LOS ▾ Aze... ▾ ▾

Search the menu

- Dashboard
- Configurations ▾
- Transactions ▴
- Application manager ▴
- Customer details ⌚
- Customer details Islamic ⌚
- Customer identification details ⌚
- Customer address details ⌚
- Application Details ⌚

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product
	10725	APP_CREATE	OFFERING	CREOFF	in02040	01-Sep-2022 12:39	HLW	AHL
	10720	APP_CREATE	DUPAPPDEC	BRMANG	in02040	29-Aug-2022 13:37	HLW	AHL
	10739	APP_CREATE	NEWAPP	BREXEC	in02040	11-Aug-2022 10:29	HLW	AHL
	10738	APP_CREATE	APPDATAENT	CPUEXEC	in02040	10-Aug-2022 17:10	HLW	AHL
	10727	APP_CREATE	LEGVRFY	CPUEXEC	in02040	10-Aug-2022 13:50	HLW	AHL
	10734	APP_CREATE	APPDATAENT	CPUEXEC	in02040	08-Aug-2022 12:33	HLW	AHL
	159	FLOATING_RATE	MAKER	LOSMKR	in02040	08-Aug-2022 12:16	TSW	
	10728	APP_CREATE	LEGVRFY	CPUEXEC	in02040	06-Aug-2022 13:12	HLW	AHL
	10733	APP_CREATE	LEGVRFY	CPUEXEC	in02040	06-Aug-	HLW	AHL

(F) Check The functionality of the Personal Details App data Entry

☰

AZENTIO
 ONEBanking

Engl... ▾

LOS ▾

Aze... ▾

- ☐☐ Dashboard
- ⚙️ Configurations ▾
- 🔗 Transactions ▴
- Application manager ▴
- Customer details ⌚
- Customer details Islamic ⌚
- Customer identification details ⌚
- Customer address details ⌚
- Application Details ⌚

Inbox

✕ AppData

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product
	10725	APP_CREATE	OFFERING	CREOFF	in02040	01-Sep-2022 12:39	HLW	AHL
	10720	APP_CREATE	DUPAPPDEC	BRMANG	in02040	29-Aug-2022 13:37	HLW	AHL
	10739	APP_CREATE	NEWAPP	BREXEC	in02040	11-Aug-2022 10:29	HLW	AHL
	10738	APP_CREATE	APPDATAENT	CPUEXEC	in02040	10-Aug-2022 17:10	HLW	AHL
	10727	APP_CREATE	LEGVRFY	CPUEXEC	in02040	10-Aug-2022 13:50	HLW	AHL
	10734	APP_CREATE	APPDATAENT	CPUEXEC	in02040	08-Aug-2022 12:33	HLW	AHL
	159	FLOATING_RATE	MAKER	LOSMKR	in02040	08-Aug-2022 12:16	TSW	
	10728	APP_CREATE	LEGVRFY	CPUEXEC	in02040	06-Aug-2022 13:12	HLW	AHL
	10733	APP_CREATE	LEGVRFY	CPUEXEC	in02040	06-Aug-	HLW	AHL

(F) Check The functionality of the Personal Details App data Entry

AZENTIO
 ONEBanking

Engl... ▾ LOS ▾ Aze... ▾ ▾

- Dashboard
- Configurations ▾
- Transactions ▴
- Application manager ▴
- Customer details ⌚
- Customer details Islamic ⌚
- Customer identification details ⌚
- Customer address details ⌚
- Application Details ⌚

Inbox

✕ AppData

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product
	10738	APP_CREATE	APPDATAENT	CPUEXEC	in02040	10-Aug-2022 17:10	HLW	AHL
	10734	APP_CREATE	APPDATAENT	CPUEXEC	in02040	08-Aug-2022 12:33	HLW	AHL
Entitle	10703	APP_CREATE	APPDATAENT	CPUEXEC	in02040	03-Aug-2022 16:40	HLW	AHL
	10696	APP_CREATE	APPDATAENT	CPUEXEC	in02040	03-Aug-2022 14:22	HLW	AHL
	10653	APP_CREATE	APPDATAENT	CPUEXEC	in02040	03-Aug-2022 12:38	HLW	AHL
	10690	APP_CREATE	APPDATAENT	CPUEXEC	in02040	03-Aug-2022 11:4	HLW	AHL
	10689	APP_CREATE	APPDATAENT	CPUEXEC	in02040	02-Aug-2022 15:32	HLW	AHL
	10686	APP_CREATE	APPDATAENT	CPUEXEC	in02040	29-Jul-2022 16:8	HLW	AHL
	10683	APP_CREATE	APPDATAENT	CPUEXEC	in02040	28-Jul-	HLW	AHL

(F) Check The functionality of the Personal Details App data Entry

[illegible]

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify the availability of Add button
and create a new Record of customer
details tab

(F) Check The functionality of the
Personal Details App data Entry

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify the availability of Add button
and create a new Record of customer
details tab

(F) Check The functionality of the
Personal Details App data Entry

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify the availability of Add button
and create a new Record of customer
details tab

(F) Check The functionality of the
Personal Details App data Entry

The screenshot displays the Azenzio ONE Banking interface. On the left is a blue sidebar menu with options: Dashboard, Configurations, Transactions, Application manager, Customer details (highlighted), Customer details islamic, Customer identification details, Customer address details, and Application Details. The main content area is titled 'Search Customer' and contains a form for entering customer information. The form has two columns. The left column includes fields for Customer Type (dropdown menu showing 'Individual Customer'), Application Number, ID Type (dropdown menu showing 'Select'), Mobile Number, and Email ID. The right column includes fields for CIF ID, Customer Name, ID Number, and Date Of Birth. There are 'Search' and 'Clear' buttons at the top right of the form. The top of the page features a navigation bar with 'Prev', 'Application Info', 'Customer details' (active), 'Additional Customer Info', and 'Next' buttons, along with language and location selectors.

AZENTIO
ONEBanking

Search the menu

Dashboard

Configurations

Transactions

Application manager

Customer details

Customer details islamic

Customer identification details

Customer address details

Application Details

Prev Application Info **Customer details** Additional Customer Info C Next

Search Customer

Search Clear

Customer Type * Individual Customer

CIF ID

Application Number

Customer Name

ID Type * Select

ID Number

Mobile Number

Date Of Birth

Email ID