

# Cucumber Report

Aug 8, 2022, 3:27:41 PM

Start : Aug 08, 3:27:12.660 PM

End : Aug 08, 3:27:40.756 PM

Duration : 28.096 s

Features


Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0


PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 20  
FAILED - 1  
SKIPPED - 6







#	Feature Name	T	P	F	S	Duration
1	<u>collateral Functionality</u>	1	0	1	0	28.096 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>collateral Functionality</u>	<u>collateral-</u>	27	20	1	6	28.093 s



**(F)- collateral Functionality**



<b>FAILED</b>	<b>DURATION - 28.096 s</b>	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 27 Pass - 20 Fail - 1 Skip - 6	
/ 3:27:12.660 PM // 3:27:40.756 PM /					

**(S)- collateral-**

<div>FAILED</div> <div>DURATION - 28.093 s</div>		<div></div>	<div>Steps</div> <div>Total - 27</div> <div>Pass - 20</div> <div>Fail - 1</div> <div>Skip - 6</div>	<div></div>
<div>/ 3:27:12.663 PM // 3:27:40.756 PM /</div>				
<div>collateral Functionality</div>				
<div>@m7</div>				

#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	10.220 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.190 s
	screenshot		
			
2	And User Login as maker	PASSED	0.001 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.358 s
	screenshot		




#	Step / Hook Details	Status	Duration
			
3	Then click on Asset collateral config	PASSED	0.078 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.118 s
	screenshot		
			
4	Then click on Language tab	PASSED	0.147 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.157 s
	screenshot		
			
5	Then select Arabic language	PASSED	0.137 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.151 s
	screenshot		
			
6	Then click on collateral eye icon	PASSED	0.105 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.324 s
	screenshot		


#	Step / Hook Details	Status	Duration
			
7	Then click on collateral arabic add button	PASSED	2.141 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.205 s
	screenshot		
			
8	Then Enter collateral Arabic Description	PASSED	0.219 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.132 s
	screenshot		
			
9	Then click on collateral back button	PASSED	2.116 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.114 s
	screenshot		
			
10	Then click on Language tab	PASSED	0.095 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.148 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
11	Then select French language	PASSED	0.107 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.165 s
	screenshot		
			
12	Then click on collateral eye icon	PASSED	0.073 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.151 s
	screenshot		
			
13	Then click on collateral add button	PASSED	2.141 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.249 s
	screenshot		
			
14	Then Enter collateral French Description	PASSED	0.191 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.160 s
	screenshot		


#	Step / Hook Details	Status	Duration
			
15	Then click on collateral back button	PASSED	2.100 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.117 s
	screenshot 		
16	Then click on Language tab	PASSED	0.092 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.136 s
	screenshot 		
17	Then select German language	PASSED	0.103 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.164 s
	screenshot 		
18	Then click on collateral eye icon	PASSED	0.067 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.301 s
	screenshot		




#	Step / Hook Details	Status	Duration
			
19	Then click on collateral add button	PASSED	0.137 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.242 s
	screenshot 		
20	Then Enter collateral German Description	PASSED	0.166 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.134 s
	screenshot 		
21	Then click on collateral back button  org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <span class="p-button-icon pi pi-arrow-left" aria-hidden="true"></span> is not clickable at point (291, 118). Other element would receive the click: <div class="p-tooltip-arrow"></div> (Session info: chrome=99.0.4844.82) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os. name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [306e201e1bbb49d9cca9719feb01126b, clickElement {id=6183212f-27b2-439c-93f8-91e814589de1}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\L..., goog:chromeOptions: {debuggerAddress: localhost:53030}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:53030/devtoo..., se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (306e201e1bbb49d9cca9719feb01126b)] -> xpath: //button[@ng-reflect-text='Go Back']/span[1]] Session ID: 306e201e1bbb49d9cca9719feb01126b at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)	FAILED	1.121 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) atjdk.internal.reflect.GeneratedMethodAccessor3.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) atjdk.proxy2/jdk.proxy2.\$Proxy45.click(Unknown Source) at stepdefinitions.Collateral.click_on_collateral_back_button(Collateral.java:154) at ?.click on collateral back button(file:///C:/Users/inindc00089/git/repository6/Priyanka_AzentioULSFramework/src/test/java/features/ Collateral.feature:149) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.081 s
22	Then click on Language tab	SKIPPED	0.000 s
23	Then select English language	SKIPPED	0.000 s
24	Then click on collateral eye icon	SKIPPED	0.000 s
25	Then click on collateral add button	SKIPPED	0.000 s
26	Then Enter collateral English Description	SKIPPED	0.000 s
27	Then Enter collateral Description	SKIPPED	0.000 s

### (F) collateral Functionality




### (F) collateral Functionality



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) collateral-


(F) collateral Functionality



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) collateral-


(F) collateral Functionality



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) collateral-


(F) collateral Functionality



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) collateral-

(F) collateral Functionality



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) collateral-

(F) collateral Functionality

Action	Asset/Collateral Category Code	AssetCollateral Category Description	Created By	Status
	FD11		in00135	Active
	FD3		in00135	Active
	FD2		in00135	Active
	1000022		in00135	Active
	KJ		in00135	Active

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) collateral-

(F) collateral Functionality

L2\_Asset / Collateral categories

L2\_Asset / Collateral Category Detail

Description \*

L2\_Asset / Collateral Category Code \*

L2\_Module \*

L2\_Registration Required

L2\_Repossession Allowed

L2\_Remarks \*

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) collateral-

(F) collateral Functionality

**AZENTIO ONEBanking**

Search the menu

Dashboard

Configurations

Asset Collateral Config

Collateral

Collateral sub type

Collateral type

Business Rules

Corporate Masters

Misc Config

Other Masters

Product Definitions

Transactions

اضيف

+

Search

Export

Action	Asset/Collateral Category Code	AssetCollateral Category Description	Created By	Status
	FD11		in00135	Active
	FD3		in00135	Active
	FD2		in00135	Active
	1000022		in00135	Active
	KJ		in00135	Active

Showing 1 to 5 of 56 entries

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) collateral-

(F) collateral Functionality

**AZENTIO ONEBanking**

Search the menu

Dashboard

Configurations

Asset Collateral Config

Collateral

Collateral sub type

Collateral type

Business Rules

Corporate Masters

Misc Config

Other Masters

Product Definitions

Transactions

جانبية

+

Search

Export

Action	Asset/Collateral Category Code	AssetCollateral Category Description	Created By	Status
	FD11		in00135	Active
	FD3		in00135	Active
	FD2		in00135	Active
	1000022		in00135	Active
	KJ		in00135	Active

Showing 1 to 5 of 56 entries

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) collateral-

(F) collateral Functionality

**AZENTIO ONEBanking**

Search the menu

**List of Asset/Collateral categories**

Action	Asset/Collateral Category Code	Asset/Collateral Category Description	Created By
	FD11		in00135
	FD3		in00135
	FD2		in00135
	1000022		in00135
	KJ		in00135

Showing 1 to 5 of 56 entries

Language dropdown: English, French (selected), German, Arabic

Sidebar: Dashboard, Configurations, Asset Collateral Config, Collateral (selected), Collateral sub type, Collateral type, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Transactions

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) collateral-

(F) collateral Functionality

**AZENTIO ONEBanking**

Search the menu

**List of Asset/Collateral categories**

Action	Asset/Collateral Category Code	Asset/Collateral Category Description	Created By
--------	--------------------------------	---------------------------------------	------------

Sidebar: Dashboard, Configurations, Asset Collateral Config, Collateral (selected), Collateral sub type, Collateral type, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Transactions



### (F) collateral Functionality

**AZENTIO**
ONEBanking

Fre... ▾

LOS ▾

Aze... ▾

- Dashboard
- Configurations
  - Asset Collateral Config
  - Collateral**
  - Collateral sub type
  - Collateral type
  - Business Rules
  - Corporate Masters
  - Misc Config
  - Other Masters
  - Product Definitions
- Transactions

## List of Asset/Collateral categories

Action	Asset/Collateral Category Code ↑↓	AssetCollateral Category Description ↑↓	Created By ↑↓	Status ↑↓
	FD11		in00135	Active
	FD3		in00135	Active

[←](#)

### Asset / Collateral categories

---

#### Asset / Collateral Category Detail

Description \*

Asset / Collateral Category Code \*

Module \*

Select

Registration Required

Repossession Allowed

☐

☐

Remarks \*

### (F) collateral Functionality

☰

**AZENTIO**  
ONEBanking

📧

📅


🔔

🗖

Fre... ▾

LOS ▾

Aze... ▾



🔍 Search the menu

📺

Dashboard

Configurations

Asset Collateral Config

Collateral

Collateral sub type

Collateral type

Business Rules

Corporate Masters

Misc Config

Other Masters

Product Definitions

Transactions

Go Back

Asset / Collateral categories

📁

Asset / Collateral Category Detail

Description \*

d'accord

+

Module \*

Select

▾

Remarks \*

Asset / Collateral Category Code \*

Registration Required

Repossession Allowed

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) collateral-

(F) collateral Functionality

**AZENTIO ONEBanking**

Search the menu

**Add of Asset/Collateral categories**

Action	Asset/Collateral Category Code	AssetCollateral Category Description	Created By	Status
	FD11		in00135	Active
	FD3		in00135	Active
	FD2		in00135	Active
	1000022		in00135	Active
	KJ		in00135	Active

Showing 1 to 5 of 56 entries

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) collateral-

(F) collateral Functionality

**AZENTIO ONEBanking**


Search the menu

**List of Asset/Collateral categories**


Action	Asset/Collateral Category Code	AssetCollateral Category Description	Created By	Status
	FD11		in00135	Active
	FD3		in00135	Active
	FD2		in00135	Active
	1000022		in00135	Active
	KJ		in00135	Active

Showing 1 to 5 of 56 entries

### (F) collateral Functionality



### (F) collateral Functionality



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) collateral-

(F) collateral Functionality

The screenshot displays the AZENTIO ONEBanking application. On the left is a blue sidebar menu with options: Dashboard, Configurations, Asset Collateral Config, Collateral, Collateral sub type, Collateral type, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, and Transactions. The main area shows a table titled 'List of Asset/Collateral categories'. The table has columns: Action, Asset/Collateral Category Code, AssetCollateral Category Description, Created By, and Status. It lists five entries, all with status 'Active'. Below the table is a pagination bar showing 'Showing 1 to 5 of 56 entries' and a 'Go Back' button. Below the table is a section titled 'Asset / Collateral categories' with a sub-header 'Asset / Collateral Category Detail'. It contains two input fields: 'Description \*' and 'Asset / Collateral Category Code \*'.

Action	Asset/Collateral Category Code	AssetCollateral Category Description	Created By	Status
	FD11		in00135	Active
	FD3		in00135	Active
	FD2		in00135	Active
	1000022		in00135	Active
	KJ		in00135	Active

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) collateral-

(F) collateral Functionality

The screenshot displays the AZENTIO ONEBanking application. On the left is a blue sidebar menu with options: Dashboard, Configurations, Asset Collateral Config, Collateral, Collateral sub type, Collateral type, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, and Transactions. The main area shows a form titled 'Asset / Collateral categories' with a sub-header 'Asset / Collateral Category Detail'. It contains two input fields: 'Description \*' (with 'OK' entered) and 'Asset / Collateral Category Code \*'. Below these are two toggle switches: 'Registration Required' and 'Repossession Allowed'. At the bottom is a 'Remarks \*' text area.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) collateral-

(F) collateral Functionality

AZENTIO

ONEBanking

Search the menu

Go Back

Dashboard

Configurations

Asset Collateral Config

Collateral

Collateral sub type

Collateral type

Business Rules

Corporate Masters

Misc Config

Other Masters

Product Definitions

Transactions

Asset / Collateral categories

Asset / Collateral Category Detail

Description \*

OK

Asset / Collateral Category Code \*

Module \*

Select

Registration Required

Repossession Allowed

Remarks \*