
Duration: 1 m 36.138 s Start: Feb 08, 3:28:33.345 PM End: Feb 08, 3:30:09.483 PM Scenarios **Features** Steps PASSED - 0 PASSED - 0 PASSED - 9 SKIPPED - 0 SKIPPED - 0 SKIPPED - 2 12 40 50 60 40 50 60 40 50 60 30 Pass % 70 30 Pass % 70 30 Pass % 70 20 20 20 80 80 80 90 90 10 75 % 100 100

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	To verify the functionality of fee master	1	0	1	0	1 m 36.138 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	To verify the functionality of fee master	To verify user able to save the modified record with blank	12	9	1	2	1 m 36.132 s
		and invalid details					


DETAILED SECTION

(F)- To verify the functionality of fee master

FAILED	DURATION - 1 m 36.138 s	Scenarios		Steps	
		Total - 1		Total - 12	
/ 3:28:33.345 PI	M // 3:30:09.483 PM /	Pass - 0	1	Pass - 9	12
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 2	

-- 4 --

(S)- To verify user able to save the modified record with blank and invalid details



#	Step / Hook Details	Status	Duration
1	Given Get the URL and login as maker	PASSED	27.730 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.458 s
	screenshot		
	AZSTTO TOTAL STATE OF THE STAT		
2	And Click the configuration	PASSED	0.183 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.267 s
	screenshot		
	ASSETTE THE REPORT OF THE PARTY		


AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 4 And Click the temp view in the fee master AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 5 Then Choose the data set id for fee master negative viaidation AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	#	Step / Hook Details	Status	Duration
And Click the temp view in the fee master AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Then Choose the data set id for fee master negative vlaidation AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) AAd Click the legacy code1 and pass the invalid details AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.307 s 1.071 s 2.655 s 2.	3	Then Click the config Manager	PASSED	0.209 s
4 And Click the temp view in the fee master AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then Choose the data set id for fee master negative viaidation AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 3.655 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 4.600 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.654 s			PASSED	0.266 s
AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot Then Choose the data set id for fee master negative viaidation AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then Choose the First record in the fee master for modification AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.594 s 1.600 s PASSED O.654 s PASSED O.838 s				
screenshot Then Choose the data set id for fee master negative vlaidation AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot Then Choose the First record in the fee master for modification AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) AGTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED B. 379 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED O.386 s	4	And Click the temp view in the fee master	PASSED	0.307 s
5 Then Choose the data set id for fee master negative vlaidation AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot Then Chooose the First record in the fee master for modification AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 1.600 s PASSED 0.554 s 7 And Click the legacy code1 and pass the invalid details AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 8.379 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.386 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.071 s
5 Then Choose the data set id for fee master negative viaidation AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then Chooose the First record in the fee master for modification PASSED AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.600 s PASSED 0.654 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.854 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.854 s		screenshot		
Then Choose the data set id for fee master negative vlaidation AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Control of the Choose the First record in the fee master for modification AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) AGE		**************************************		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AGTICR_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)				
screenshot Then Chooose the First record in the fee master for modification AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) passed 7 And Click the legacy code1 and pass the invalid details AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 8.379 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.386 s	5			
6 Then Chooose the First record in the fee master for modification AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 7 And Click the legacy code1 and pass the invalid details AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 8.379 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 8.379 s			PASSED	0.594 s
6 Then Chooose the First record in the fee master for modification AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 7 And Click the legacy code1 and pass the invalid details AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 8.379 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.386 s			_	
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 7 And Click the legacy code1 and pass the invalid details AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 8.379 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.654 s				
screenshot 7 And Click the legacy code1 and pass the invalid details AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.386 s	6	Then Chooose the First record in the fee master for modification	PASSED	1.600 s
7 And Click the legacy code1 and pass the invalid details AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.386 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.654 s
7 And Click the legacy code1 and pass the invalid details AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.386 s		screenshot	7	
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.386 s		**************************************		
	7	And Click the legacy code1 and pass the invalid details	PASSED	8.379 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.386 s
		screenshot		

#	Step / Hook Details	Status	Duration
	ASSETTO Total 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2		
8	Then save the record in tax master detail	PASSED	0.385 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.717 s
	screenshot	1	
	ASSYTTO 100 100 100 100 100 100 100 100 100 10		
9	Then Verify the invalid field validation popup in the fee master	PASSED	0.066 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.280 s
	screenshot		
	AZENTE *********************************		
10	And Click the charge type and make that field as blank in fee master	FAILED	33.136 s
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: //ion-select[@aria-label='Select, Charge Type *]' (tried for 30 second(s) with 5000 milliseconds interval) at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:91) at stepdefinitions.FeeMaster.click_the_charge_type_and_make_that_field_as_blank_in_fee_master(FeeMaster.java:848) at ?.Click the charge type and make that field as blank in fee master(file:///C:/Users/ININDC00073/git/Azentio_ULS/ Kamala_Priya_AzentioULSFramework3/src/test/java/features/FeeMaster.feature:139) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//ion-select[@aria-label='Select, Charge Type *]"} (Session info: chrome=108.0.5359.126) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.4.60', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [af80f4fdd5c2d92defcc1c35cafcf69a, findElement {using=xpath, value=//ion-select[@aria-label='Select, Charge Type *]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 108.0.5359.126, chrome: {chromediverVersion: 108.0.5359.71 (1e0e3868ee06, userDataDir: C:\Users\ININDC~1\AppData\L), goog:chromeOptions: {debuggerAddress: localhost:59798}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy; Proxy(), se:cdp: ws://localhost:59798/devtoo, se:cdpVersion: 108.0.5359.126,		


#	Step / Hook Details	Status	Duration
	setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss		
	and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID:		
	af80f4fdd5c2d92defcc1c35cafcf69a		
	at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)		
	at jdk.proxy2/jdk.proxy2.\$Proxy46.isDisplayed(Unknown Source)		
	at org.openqa.selenium.support.ui.ExpectedConditions.elementlfVisible(ExpectedConditions.java:307)		
	at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290)		
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208)		
	at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:91)		
	at stepdefinitions.FeeMaster.click_the_charge_type_and_make_that_field_as_blank_in_fee_master(FeeMaster.java:848)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:578)		
	at io.cucumber.java.lnvoker.dolnvoke(lnvoker.java:66)		
	at io.cucumber.java.lnvoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:64)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:104)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:71)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116)		


#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(AbstractTestNGCucumberTests, java:113) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests, java:131) at java.base/java.lang.reflect.DirectMethodHandleAccessor.invokc(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method, java:578) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker, java:598) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker, java:173) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker, java:173) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker, java:146) at org.testng.internal.TestInvoker.invokeTestMethodS(TestInvoker, java:146) at org.testng.internal.TestInvoker.invokeTestMethodS(TestInvoker, java:146) at org.testng.internal.TestMethodWorker.run(TestMethodS(TestMethodWorker, java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker, java:128) at java.base.java.utla.Tavy.List.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner, java:596) at org.testng.TestRunner.runTest(SuiteRunner, java:597) at org.testng.SuiteRunner.runTest(SuiteRunner, java:377) at org.testng.SuiteRunner.runTest(SuiteRunner, java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner, java:372) at org.testng.SuiteRunner.privateRun(SuiteRunner, java:373) at org.testng.TestNG.runSuitesSequentially(TestNG.java:115) at org.t	PASSED	0.901 s
1 H	screenshot	. , , , , , , , , , , , , , , , , , , ,	3.002.0
	ASSETTO STATE OF THE PROPERTY		
11	Then save the record in tax master detail	SKIPPED	0.000 s
12	Then Verify the balank field validation popup in the fee master	SKIPPED	0.000 s

EXPANDED SECTION -- 9 --




EXPANDED SECTION -- 10 --





EXPANDED SECTION -- 12 --



EXPANDED SECTION -- 13 --

