

# Cucumber Report

09-Sep-2022, 5:38:47 pm

Start : Sep 09, 5:38:20.360 pm

End : Sep 09, 5:38:46.506 pm

Duration : 26.146 s

Features


Scenarios

Steps

PASSED - 1  
FAILED - 0  
SKIPPED - 0

PASSED - 1  
FAILED - 0  
SKIPPED - 0

PASSED - 15  
FAILED - 0  
SKIPPED - 0







#	Feature Name	T	P	F	S	Duration
1	Check The functionality of the Personal Details App data Entry	1	1	0	0	26.146 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check The functionality of the Personal Details App data Entry	verify customer details list view	15	15	0	0	26.140 s


**(F)- Check The functionality of the Personal Details App data Entry**

<b>PASSED</b>	<b>DURATION - 26.146 s</b>	Scenarios		Steps	
/ 5:38:20.360 pm // 5:38:46.506 pm /		Total - 1		Total - 15	
		Pass - 1		Pass - 15	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	


**(S)- verify customer details list view**



<div><div>PASSED</div><div>DURATION - 26.140 s</div></div>			Steps	<div><div>Total - 15</div><div>Pass - 15</div><div>Fail - 0</div><div>Skip - 0</div></div> <div><div>15</div></div>
/ 5:38:20.366 pm // 5:38:46.506 pm /				
Check The functionality of the Personal Details App data Entry				
@AT_PDE_004				

#	Step / Hook Details	Status	Duration
1	Given User Launch the KULS url for Transaction	PASSED	10.342 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.279 s
	screenshot		
			
2	Then user click on Transaction Module	PASSED	0.091 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.267 s
	screenshot		


#	Step / Hook Details	Status	Duration
			
3	And user click on Application Details	PASSED	5.410 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.400 s
	screenshot		
			
4	And user click on Inbox Icon	PASSED	0.235 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.314 s
	screenshot		
			
5	And user click search icon	PASSED	0.182 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.216 s
	screenshot		
			
6	And user search Appdata Entry	PASSED	0.167 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.171 s


#	Step / Hook Details	Status	Duration
	<p>screenshot</p> 		
7	And user click on First record of Appdata Entry	PASSED	0.221 s
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.623 s
8	And user click on Customer Details Tab	PASSED	0.644 s
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.296 s
9	And user verify the CIF ID List view	PASSED	0.082 s
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.153 s
10	And user verify the First Name List View	PASSED	0.104 s

#	Step / Hook Details	Status	Duration
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.156 s
	screenshot		
			
11	And user verify the Middle Name List View	PASSED	0.091 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.154 s
	screenshot		
			
12	And user Verify the Last Name List View	PASSED	0.089 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.158 s
	screenshot		
			
13	And user verify the Customer Type List View	PASSED	0.095 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.154 s
	screenshot		
			

#	Step / Hook Details	Status	Duration
14	And user verify the Applicant Type List View	PASSED	0.085 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.165 s
	screenshot		
			
15	And user verify the Status List View	PASSED	0.105 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.143 s
	screenshot		
			



<p>(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)</p>	
<p><u>(S) verify customer details list view</u></p>	
<p><u>(F) Check The functionality of the Personal Details App data Entry</u></p>	

<p>(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)</p>	
<p><u>(S) verify customer details list view</u></p>	
<p><u>(F) Check The functionality of the Personal Details App data Entry</u></p>	

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify customer details list view

(F) Check The functionality of the  
Personal Details App data Entry

**AZENTIO**  
ONEBanking

Search the menu

Application Details

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify customer details list view

(F) Check The functionality of the  
Personal Details App data Entry

**AZENTIO**  
ONEBanking

Search the menu

Inbox

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product
	10725	APP_CREATE	OFFERING	CREOFF	in02040	01-Sep-2022 12:39	HLW	AHL
	10720	APP_CREATE	DUPAPPDEC	BRMANG	in02040	29-Aug-2022 13:37	HLW	AHL
	10739	APP_CREATE	NEWAPP	BREXEC	in02040	11-Aug-2022 10:29	HLW	AHL
	10738	APP_CREATE	APPDATAENT	CPUEXEC	in02040	10-Aug-2022 17:10	HLW	AHL
	10727	APP_CREATE	LEGVRFY	CPUEXEC	in02040	10-Aug-2022 13:50	HLW	AHL
	10734	APP_CREATE	APPDATAENT	CPUEXEC	in02040	08-Aug-2022 12:33	HLW	AHL
	159	FLOATING_RATE	MAKER	LOSMKR	in02040	08-Aug-2022 12:16	TSW	
	10728	APP_CREATE	LEGVRFY	CPUEXEC	in02040	06-Aug-2022 13:12	HLW	AHL
	10733	APP_CREATF	LEGVRFY	CPUEXFC	in02040	06-Aug-	HLW	AHL

(F) Check The functionality of the Personal Details App data Entry

Engl...
LOS
Aze...

☰ Search the menu

- Dashboard
- Configurations
- Transactions
- Customer details
- Customer details islamic
- Customer identification details
- Customer address details
- Application Details
- Facility Details

### Inbox

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product
	10725	APP_CREATE	OFFERING	CREOFF	in02040	01-Sep-2022 12:39	HLW	AHL
	10720	APP_CREATE	DUPAPPDEC	BRMANG	in02040	29-Aug-2022 13:37	HLW	AHL
	10739	APP_CREATE	NEWAPP	BREXEC	in02040	11-Aug-2022 10:29	HLW	AHL
	10738	APP_CREATE	APPDATAENT	CPUEXEC	in02040	10-Aug-2022 17:10	HLW	AHL
	10727	APP_CREATE	LEGVRFY	CPUEXEC	in02040	10-Aug-2022 13:50	HLW	AHL
	10734	APP_CREATE	APPDATAENT	CPUEXEC	in02040	08-Aug-2022 12:33	HLW	AHL
	159	FLOATING_RATE	MAKER	LOSMKR	in02040	08-Aug-2022 12:16	TSW	
	10728	APP_CREATE	LEGVRFY	CPUEXEC	in02040	06-Aug-2022 13:12	HLW	AHL
	10733	APP_CREATE	LEGVRFY	CPUEXEC	in02040	06-Aug-	HLW	AHL

(F) Check The functionality of the Personal Details App data Entry

☰

Engl...
LOS
Aze...

- ☐☐ Dashboard
- ⚙️ Configurations
- 🔄 Transactions
- 👤 Customer details
- 🕌 Customer details islamic
- 👤 Customer identification details
- 🏠 Customer address details
- 📄 Application Details
- 🏢 Facility Details

## Inbox

✕

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product
	10725	APP_CREATE OFFERING	CREOFF		in02040	01-Sep-2022 12:39	HLW	AHL
	10720	APP_CREATE DUPAPPDEC	BRMANG		in02040	29-Aug-2022 13:37	HLW	AHL
	10739	APP_CREATE NEWAPP	BREXEC		in02040	11-Aug-2022 10:29	HLW	AHL
	10738	APP_CREATE APPDATAENT	CPUEXEC		in02040	10-Aug-2022 17:10	HLW	AHL
	10727	APP_CREATE LEGVRFY	CPUEXEC		in02040	10-Aug-2022 13:50	HLW	AHL
	10734	APP_CREATE APPDATAENT	CPUEXEC		in02040	08-Aug-2022 12:33	HLW	AHL
	159	FLOATING_RATE MAKER	LOSMKR		in02040	08-Aug-2022 12:16	TSW	
	10728	APP_CREATE LEGVRFY	CPUEXEC		in02040	06-Aug-2022 13:12	HLW	AHL
	10733	APP_CREATE LEGVRFY	CPUEXEC		in02040	06-Aug-	HLW	AHL

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify customer details list view

(F) Check The functionality of the  
Personal Details App data Entry

The screenshot displays the AZENTIO ONEBanking application interface. On the left is a blue sidebar menu with options: Dashboard, Configurations, Transactions, Customer details, Customer details islamic, Customer identification details, Customer address details, Application Details, and Facility Details. The main area shows an 'Inbox' table with columns: Action, Reference Id, Event Code, Stage Code, Role Code, Employee Name, Created Date, Workflow Code, and Product. The table contains several rows of data, with the row for Reference Id 10696 highlighted. A blue circular button with a paint palette icon is visible on the right side of the table.

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product
	10738	APP_CREATE	APPDATAENT	CPUEXEC	in02040	10-Aug-2022 17:10	HLW	AHL
	10734	APP_CREATE	APPDATAENT	CPUEXEC	in02040	08-Aug-2022 12:33	HLW	AHL
	10703	APP_CREATE	APPDATAENT	CPUEXEC	in02040	03-Aug-2022 16:40	HLW	AHL
	10696	APP_CREATE	APPDATAENT	CPUEXEC	in02040	03-Aug-2022 14:22	HLW	AHL
	10653	APP_CREATE	APPDATAENT	CPUEXEC	in02040	03-Aug-2022 12:38	HLW	AHL
	10690	APP_CREATE	APPDATAENT	CPUEXEC	in02040	03-Aug-2022 11:4	HLW	AHL
	10689	APP_CREATE	APPDATAENT	CPUEXEC	in02040	02-Aug-2022 15:32	HLW	AHL
	10686	APP_CREATE	APPDATAENT	CPUEXEC	in02040	29-Jul-2022 16:8	HLW	AHL
	10683	APP_CREATE	APPDATAENT	CPUEXEC	in02040	28-Jul-2022 16:8	HLW	AHL

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify customer details list view

(F) Check The functionality of the  
Personal Details App data Entry

The screenshot displays the AZENTIO ONEBanking application interface, showing the 'Customer Personal Information' form. The sidebar menu is the same as in the previous screenshot. The main area has a breadcrumb trail: Prev > Application Info > Customer details > Additional Customer Info > Cust > Next. The form contains several input fields for customer details. At the bottom, there are buttons for 'Approve', 'Reject', 'Return', and 'Eligibility Check'.

Customer Personal Information

Prev Application Info Customer details Additional Customer Info Cust Next

Approve Reject Return Eligibility Check

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify customer details list view

(F) Check The functionality of the  
Personal Details App data Entry

The screenshot displays the AZENTIO ONEBanking application interface. On the left is a blue sidebar menu with options: Dashboard, Configurations, Transactions, Customer details, Customer details islamic, Customer identification details, Customer address details, Application Details, and Facility Details. The main content area is titled 'Customer Personal Information' and features a table with columns: Select, Action, CIF ID, First Name, Middle Name, Last Name, Customer Type, Applicant Type, and Status. A single entry is visible for 'Aakash Patel' with status 'Active'. The interface includes a top navigation bar with 'Prev', 'Application Info', 'Customer details' (active), 'Additional Customer Info', 'Cust', and 'Next' buttons. A search bar and an 'Export' button are also present. The bottom right corner shows a user profile icon and a language selector set to 'Engl...'. The page number '1' is highlighted in the pagination controls.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify customer details list view

(F) Check The functionality of the  
Personal Details App data Entry

This screenshot is identical to the one above, showing the AZENTIO ONEBanking application interface. The sidebar menu, main content area with the 'Customer Personal Information' table, and navigation elements are all the same. The table shows one entry for 'Aakash Patel' with status 'Active'. The page number '1' is highlighted in the pagination controls.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify customer details list view

(F) Check The functionality of the  
Personal Details App data Entry

The screenshot displays the Azenzio ONEBanking application interface. On the left is a blue sidebar menu with options: Dashboard, Configurations, Transactions, Customer details, Customer details islamic, Customer identification details, Customer address details, Application Details, and Facility Details. The main content area is titled 'Customer Personal Information' and features a table with columns: Select, Action, CIF ID, First Name, Middle Name, Last Name, Customer Type, Applicant Type, and Status. A single entry is visible for 'Aakash Patel' with status 'Active'. The table includes pagination controls showing 'Showing 1 to 1 of 1 entries' and a page size dropdown set to 5. The top navigation bar includes tabs for 'Application Info', 'Customer details', 'Additional Customer Info', and 'Cust Next', along with user profile and language settings.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify customer details list view

(F) Check The functionality of the  
Personal Details App data Entry

This screenshot is identical to the one above, showing the Azenzio ONEBanking application interface. It features the same blue sidebar menu, 'Customer Personal Information' title, and a table with one entry for 'Aakash Patel' with status 'Active'. The pagination and navigation elements are consistent with the previous image.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify customer details list view

(F) Check The functionality of the  
Personal Details App data Entry

The screenshot displays the AZENTIO ONEBanking application interface. On the left is a blue sidebar menu with options: Dashboard, Configurations, Transactions, Customer details, Customer details islamic, Customer identification details, Customer address details, Application Details, and Facility Details. The main content area is titled 'Customer Personal Information' and features a table with columns: Select, Action, CIF ID, First Name, Middle Name, Last Name, Customer Type, Applicant Type, and Status. A single entry is visible for 'Aakash Patel' with status 'Active'. The table includes pagination controls showing 'Showing 1 to 1 of 1 entries' and a page size dropdown set to 5. The top navigation bar includes tabs for 'Prev', 'Application Info', 'Customer details' (active), 'Additional Customer Info', 'Cust', and 'Next'. The user profile 'Aze...' is visible in the top right corner.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify customer details list view

(F) Check The functionality of the  
Personal Details App data Entry



This screenshot is identical to the one above, showing the AZENTIO ONEBanking application interface. The sidebar menu, main content area with the 'Customer Personal Information' table, and top navigation bar are all the same. The table shows one entry for 'Aakash Patel' with status 'Active'. The pagination indicates 'Showing 1 to 1 of 1 entries'.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify customer details list view

(F) Check The functionality of the  
Personal Details App data Entry

The screenshot displays the Azentio ONE Banking interface. The top navigation bar includes the Azentio logo, a search bar, and various utility icons. The left sidebar contains a menu with options: Dashboard, Configurations, Transactions, Customer details, Customer details islamic, Customer identification details, Customer address details, Application Details, and Facility Details. The main content area is titled 'Customer Personal Information' and shows a table with one entry for 'Aakash Patel'. The table columns are Select, Action, CIF ID, First Name, Middle Name, Last Name, Customer Type, Applicant Type, and Status. The entry for Aakash Patel is marked as 'Active'. The page also features a pagination bar indicating 'Showing 1 to 1 of 1 entries' and a search bar with an 'Export' button.

Select	Action	CIF ID	First Name	Middle Name	Last Name	Customer Type	Applicant Type	Status
<input type="radio"/>	 		Aakash		Patel	I	P	Active