

Cucumber Report

12-Oct-2022, 12:18:11 pm

Start : Oct 12, 12:17:29.673 pm

End : Oct 12, 12:18:09.261 pm

Duration : 39.588 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 0


FAILED - 1

SKIPPED - 0

PASSED - 6


FAILED - 1

SKIPPED - 3







#	Feature Name	T	P	F	S	Duration
1	<u>check the functionality of the Warehouse Master</u>	1	0	1	0	39.588 s







#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>check the functionality of the Warehouse Master</u>	<u>verify the functionality of Activate/Deactivate button</u>	10	6	1	3	39.583 s

(F)- check the functionality of the Warehouse Master

FAILED	DURATION - 39.588 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 10 Pass - 6 Fail - 1 Skip - 3	
/ 12:17:29.673 pm // 12:18:09.261 pm /					


(S)- verify the functionality of Activate/Deactivate button


<div>FAILED</div> <div>DURATION - 39.583 s</div>		<div></div>	<div>Steps</div> <div>Total - 10</div> <div>Pass - 6</div> <div>Fail - 1</div> <div>Skip - 3</div>	<div></div>
<div>/ 12:17:29.678 pm // 12:18:09.261 pm /</div>				
<div>check the functionality of the Warehouse Master</div>				
<div>@AT_WHM_T009_Active_Deactive</div>				


#	Step / Hook Details	Status	Duration
1	Given user log in as uls application maker	PASSED	19.118 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.387 s
	screenshot		
			
2	Then user click on configurations Tab	PASSED	0.130 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.337 s
	screenshot		
			

#	Step / Hook Details	Status	Duration
3	When user click Config Manager menu	PASSED	0.209 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.356 s
	screenshot		
			
4	And user click Temp view icon of Warehouse Master	PASSED	0.202 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.290 s
	screenshot		
			
5	And user click on First Record Edit icon	PASSED	2.210 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.447 s
	screenshot		
			
6	And user verify the status button	PASSED	2.452 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.146 s
	screenshot		
			
7	And user verify the status is Active	FAILED	1.236 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-toggle _ngcontent-xir-c322="" mode="md" ng-reflect-mode="md" ng-reflect-model="1" ng-reflect-color="primary" ng-reflect-ng-class="[object Object]" ng-reflect-disabled="true" ng-reflect-is-		

#	Step / Hook Details	Status	Duration
	<p>disabled="true" class="readonly ng-untouched ng-pristine ion-untouched ion-pristine ion-color ion-color-primary md in-item toggle-checked toggle-disabled interactive hydrated" aria-checked="true" aria-hidden="true" role="switch" color="primary">...</ion-toggle> is not clickable at point (302, 618). Other element would receive the click: <ion-col _ngcontent-xir-c738="" class="fldouterspacing ng-star-inserted md hydrated" size="6" size-sm="6" size-md="6" size-lg="6" size-xl="6" style="flex: 0 0 calc(calc(6 / var(--ion-grid-columns, 12)) * 100%); width: calc(calc(6 / var(--ion-grid-columns, 12)) * 100%); max-width: calc(calc(6 / var(--ion-grid-columns, 12)) * 100%);">...</ion-col> (Session info: chrome=105.0.5195.127) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVDAP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [4bd0441d58943b808efa18070a0f28ee, clickElement {id=88f9d297-2243-4527-abf7-b3e77473ff8d}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 105.0.5195.127, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: C:\Users\ININDC~1\AppData\Local\..., goog:chromeOptions: {debuggerAddress: localhost:60789}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60789/devtoo..., se:cdpVersion: 105.0.5195.127, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (4bd0441d58943b808efa18070a0f28ee)] -> xpath: //ion-item[1]/ion-toggle[1]] Session ID: 4bd0441d58943b808efa18070a0f28ee</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy46.click(Unknown Source) at stepdefinitions.WareHouseMaster.user_verify_the_status_is_active(WareHouseMaster.java:735) at ?.user verify the status is Active(file:///C:/Users/inindc00075/git/Arshath_ULS/Arshath_AzentioULSFramework/src/test/java/features/MDM_Warehouse_Master.feature:301) * Not displayable characters are replaced by '?'. </p>		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.145 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
8	And user click on the update button	SKIPPED	0.000 s
9	And user click Temp view icon of Warehouse Master	SKIPPED	0.000 s
10	And user verify the status is Deactive	SKIPPED	0.000 s

<p>(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)</p>	
<p><u>(S) verify the functionality of Activate/Deactivate button</u></p>	
<p><u>(F) check the functionality of the Warehouse Master</u></p>	

<p>(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)</p>	
<p><u>(S) verify the functionality of Activate/Deactivate button</u></p>	
<p><u>(F) check the functionality of the Warehouse Master</u></p>	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify the functionality of
Activate/Deactivate button

(F) check the functionality of the
Warehouse Master

AZENTIO

ONEBanking

Search the menu

Dashboard

Configurations

Config Manager

Collateral

Warehouse Master

Collateral sub type

LO Module Waiver

Collateral type

Fee master

Asset Auto Master

Charge master

Asset CD Master

Appropriation master

Transactions

Reports

Engl...

LOS

Aze...

Search the menu

Dashboard

Configurations

Config Manager

Collateral

Warehouse Master

Collateral sub type

LO Module Waiver

Collateral type

Fee master

Asset Auto Master

Charge master

Asset CD Master

Appropriation master

Transactions

Reports

Powered by Metabase

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify the functionality of
Activate/Deactivate button

(F) check the functionality of the
Warehouse Master

AZENTIO

ONEBanking

Search the menu

Dashboard

Configurations

Config Manager

Collateral

Warehouse Master

Collateral sub type

LO Module Waiver

Collateral type

Fee master

Asset Auto Master

Charge master

Asset CD Master

Appropriation master

Transactions

Reports

Engl...

LOS

Aze...

Search the menu

Dashboard

Configurations

Config Manager

Collateral

Warehouse Master

Collateral sub type

LO Module Waiver

Collateral type

Fee master

Asset Auto Master

Charge master

Asset CD Master

Appropriation master

Transactions

Reports

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify the functionality of
Activate/Deactivate button

(F) check the functionality of the
Warehouse Master

The screenshot shows the AZENTIO ONE Banking interface. On the left is a blue sidebar with a search bar and a menu containing: Dashboard, Configurations (with sub-items: Config Manager, Collateral, Warehouse Master, Collateral sub type, LO Module Waiver, Collateral type, Fee master, Asset Auto Master, Charge master, Asset CD Master, Appropriation master), Transactions, and Reports. The main content area is titled 'Warehouse Master' and features a table with columns: Action, Description, Address, Country, State, City, Zip Code, Phone 1, Fax, E-mail, Contact Person, Status, and Current Stage. The table contains five rows of data, all with 'Active' status and 'CHECKER' as the current stage. At the bottom right of the table, it says 'Showing 1 to 5 of 23 entries' with pagination controls. A search bar and an 'Export' button are at the top right of the table area.

Action	Description	Address	Country	State	City	Zip Code	Phone 1	Fax	E-mail	Contact Person	Status	Current Stage
	SBI_DESC	SBI_ADDRESS	1105415	1105474	1105414	98303324	9876543210		azentio@gmail.com	MEEE	Active	CHECKER
	SBI_DESC	SBI_ADDRESS	1105415	1105474	1105414	98303324	9876543210		azentio@gmail.com	MEEE	Active	CHECKER
	SBI_DESC	TMB KULS	1105415	1105472	1105475	98303324	9638527410	1470258369	TMB@gmail.com	DURGA	Active	
	TMB_Description	TMB KULS	1105415	1105472	1105475	98303324	9638527410	1470258369	TMB@gmail.com	DURGA	Active	CHECKER
	TMB_Description	TMB KULS	1105415	1105472	1105475	98303324	9638527410	1470258369	TMB@gmail.com	DURGA	Active	CHECKER

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify the functionality of
Activate/Deactivate button

(F) check the functionality of the
Warehouse Master

The screenshot shows the AZENTIO ONE Banking interface with the 'Warehouse Master' form. The left sidebar is identical to the previous screenshot. The main content area is titled 'Warehouse Master' and contains a form with the following fields: Description (SBI_DESC), Address (SBI_ADDRESS), Country (INDIA), State (Maharashtra), Location (Thane), Zip Code (PIN57946), Phone 1 (9876543210), Fax, E-Mail (azentio@gmail.com), Contact Person (MEEE), and Status (Active, indicated by a blue toggle switch).

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify the functionality of
Activate/Deactivate button

(F) check the functionality of the
Warehouse Master

The screenshot displays the AZENTIO ONEBOOKING application interface. On the left is a blue sidebar menu with the following items: Dashboard, Configurations (expanded), Config Manager, Collateral, Warehouse Master (highlighted), Collateral sub type, LO Module Waiver, Collateral type, Fee master, Asset Auto Master, Charge master, Asset CD Master, Appropriation master, Transactions, and Reports. The main content area is titled 'Warehouse Master' and contains a form with the following fields: Description (SBLDESC), Address (SBLADDRESS), Country (INDIA), State (Maharashtra), Location (Thane), Zip Code (PIN57946), Phone 1 (9876543210), E-Mail (azentio@gmail.com), Status (toggle switch), and Contact Person (MEEE). The top right of the interface shows user settings for language (Engl...), LOS, Aze..., and a user profile icon.