

# Cucumber Report

22 Feb 2023, 2:13:36 PM

Start : Feb 22, 2:12:48.884 PM

End : Feb 22, 2:13:34.520 PM

Duration : 45.636 s

Features


Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0


PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 8  
FAILED - 1  
SKIPPED - 7







#	Feature Name	T	P	F	S	Duration
1	<u>To verify the functionalities of report master</u>	1	0	1	0	45.636 s







#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>To verify the functionalities of report master</u>	<u>To verify system allow user to modify the Report Master before approve the record</u>	16	8	1	7	45.627 s




**(F)- To verify the functionalities of report master**



<b>FAILED</b>	<b>DURATION - 45.636 s</b>	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 16 Pass - 8 Fail - 1 Skip - 7	
/ 2:12:48.884 PM // 2:13:34.520 PM /					

**(S)- To verify system allow user to modify the Report Master before approve the record**


<div>FAILED</div> <div>DURATION - 45.627 s</div>			<div>Steps</div> <div>Total - 16</div> <div>Pass - 8</div> <div>Fail - 1</div> <div>Skip - 7</div>	
/ 2:12:48.893 PM // 2:13:34.520 PM /				
To verify the functionalities of report master				
@AT_RA_006				

#	Step / Hook Details	Status	Duration
1	Given Navigate to ULS application URL	PASSED	10.912 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.977 s
	screenshot		
			
2	Then login with valid maker credentials	PASSED	10.206 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.621 s
	screenshot		
			

#	Step / Hook Details	Status	Duration
3	And go to configuration main menu	PASSED	0.156 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.232 s
	screenshot		
			
4	And click on config Manager main module	PASSED	0.192 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.292 s
	screenshot		
			
5	And Click the Eye icon of report master	PASSED	0.322 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.383 s
	screenshot		
			
6	And click on work in progress records button of report master	PASSED	0.400 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.539 s
	screenshot		
			
7	Then click on add button to create new record of report master	PASSED	0.274 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.548 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
8	Then Fill all valid fields in the report master screen for approve the record	PASSED	3.735 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.500 s
	screenshot		
			
9	Then verify system display the confirmation message in the report master screen post clicking on save button	FAILED	10.563 s
	<p>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: (//body/div/div/div/div[1])[1]' (tried for 10 second(s) with 500 milliseconds interval)</p> <p>at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263)</p> <p>at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231)</p> <p>at helper.WaitHelper.waitForElementwithFluentwait(WaitHelper.java:91)</p> <p>at stepdefinitions.ULS_ReportMasterSteps.verify_system_display_the_confirmation_message_in_the_report_master_screen_post_clicking_on_save_button(ULS_ReportMasterSteps.java:2313)</p> <p>at ?.verify system display the confirmation message in the report master screen post clicking on save button(file:///C:/Users/ININDC00076/git/Azentio_ULS/AzentioULSFramework_Anandh/src/test/java/features/ReportMaster.feature:162)</p> <p>Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"(//body/div/div/div/div[1])[1]"} (Session info: chrome=110.0.5481.104) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.4.56', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1298758cacd274a5d05d3891497da1aa, findElement {using=xpath, value=(//body/div/div/div/div[1])[1]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.104, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e..., userDataDir: C:\Users\ININDC~1\AppData\Local\Google\Chrome\User Data\Default\Profile 1\Extensions\...}, goog:chromeOptions: {debuggerAddress: localhost:53683}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:53683/devtools, se:cdpVersion: 110.0.5481.104, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 1298758cacd274a5d05d3891497da1aa</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)</p> <p>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)</p> <p>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)</p>		

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy46.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) at helper.WaitHelper.waitForElementwithFluentwait(WaitHelper.java:91) at stepdefinitions.ULS_ReportMasterSteps. verify_system_display_the_confirmation_message_in_the_report_master_screen_post_clicking_on_save_button(ULS_ReportMasterSteps. java:2313) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) </pre>		


#	Step / Hook Details	Status	Duration
	<pre> at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.459 s
	screenshot		
			
10	Then confirmation message displays in the report master screen with reference id	SKIPPED	0.001 s
11	Then click on inbox button to select the record of report master	SKIPPED	0.001 s
12	And select the record of report master from inbox to submit	SKIPPED	0.000 s
13	Then verify the field status is non mandatory in report master	SKIPPED	0.000 s
14	Then verify system allow user to modify the report master record before approve the record	SKIPPED	0.001 s
15	Then verify system display the confirmation message in the report master screen post clicking on save button	SKIPPED	0.000 s
16	Then verify the functionality of back button in report master screen	SKIPPED	0.000 s



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) To verify system allow user to modify  
the Report Master before approve the  
record


(F) To verify the functionalities of report  
master



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) To verify system allow user to modify  
the Report Master before approve the  
record


(F) To verify the functionalities of report  
master



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) To verify system allow user to modify  
the Report Master before approve the  
record


(F) To verify the functionalities of report  
master



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) To verify system allow user to modify  
the Report Master before approve the  
record


(F) To verify the functionalities of report  
master



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) To verify system allow user to modify  
the Report Master before approve the  
record


(F) To verify the functionalities of report  
master



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) To verify system allow user to modify  
the Report Master before approve the  
record

(F) To verify the functionalities of report  
master



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) To verify system allow user to modify  
the Report Master before approve the  
record

(F) To verify the functionalities of report  
master

The screenshot shows the 'Report Master - List View' interface. On the left is a blue sidebar with a search bar and a menu containing 'Dashboard', 'Configurations' (with sub-items: Allocation Master, Allocation Details, Risk Rating Master, Insurance Master, UnderwriterOffsetControl, digitaldocumentmaster, Deposit Account Master, Risk Type Master, Project Master, Notification Master, Report Master), 'Transactions', and 'Reports'. The main area displays a table with columns: Action, Report Name, Description, Report Type, and Status. The table contains five rows of data, all with a status of 'Active'. At the bottom right, it says 'Showing 1 to 5 of 54 entries' with pagination controls.

Action	Report Name	Description	Report Type	Status
	Tst	!@#\$	57448	Active
	Reports	Done	57945	Active
	Reports	Done	57945	Active
	Test	Test	57945	Active
	Reports	Done	57945	Active

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) To verify system allow user to modify  
the Report Master before approve the  
record

(F) To verify the functionalities of report  
master

The screenshot shows the 'Report Master' form and a list view. The form has fields for Report Name (rep1, rep2, rep3), Report Description (repDesc1), Report Type (ART), Report Category (REPORT), and Report Uri (www.xyz.com). Below the form is a 'Report Parameter Details' table with columns: Sequence Number, Description, Parameter Name, Is Mandatory, and Status. The table contains five rows of data, all with a status of 'Active'.

Sequence Number	Description	Parameter Name	Is Mandatory	Status
123456	Para1 ok	Para1	Y	Active
123456	Para1 ok	Para1	Y	Active
123456	Para1 ok	Para1	Y	Active
123456	Para1 ok	Para1	Y	Active
123456	Para1 ok	Para1	Y	Active

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) To verify system allow user to modify  
the Report Master before approve the  
record

(F) To verify the functionalities of report  
master

AZENTIO

ONEBOOKING

Search the menu

Dashboard

Configurations

Allocation Master

Allocation Details

Risk Rating Master

Insurance Master

UnderwriterOffsetC  
ontrol

digitaldocumentma  
ster

Deposit Account  
Master

Risk Type Master

Project Master

Notification Master

Report Master

Transactions

Reports

Report Master

Report Name \*

rep1

only character allowed

Report Description

repDesc1

Report Category \*

REPORT

Report Name 2 \*

rep2

only character allowed

Report Type \*

ART

Report Name 3 \*

rep3

only character allowed

Report Uri \*

www.xyz.com

Report Parameter Details

+

Search

Export

Action	Sequence Number	Description	Parameter Name	Is Mandatory	Status
	123456	Para1 ok	Para1	Y	Active
	123456	Para1 ok	Para1	Y	Active
	123456	Para1 ok	Para1	Y	Active
	123456	Para1 ok	Para1	Y	Active
	123456	Para1 ok	Para1	Y	Active