

Cucumber Report

Jul 20, 2022, 1:08:52 PM

Start : Jul 20, 1:08:15.792 PM

End : Jul 20, 1:08:51.293 PM

Duration : 35.501 s

Features

Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 5
FAILED - 1
SKIPPED - 1







#	Feature Name	T	P	F	S	Duration
1	Product Master Retail Functionality	1	0	1	0	35.501 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Product Master Retail Functionality	Product Master Retail Field validation	7	5	1	1	35.497 s





(F)- Product Master Retail Functionality


FAILED	DURATION - 35.501 s	Scenarios		Steps	
/ 1:08:15.792 PM // 1:08:51.293 PM /		Total - 1		Total - 7	
		Pass - 0		Pass - 5	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 1	

(S)- Product Master Retail Field validation

<div>FAILED</div> <div>DURATION - 35.497 s</div>		<div></div>	<div>Steps</div> <div>Total - 7</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
<div>/ 1:08:15.796 PM // 1:08:51.293 PM /</div>				
<div>Product Master Retail Functionality</div>				
<div>@ProductMaster_Retail</div>				

#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	10.236 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.102 s
	screenshot		
			
2	And User Login as maker	PASSED	0.000 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.079 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	Then click on Product Setup	PASSED	0.096 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.136 s
	screenshot		
			
4	Then click on Product Master eye icon	PASSED	0.103 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.268 s
	screenshot		
			
5	Then click on Product Master add button	PASSED	5.183 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.206 s
	screenshot		
			
6	Then verify all the fields are available on the screen	FAILED	16.128 s
	<p>org.openqa.selenium.NoAlertPresentException: no such alert (Session info: chrome=99.0.4844.82) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [6b5b120ee8721a07d61596baea16d9d2, getAlertText {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppDataL..., goog:chromeOptions: {debuggerAddress: localhost:54210},</p>		

#	Step / Hook Details	Status	Duration
	<p>javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:54210/devtoo..., se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 6b5b120ee8721a07d61596baea16d9d2</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteTargetLocator.alert(RemoteWebDriver.java:1042) at helper.AlertHelper.getAlert(AlertHelper.java:25) at helper.AlertHelper.getAlertText(AlertHelper.java:45) at stepdefinitions.ProductMaster_Retail.verify_all_the_fields_are_available_on_the_screen(ProductMaster_Retail.java:141) at ?.verify all the fields are available on the screen(file:///C:/Users/inindc00089/git/Azentio_ULSFramework/AzentioAutomationFramework/src/test/java/features/ProductMaster_Retail.feature:14) * Not displayable characters are replaced by '?'. </p>		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.102 s
	<p>screenshot</p> 		
7	Then click on Product Master back button	SKIPPED	0.001 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master Retail Field validation

(F) Product Master Retail Functionality

AZENTIO™

Asset Collateral Config

Business Rules

Corporate Masters

Misc Config

Other Masters

Product Definitions

Product Setup

Regulatory Product Defini...

Project Setup

Config Manager

Sample Screens

English

LOS

Azentio Software

Puneet

01-Sep-2023

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master Retail Field validation

(F) Product Master Retail Functionality

AZENTIO™

Asset Collateral Config

Business Rules

Corporate Masters

Misc Config

Other Masters

Product Definitions

Product Setup

Regulatory Product Defini...

Project Setup

Config Manager

Sample Screens

English

LOS

Azentio Software


Puneet

01-Sep-2023

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master Retail Field validation

(F) Product Master Retail Functionality




The screenshot shows the Azentio software interface. The top navigation bar includes a hamburger menu, email icon, language dropdown (English), LOS dropdown, Azentio Software dropdown, a grid icon, a bell icon, a user profile icon for Puneet (01-Sep-2023), and a dark mode toggle. The left sidebar is dark blue with the Azentio logo at the top. Below the logo are three icons: a wrench, a puzzle piece, and a clipboard. The sidebar menu lists the following items: Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup (highlighted in orange), Regulatory Product Defini..., Project Setup, and Config Manager. The main content area is a light blue gradient with a dark blue circular icon in the bottom right corner.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master Retail Field validation

(F) Product Master Retail Functionality



The screenshot shows the Azentio software interface with the Product Master table visible. The top navigation bar is identical to the previous screenshot. The left sidebar is dark blue with the Azentio logo at the top. Below the logo are three icons: a wrench, a puzzle piece, and a clipboard. The sidebar menu lists the following items: Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup, Asset Auto Master, Asset CD Master, Product master (highlighted in orange), Sub Product Master, Regulatory Product Defini..., Project Setup, and Config Manager. The main content area is titled "Product Master" and displays a table with 7 columns and 6 rows of data. The table has a light gray header and body. A dark blue circular icon is visible in the bottom right corner of the main content area.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master Retail Field validation

(F) Product Master Retail Functionality

The screenshot shows the Azentio Product Master interface. On the left is a dark blue sidebar with the Azentio logo and a list of navigation items: Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup, Asset Auto Master, Asset CD Master, Product master (highlighted), Sub Product Master, Regulatory Product Defini..., Project Setup, and Config Manager. The main area displays a table of product entries. The table has columns for Action, Product Group, Product Code, Product Description, Retail/Corporate, and Status. Five entries are visible, all with a status of 'Active'. At the bottom of the table, it says 'Showing 1 to 5 of 68 entries' with pagination controls. A search bar and an 'Export' button are at the top right of the table area.

Action	Product Group	Product Code	Product Description	Retail/Corporate	Status
	98303249	PMR	Standard home loan - kuls	R	Active
	98303249	AHL	Standard Home Loan - KUBS	R	Active
	98303249	HL3	Home Loan - Standard	R	Active
	98303249	HFL	Housing Finance LTD	R	Active
	98303249	TTM	Corporate TTM	R	Active

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master Retail Field validation

(F) Product Master Retail Functionality

The screenshot shows the Azentio Product Master form view. The sidebar is the same as in the previous screenshot. The main area is a form for creating or editing a product. It has fields for Product Group (set to 'Lending'), Product Code (set to 'LFH'), Product Description (set to 'OK'), and Retail/Corporate (set to 'Retail'). There are also fields for DM Code (set to 'Loan') and Remarks (set to 'Loan'). At the bottom of the form, there is a blue error message box that says 'SequelizeDatabaseError: syntax error at or near "accord"'. The top of the form has a back arrow and a save icon.

Product Master

Product Group * Lending

Product Code * LFH

Product Description * OK

Retail/Corporate * Retail

DM Code Loan

Remarks Loan

SequelizeDatabaseError: syntax error at or near "accord"