

Cucumber Report

Sep 22, 2022, 1:59:34 PM

Start : Sep 22, 1:59:14.667 PM

End : Sep 22, 1:59:33.327 PM

Duration : 18.660 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 8
FAILED - 1
SKIPPED - 3







#	Feature Name	T	P	F	S	Duration
1	<u>Check the functionality of Customer Address Details screen</u>	1	0	1	0	18.660 s







#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Check the functionality of Customer Address Details screen</u>	<u>Verify the buttons are available on screen while modify the Customer Address Information</u>	12	8	1	3	18.655 s


(F)- Check the functionality of Customer Address Details screen



FAILED	DURATION - 18.660 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 12 Pass - 8 Fail - 1 Skip - 3	
/ 1:59:14.667 PM // 1:59:33.327 PM /					


(S)- Verify the buttons are available on screen while modify the Customer Address Information

<div>FAILED</div> <div>DURATION - 18.655 s</div>	<div></div>	<div>Steps</div> <div>Total - 12</div> <div>Pass - 8</div> <div>Fail - 1</div> <div>Skip - 3</div> <div></div>
<div>/ 1:59:14.672 PM // 1:59:33.327 PM /</div>		
<div>Check the functionality of Customer Address Details screen</div>		
<div>@AT_CAD_005</div>		

#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	5.086 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.405 s
	screenshot		
			
2	And User Login as maker	PASSED	3.195 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.295 s
	screenshot		
			

#	Step / Hook Details	Status	Duration
3	Then user should click on the menu toggle	PASSED	0.874 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.276 s
	screenshot		
			
4	Then click on inbox to search for the Customer Address Details record	PASSED	0.206 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.301 s
	screenshot		
			
5	Then click on search button to search the record of Customer Address Details	PASSED	0.140 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.205 s
	screenshot		
			
6	Then enter the reference id of the Customer Address Details record	PASSED	0.068 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.212 s
	screenshot		
			
7	Then click on the entitle button of the Customer Address Details record of that reference id	PASSED	0.171 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.249 s
	screenshot		


#	Step / Hook Details	Status	Duration
			
8	Then click on the Additional customer info tab in Customer Personal Information screen	PASSED	1.047 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.432 s
	screenshot		
			
9	Then select the Customer Address details record from the customer personal detail screen	FAILED	0.060 s
	<p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//ion-title[contains(text(),'Address Details')]"} (Session info: chrome=100.0.4896.60) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [8aa74d6f8a11c98da3c90e2dfd57e6fb, findElement {using=xpath, value=//ion-title[contains(text(),'Address Details')]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 100.0.4896.60, chrome: {chromedriverVersion: 99.0.4844.51 (d537ec02474b5..., userDataDir: C:\Users\ININDC~1\AppData\L..., goog:chromeOptions: {debuggerAddress: localhost:51849}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:51849/devtoo..., se:cdpVersion: 100.0.4896.60, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 8aa74d6f8a11c98da3c90e2dfd57e6fb</p> <p>at jdk.internal.reflect.GeneratedConstructorAccessor16.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)</p>		

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy45.getWrappedElement(Unknown Source) at org.openqa.selenium.remote.internal.WebElementToJsonConverter.apply(WebElementToJsonConverter.java:51) at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:197) at java.base/java.util.Spliterators\$ArraySpliterator.forEachRemaining(Spliterators.java:992) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499) at java.base/java.util.stream.ReduceOps\$ReduceOp.evaluateSequential(ReduceOps.java:921) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.collect(ReferencePipeline.java:682) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:478) at helper.JavascriptHelper.executeScript(JavascriptHelper.java:26) at helper.JavascriptHelper.scrollToView(JavascriptHelper.java:48) at stepdefinitions.CustomerAddressDetails. select_the_customer_address_details_record_from_the_customer_personal_detail_screen(CustomerAddressDetails.java:97) at ?.select the Customer Address details record from the customer personal detail screen(file:///C:/Users/inindc00091/git/Devesh_AzentioULS_FW/AzentioULSFrameworkCopy/src/test/java/features/CustomerAddressDetails.feature:51) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.226 s
10	Then select the record of Address details from the customer identification screen	SKIPPED	0.001 s
11	Then verify Customer Address details screen should get open with mentioned Fields	SKIPPED	0.000 s
12	Then verify the functionality of Back button of customer address details screen	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify the buttons are available on
screen while modify the Customer
Address Information


(F) Check the functionality of Customer
Address Details screen





(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify the buttons are available on
screen while modify the Customer
Address Information

(F) Check the functionality of Customer
Address Details screen




<p>(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)</p> <p><u>(S) Verify the buttons are available on screen while modify the Customer Address Information</u></p> <p><u>(F) Check the functionality of Customer Address Details screen</u></p>	 <p>The screenshot displays the AZENTIO ONEBanking dashboard. The top navigation bar includes a hamburger menu, the AZENTIO ONEBanking logo, and user profile information (English, LOS, Aze...). The left sidebar contains a search bar and a menu with options: Dashboard, Configurations, Transactions, and Reports. The main content area is titled 'Product wise Analysis' and features three charts: 'Product-wise Amount Financed', 'Subproduct-wise Amount Financed', and 'Scheme wise Amount Financed'. All charts show a loading spinner. A blue circular button with a play icon is visible in the bottom right corner of the dashboard area.</p>
<p>(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)</p> <p><u>(S) Verify the buttons are available on screen while modify the Customer Address Information</u></p> <p><u>(F) Check the functionality of Customer Address Details screen</u></p>	 <p>The screenshot displays the AZENTIO ONEBanking dashboard with the 'Inbox' section active. The top navigation bar and left sidebar are identical to the first screenshot. The main content area is titled 'Inbox' and shows a table with the header 'Action'. Below the header, there is a loading spinner and a message 'Showing 0 to 0 of 0 entries'. A blue circular button with a play icon is visible in the bottom right corner of the dashboard area.</p>

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify the buttons are available on
screen while modify the Customer
Address Information

(F) Check the functionality of Customer
Address Details screen

**AZENTIO**
ONEBanking










Dashboard

Configurations

Transactions

Reports


Inbox


Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product	Workflow Type	Event Type	Transaction Type
	620	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 13:35	HLW	AHL		T	T
	231	CHARGE_MST	MAKER	LOSMKR	in02040	22-Sep-2022 13:9	TSW			M	M
	631	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 12:53	HLW	AHL		T	T
	619	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 12:50	HLW	AHL		T	T
	630	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 12:50	HLW	AHL		T	T
	629	APP_CREATE	NEWAPP	BREXEC	in02040	22-Sep-2022 12:19	HLW	AHL		T	T
	628	APP_CREATE	NEWAPP	BREXEC	in02040	22-Sep-2022 12:19	HLW	AHL		T	T
	621	APP_CREATE	NEWAPP	BREXEC	in02040	22-Sep-2022 11:32	HLW	AHL		T	T
	617	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022	HLW	AHL		T	T

Engl...

LOS

Aze...



**AZENTIO**
ONEBanking










Dashboard

Configurations

Transactions

Reports


Inbox

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product	Workflow Type	Event Type	Transaction Type
	620	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 13:35	HLW	AHL		T	T
	231	CHARGE_MST	MAKER	LOSMKR	in02040	22-Sep-2022 13:9	TSW			M	M
	631	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 12:53	HLW	AHL		T	T
	619	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 12:50	HLW	AHL		T	T
	630	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 12:50	HLW	AHL		T	T
	629	APP_CREATE	NEWAPP	BREXEC	in02040	22-Sep-2022 12:19	HLW	AHL		T	T
	628	APP_CREATE	NEWAPP	BREXEC	in02040	22-Sep-2022 12:19	HLW	AHL		T	T
	621	APP_CREATE	NEWAPP	BREXEC	in02040	22-Sep-2022 11:32	HLW	AHL		T	T
	617	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022	HLW	AHL		T	T

Engl...

LOS


Aze...



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify the buttons are available on
screen while modify the Customer
Address Information

(F) Check the functionality of Customer
Address Details screen

**AZENTIO**
ONEBanking

Dashboard


Configurations

Transactions


Reports

Inbox

✕ 506

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product	Workflow Type	Event Type	Transaction Type
	506	APP_CREATE	APPDATAENT	CPUEXEC	in02040	15-Sep-2022 10:22	HLW	AHL		T	

Showing 1 to 1 of 1 entries << < 1 > >> 10



**AZENTIO**
ONEBanking

Dashboard

Configurations

Transactions

Reports



← Prev Application Info Customer details Additional Customer Info Customer Financials Facility Info Document | Next

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify the buttons are available on
screen while modify the Customer
Address Information

(F) Check the functionality of Customer
Address Details screen

The screenshot displays the AZENTIO ONEBanking interface. The top navigation bar includes a hamburger menu, the AZENTIO ONEBanking logo, and user profile information (Engl..., LOS, Aze..., and a user avatar). Below the navigation bar, a breadcrumb trail shows: Prev, Application Info, Customer details, **Additional Customer Info**, Customer Financials, Facility Info, Document Det, and Next. The main heading is "Customer Personal Information". Below this, there is a search bar, an "Export" button, and a table with columns: Select, Action, CIF ID, First Name, Middle Name, Last Name, Customer Type, Applicant Type, and Status. The table contains one entry with the following data: Select (radio button), Action (edit and view icons), CIF ID (testerE), First Name (mname), Middle Name (lname), Last Name (I), Customer Type (P), Applicant Type (Active), and Status (Active). At the bottom of the table, it says "Showing 1 to 1 of 1 entries" with pagination controls (1, 5) and a dropdown menu.

AZENTIO
ONEBanking

Search the menu

Dashboard

Configurations



Transactions

Reports

Prev Application Info Customer details **Additional Customer Info** Customer Financials Facility Info Document Det Next

Customer Personal Information

+ Search Export

Select	Action	CIF ID	First Name	Middle Name	Last Name	Customer Type	Applicant Type	Status
<input type="radio"/>	 	testerE	mname	lname	I	P		Active

Showing 1 to 1 of 1 entries << < 1 > >> 5