

Cucumber Report

Jul 28, 2022, 1:39:59 AM

Start : Jul 28, 1:39:31.954 AM

End : Jul 28, 1:39:58.137 AM

Duration : 26.183 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 19
FAILED - 1
SKIPPED - 12







#	Feature Name	T	P	F	S	Duration
1	Project Master Retail Functionality	1	0	1	0	26.183 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Project Master Retail Functionality	Project Master bulding Fields validation	32	19	1	12	26.179 s



(F)- Project Master Retail Functionality





FAILED	DURATION - 26.183 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 32 Pass - 19 Fail - 1 Skip - 12	
/ 1:39:31.954 AM // 1:39:58.137 AM /					





(S)- Project Master building Fields validation




<div>FAILED</div> <div>DURATION - 26.179 s</div>			<div>Steps</div> <div>Total - 32</div> <div>Pass - 19</div> <div>Fail - 1</div> <div>Skip - 12</div>	
<div>/ 1:39:31.958 AM // 1:39:58.137 AM /</div>				
<div>Project Master Retail Functionality</div>				
<div>@ProjectMaster</div>				



#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	10.725 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.144 s
	screenshot		
			
2	And User Login as maker	PASSED	0.000 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.198 s
	screenshot		


#	Step / Hook Details	Status	Duration
			
3	Then click on Project Setup	PASSED	0.111 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.169 s
	screenshot		
			
4	Then click on Project Master edit icon	PASSED	0.131 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.248 s
	screenshot		
			
5	Then open the project master record	PASSED	2.126 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.235 s
	screenshot		
			
6	Then click on Project Master Building add button	PASSED	1.544 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.352 s
	screenshot		

#	Step / Hook Details	Status	Duration
	 +		
7	Then verify the field Unit Type	PASSED	1.387 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.152 s
	screenshot		
	 +		
8	Then verify the field Building Name	PASSED	0.355 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.108 s
	screenshot		
	 +		
9	Then verify the field Building Type	PASSED	1.223 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.139 s
	screenshot		
	 +		
10	Then verify the field Total Floors	PASSED	0.249 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.118 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
11	Then verify the field Total Flats	PASSED	0.173 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.125 s
	screenshot		
			
12	Then verify the field Tentative Start Dates	PASSED	0.246 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.110 s
	screenshot		
			
13	Then verify the field Tentative End Dates	PASSED	0.259 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.110 s
	screenshot		
			
14	Then verify the field Disbursement Amount	PASSED	0.240 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.091 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
15	Then verify the field Exposed No of Flats	PASSED	0.182 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.100 s
	screenshot		
			
16	Then verify the field Verified By	PASSED	0.265 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.094 s
	screenshot		
			
17	Then verify the field Stage of Completion	PASSED	0.176 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.104 s
	screenshot		
			
18	Then verify the field Verified On	PASSED	0.240 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.124 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
19	Then verify the field CLP	PASSED	0.248 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.126 s
	screenshot		
			
20	Then verify the field Flexi	FAILED	0.320 s
	<p>org.openqa.selenium.StaleElementReferenceException: stale element reference: element is not attached to the page document (Session info: chrome=99.0.4844.82) For documentation on this error, please visit: https://selenium.dev/exceptions/#stale_element_reference Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [92b88e471ba9a91b7373bd7520e6b378, clickElement {id=043bc548-ab32-4243-932f-c048381eca5d}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\Local\..., goog:chromeOptions: {debuggerAddress: localhost:63829}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:63829/devtoo..., se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (92b88e471ba9a91b7373bd7520e6b378)] -> xpath: //ion-label[contains(text(),'Yes')]/../ion-radio] Session ID: 92b88e471ba9a91b7373bd7520e6b378</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251)</p>		

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at jdk.internal.reflect.GeneratedMethodAccessor3.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy45.click(Unknown Source) at stepdefinitions.ProjectMaster.verify_the_field_flexi(ProjectMaster.java:232) at ?.verify the field Flexi(file:///C:/Users/inindc00089/git/repository6/Priyanka_AzentioULSFramework/src/test/java/features/ProjectMaster.feature:26) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.159 s
21	Then verify the field Installment Linked	SKIPPED	0.000 s
22	Then verify the field Down Payment Flag	SKIPPED	0.000 s
23	Then verify the field Subvention Flag	SKIPPED	0.000 s
24	Then verify the field CF Flag	SKIPPED	0.000 s
25	Then verify the field Negative Remarks	SKIPPED	0.000 s
26	Then verify the field Basic Sales Price	SKIPPED	0.000 s
27	Then verify the field Exposure Unit	SKIPPED	0.001 s
28	Then verify the field Overall Recommendations	SKIPPED	0.000 s
29	Then verify the field Construction Status	SKIPPED	0.000 s
30	Then verify the field RERA Registration	SKIPPED	0.000 s
31	Then verify the field RERA Registration Number	SKIPPED	0.000 s
32	Then verify the field Building Details Remark	SKIPPED	0.000 s

(F) Project Master Retail Functionality

📧 English ▾
 LOS ▾
Azentio Software ▾

Puneet
 01-Sep-2023

Asset Collateral Config

- Business Rules
- Corporate Masters
- Misc Config
- Other Masters
- Product Definitions
- Product Setup
- Regulatory Product Defini...
- Project Setup
- Config Manager
- Sample Screens

Product wise Analysis

Product-wise Amount Financed

Subproduct-wise Amount Financed

Scheme wise Amount Financed

Powered by Metabase

(F) Project Master Retail Functionality

Azentio™

Asset Collateral Config

Business Rules

Corporate Masters

Misc Config

Other Masters

Product Definitions

Product Setup

Regulatory Product Defini...

Project Setup

Config Manager

Sample Screens

Email iconEnglishLOS Azentio SoftwareGrid iconBell profile iconPuneet01-Sep-2023Calendar icon

Product wise Analysis

Product-wise Amount FinancedSubproduct-wise Amount FinancedScheme wise Amount Financed

Powe... Powered by Metabase

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Project Master bulding Fields
validation

(F) Project Master Retail Functionality

AZENTIO™

Asset Collateral Config

Business Rules

Corporate Masters

Misc Config

Other Masters

Product Definitions

Product Setup

Regulatory Product Defini...

Project Setup

Config Manager

Sample Screens

English

LOS

Azentio Software

Puneet

01-Sep-2023

Product wise Analysis

Product-wise Amount Financed

80,000,000

60,000,000

40,000,000

20,000,000

0

AHL

AAL

APL

CD

AFC

CC

TL

Productcode

Subproduct-wise Amount Financed

Scheme wise Amount Financed

Powered by Metabase

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Project Master bulding Fields
validation

(F) Project Master Retail Functionality

AZENTIO™

Asset Collateral Config

Business Rules

Corporate Masters

Misc Config

Other Masters

Product Definitions

Product Setup

Regulatory Product Defini...

Project Setup

Project Master

Builder Master

Group Master

Config Manager

Sample Screens

English

LOS

Azentio Software

Puneet

01-Sep-2023

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Project Master bulding Fields
validation

(F) Project Master Retail Functionality

AZENTIO™

Asset Collateral Config

Business Rules

Corporate Masters

Misc Config

Other Masters

Product Definitions

Product Setup

Regulatory Product Defini...

Project Setup

Project Master

Builder Master

Group Master

Config Manager

Sample Screens

Project Details

+

Q

Export

Action	Project Code	Project Name	Builder	Group	City	State	Maker Date	Checker Date	Status
<div><div></div><div></div></div>	kbn		0	0	0	1105474			Active
<div><div></div><div></div></div>	Tillu	tillu	7	7	0	1105518			Active
<div><div></div><div></div></div>	Sri2021	Sri1234	7	7	0	1105472			Active
<div><div></div><div></div></div>	MSK021	msk	7	7	0	1105518			Active
<div><div></div><div></div></div>	BASTI	HALLAUR	7	7	0	1105474			Active

Showing 1 to 5 of 38 entries

<<

<

1

2

3

4

5

>

>>

5

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Project Master bulding Fields
validation

(F) Project Master Retail Functionality

AZENTIO™

Asset Collateral Config

Business Rules

Corporate Masters

Misc Config

Other Masters

Product Definitions

Product Setup

Regulatory Product Defini...

Project Setup

Project Master

Builder Master

Group Master

Config Manager


Sample Screens

Artinn

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Project Master building Fields
validation


(F) Project Master Retail Functionality

The image shows the 'Building Details' form in the Azentio software. The form is divided into two columns. The left column contains fields for Unit Type (APARTMENT), Building Type (Select), Total Flats (BUILDER FLOOR, COMMERCIAL SPACE, PLOT, RETAIL SHOP, STUDIO APARTMENT, VILLA), Tentative End Dates (mm/dd/yyyy), Exposed No Of Flats, Stage Of Completion, and CLP (Select). The right column contains fields for Building Name, Total Floors, Tentative Start Dates (mm/dd/yyyy), Disbursement Amount, Verified By, Verified On (mm/dd/yyyy), and Flexi (Select). The form has a back arrow and a save icon with a notification bubble in the top right corner.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Project Master building Fields
validation


(F) Project Master Retail Functionality

The image shows the 'Building Details' form in the Azentio software. The form is divided into two columns. The left column contains fields for Unit Type (APARTMENT), Building Type (Select), Total Flats, Tentative End Dates (mm/dd/yyyy), Exposed No Of Flats, Stage Of Completion, and CLP (Select). The right column contains fields for Building Name (Swarajya), Total Floors, Tentative Start Dates (mm/dd/yyyy), Disbursement Amount, Verified By, Verified On (mm/dd/yyyy), and Flexi (Select). The form has a back arrow and a save icon with a notification bubble in the top right corner.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Project Master building Fields
validation


(F) Project Master Retail Functionality

The screenshot shows the Azentio Building Details form. The form is titled "Building Details" and has a back arrow on the left and a save icon with a red notification bubble on the right. The form is divided into two columns. The left column contains: Unit Type (dropdown menu with "APARTMENT" selected), Building Type (dropdown menu with "RESIDENTIAL" selected), Total Flats * (dropdown menu with "COMMERCIAL" selected), Tentative End Dates (dropdown menu with "RESIDENTIAL" selected and a date picker icon), Exposed No Of Flats (text input field), Stage Of Completion (text input field), and CLP (dropdown menu with "Select" selected). The right column contains: Building Name * (text input field with "Swarajya" entered), Total Floors * (text input field), Tentative Start Dates (text input field with "mm/dd/yyyy" and a date picker icon), Disbursement Amount (text input field), Verified By (text input field), Verified On (text input field with "mm/dd/yyyy" and a date picker icon), and Flexi (dropdown menu with "Select" selected).

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Project Master building Fields
validation


(F) Project Master Retail Functionality

The screenshot shows the Azentio Building Details form. The form is titled "Building Details" and has a back arrow on the left and a save icon with a red notification bubble on the right. The form is divided into two columns. The left column contains: Unit Type (dropdown menu with "APARTMENT" selected), Building Type (dropdown menu with "RESIDENTIAL" selected), Total Flats * (text input field), Tentative End Dates (text input field with "mm/dd/yyyy" and a date picker icon), Exposed No Of Flats (text input field), Stage Of Completion (text input field), and CLP (dropdown menu with "Select" selected). The right column contains: Building Name * (text input field with "Swarajya" entered), Total Floors * (text input field with "3" entered), Tentative Start Dates (text input field with "mm/dd/yyyy" and a date picker icon), Disbursement Amount (text input field), Verified By (text input field), Verified On (text input field with "mm/dd/yyyy" and a date picker icon), and Flexi (dropdown menu with "Select" selected).

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Project Master building Fields
validation


(F) Project Master Retail Functionality

The screenshot shows the 'Building Details' form in the Azentio software. The form is divided into two columns. The left column contains fields for Unit Type (APARTMENT), Building Type (RESIDENTIAL), Total Flats (3), Tentative End Dates (mm/dd/yyyy), Exposed No Of Flats, Stage Of Completion, and CLP (Select). The right column contains fields for Building Name (Swarajya), Total Floors (3), Tentative Start Dates (mm/dd/yyyy), Disbursement Amount, Verified By, Verified On (mm/dd/yyyy), and Flexi (Select). The form has a back arrow on the top left and a save icon on the top right.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Project Master building Fields
validation

(F) Project Master Retail Functionality

The screenshot shows the 'Building Details' form in the Azentio software. The form is divided into two columns. The left column contains fields for Unit Type (APARTMENT), Building Type (RESIDENTIAL), Total Flats (3), Tentative End Dates (mm/dd/yyyy), Exposed No Of Flats, Stage Of Completion, and CLP (Select). The right column contains fields for Building Name (Swarajya), Total Floors (3), Tentative Start Dates (01/09/2023), Disbursement Amount, Verified By, Verified On (mm/dd/yyyy), and Flexi (Select). The form has a back arrow on the top left and a save icon on the top right.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Project Master building Fields
validation

(F) Project Master Retail Functionality

AZENTIO™

Asset Collateral Config

Business Rules

Corporate Masters

Misc Config

Other Masters

Product Definitions

Product Setup

Regulatory Product Defini...

Project Setup

Project Master

Builder Master

Group Master

Config Manager

Sample Screens

Building Details

Unit Type

APARTMENT

Building Type

RESIDENTIAL

Total Flats *

3

Tentative End Dates

10/09/2023

Exposed No Of Flats

Stage Of Completion

CLP

Select

Building Name *

Swarajya

Total Floors *

3

Tentative Start Dates

01/09/2023

Disbursement Amount

Verified By

Verified On

mm/dd/yyyy

Flexi

Select

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Project Master building Fields
validation

(F) Project Master Retail Functionality

AZENTIO™

Asset Collateral Config

Business Rules

Corporate Masters

Misc Config

Other Masters

Product Definitions

Product Setup

Regulatory Product Defini...

Project Setup

Project Master

Builder Master

Group Master

Config Manager

Sample Screens

Building Details

Unit Type

APARTMENT

Building Type

RESIDENTIAL

Total Flats *

3

Tentative End Dates

10/09/2023

Exposed No Of Flats

Stage Of Completion

CLP

Select

Building Name *

Swarajya

Total Floors *

3

Tentative Start Dates

01/09/2023

Disbursement Amount

10000

Verified By

Verified On

mm/dd/yyyy


Flexi

Select

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Project Master building Fields
validation

(F) Project Master Retail Functionality




The screenshot shows the Azentio software interface with the Building Details form. The form is titled "Building Details" and has a back arrow on the left and a save icon on the right. The form contains several fields: Unit Type (APARTMENT), Building Type (RESIDENTIAL), Total Flats (3), Tentative End Dates (10/09/2023), Exposed No Of Flats (3), Stage Of Completion, CLP (Select), Building Name (Swarajya), Total Floors (3), Tentative Start Dates (01/09/2023), Disbursement Amount (10000), Verified By (Owner), Verified On (mm/dd/yyyy), and Flexi (Select). The form is organized into two columns, with the left column containing fields related to the building's basic information and the right column containing fields related to the building's financial and verification details.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Project Master building Fields
validation

(F) Project Master Retail Functionality




The screenshot shows the Azentio software interface with the Building Details form. The form is titled "Building Details" and has a back arrow on the left and a save icon on the right. The form contains several fields: Unit Type (APARTMENT), Building Type (RESIDENTIAL), Total Flats (3), Tentative End Dates (10/09/2023), Exposed No Of Flats (3), Stage Of Completion, CLP (Select), Building Name (Swarajya), Total Floors (3), Tentative Start Dates (01/09/2023), Disbursement Amount (10000), Verified By (Owner), Verified On (mm/dd/yyyy), and Flexi (Select). The form is organized into two columns, with the left column containing fields related to the building's basic information and the right column containing fields related to the building's financial and verification details.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Project Master building Fields
validation

(F) Project Master Retail Functionality



Building Details

Unit Type: APARTMENT

Building Type: RESIDENTIAL

Total Flats *: 3

Tentative End Dates: 10/09/2023

Exposed No Of Flats: 3

Stage Of Completion: 2

CLP: Select

Building Name *: Swarajya

Total Floors *: 3

Tentative Start Dates: 01/09/2023

Disbursement Amount: 10000

Verified By: Owner


Verified On: mm/dd/yyyy

Flexi: Select

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Project Master building Fields
validation

(F) Project Master Retail Functionality



Building Details

Unit Type: APARTMENT

Building Type: RESIDENTIAL

Total Flats *: 3

Tentative End Dates: 10/09/2023

Exposed No Of Flats: 3

Stage Of Completion: 2

CLP: Select

Building Name *: Swarajya

Total Floors *: 3

Tentative Start Dates: 01/09/2023

Disbursement Amount: 10000

Verified By: Owner

Verified On: 03/09/2023

Flexi: Select

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Project Master building Fields
validation

(F) Project Master Retail Functionality

The screenshot shows the Azentio Project Master form. The left sidebar contains a menu with options: Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup, Regulatory Product Defini..., Project Setup, Project Master (highlighted), Builder Master, Group Master, Config Manager, and Sample Screens. The main form area has a top header with 'English', 'LOS', 'Azentio Software', and a user profile 'Puneet' dated '01-Sep-2023'. The form fields include: '2' in a text box, '03/09/2023' in a date picker, 'CLP' dropdown (open with 'Yes' selected), 'Flexi' dropdown (open with 'Select' selected), 'Down Payment Flag' dropdown (open with 'Select' selected), 'CF Flag' dropdown (open with 'Select' selected), 'Basic Sales Price/Sq.Feet' text box, 'Overall % Recommendations' text box, 'RERA Registration' dropdown (open with 'No' selected), and 'Remarks' text box. The 'CLP' dropdown menu is open, showing 'Select', 'No', and 'Yes' (selected).

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Project Master building Fields
validation

(F) Project Master Retail Functionality

The screenshot shows the Azentio Project Master form. The left sidebar contains a menu with options: Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup, Regulatory Product Defini..., Project Setup, Project Master (highlighted), Builder Master, Group Master, Config Manager, and Sample Screens. The main form area has a top header with 'English', 'LOS', 'Azentio Software', and a user profile 'Puneet' dated '01-Sep-2023'. The form fields include: '2' in a text box, '03/09/2023' in a date picker, 'CLP' dropdown (open with 'Yes' selected), 'Flexi' dropdown (open with 'Select' selected), 'Down Payment Flag' dropdown (open with 'Select' selected), 'CF Flag' dropdown (open with 'Select' selected), 'Basic Sales Price/Sq.Feet' text box, 'Overall % Recommendations' text box, 'RERA Registration' dropdown (open with 'No' selected), and 'Remarks' text box. The 'Flexi' dropdown menu is open, showing 'Select', 'No', and 'Yes' (selected).