

Cucumber Report

Jul 20, 2022, 5:44:08 PM

Start : Jul 20, 5:43:45.548 PM

End : Jul 20, 5:44:07.545 PM

Duration : 21.997 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 5
FAILED - 1
SKIPPED - 21







#	Feature Name	T	P	F	S	Duration
1	<u>Check the functionality of product master</u>	1	0	1	0	21.997 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Check the functionality of product master</u>	<u>Product Master - Modify records (approve, reject and return) at maker stage</u>	27	5	1	21	21.993 s




(F)- Check the functionality of product master


FAILED	DURATION - 21.997 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 27 Pass - 5 Fail - 1 Skip - 21	
/ 5:43:45.548 PM // 5:44:07.545 PM /					

(S)- Product Master - Modify records (approve, reject and return) at maker stage

<div>FAILED</div> <div>DURATION - 21.993 s</div>		<div></div>	<div>Steps</div> <div>Total - 27</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 21</div>	<div></div>
<div>/ 5:43:45.552 PM // 5:44:07.545 PM /</div>				
<div>Check the functionality of product master</div>				
<div>@M5</div>				

#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	11.685 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.278 s
	screenshot		
			
2	And User Login as maker	PASSED	0.001 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.542 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	Then user should navigate to product master	PASSED	0.108 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.393 s
	screenshot		
			
4	And click on edit view of product master	PASSED	2.222 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.158 s
	screenshot		
			
5	Then click on edit button of record to modify	PASSED	2.130 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.128 s
	screenshot		
			
6	Then user should verify the buttons available on screen while modify	FAILED	0.104 s
	<p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//ion-select[@aria-label='Select, Retail/Corporate *']"} (Session info: chrome=100.0.4896.127) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [deb047d6610857aa77b39f38a5d2bd20, findElement {using=xpath, value=//ion-select[@aria-label='Select, Retail/Corporate *']}]</p>		

#	Step / Hook Details	Status	Duration
	<p>Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 100.0.4896.127, chrome: {chromedriverVersion: 99.0.4844.51 (d537ec02474b5..., userDataDir: C:\Users\ININDC~1\AppData\Local\..., goog:chromeOptions: {debuggerAddress: localhost:53747}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:53747/devtoo..., se:cdpVersion: 100.0.4896.127, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: deb047d6610857aa77b39f38a5d2bd20</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy45.isDisplayed(Unknown Source) at stepdefinitions.ProductMaster_Retail.user_should_verify_the_buttons_available_on_screen_while_modify(ProductMaster_Retail.java:54) at ?user should verify the buttons available on screen while modify(file:///C:/Users/inindc00091/git/Azentio_ULS_04/AzentioAutomationFramework/src/test/java/features/ProductMaster_Retail.feature:9) * Not displayable characters are replaced by '?'. </p>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.132 s
7	Then verify system should modify before approved the record	SKIPPED	0.000 s
8	And click on eye icon of product master	SKIPPED	0.000 s
9	Then verify system should modify already approved record	SKIPPED	0.000 s
10	Then verify system allow user to save modified record with valid data	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
11	Then system should display the confirmation message	SKIPPED	0.000 s
12	Then click on inbox button	SKIPPED	0.000 s
13	And select the modified record from inbox to approve	SKIPPED	0.000 s
14	Then click on submit button	SKIPPED	0.000 s
15	Then user verify that system should display confirmation message after submit	SKIPPED	0.000 s
16	And click on edit view of product master	SKIPPED	0.000 s
17	Then click on edit button of record2 to modify	SKIPPED	0.000 s
18	Then verify system allow user to save modified record with valid data	SKIPPED	0.000 s
19	Then click on inbox button	SKIPPED	0.000 s
20	And select the modified record from inbox to reject	SKIPPED	0.000 s
21	Then click on submit button	SKIPPED	0.000 s
22	And click on edit view of product master	SKIPPED	0.000 s
23	Then click on edit button of record3 to modify	SKIPPED	0.001 s
24	Then verify system allow user to save modified record with valid data	SKIPPED	0.001 s
25	Then click on inbox button	SKIPPED	0.000 s
26	And select the modified record from inbox to return	SKIPPED	0.000 s
27	Then click on submit button	SKIPPED	0.001 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master - Modify records
(approve, reject and return) at maker
stage

(F) Check the functionality of product
master

The screenshot shows the AZENTIO Product wise Analysis dashboard. The left sidebar contains a menu with the following items: Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup, Regulatory Product Defini..., Project Setup, Config Manager, and Sample Screens. The main content area is titled "Product wise Analysis" and contains three panels: "Product-wise Amount Financed", "Subproduct-wise Amount Financed", and "Scheme wise Amount Financed". All three panels display a loading spinner. The top navigation bar includes a hamburger menu, an envelope icon, language selection (English), LOS selection, "Azentio Software", a grid icon, a bell icon, a user profile (Puneet, 01-Sep-2023), and a dark blue circular button with a white gear icon. The footer indicates "Powered by Metabase".

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master - Modify records
(approve, reject and return) at maker
stage

(F) Check the functionality of product
master

The screenshot shows the AZENTIO Product wise Analysis dashboard. The left sidebar contains a menu with the following items: Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup, Regulatory Product Defini..., Project Setup, Config Manager, and Sample Screens. The main content area is titled "Product wise Analysis" and contains three panels: "Product-wise Amount Financed", "Subproduct-wise Amount Financed", and "Scheme wise Amount Financed". The "Product-wise Amount Financed" panel displays a bar chart with the following data:


Productcode	Amount Financed
AHL	97.0M
AAL	23.0M
APL	26.0M
CD	5.0M
AFC	2.0M
CC	2.0M
TL	6.0M

The "Subproduct-wise Amount Financed" and "Scheme wise Amount Financed" panels display loading spinners. The top navigation bar includes a hamburger menu, an envelope icon, language selection (English), LOS selection, "Azentio Software", a grid icon, a bell icon, a user profile (Puneet, 01-Sep-2023), and a dark blue circular button with a white gear icon. The footer indicates "Powered by Metabase".

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master - Modify records
(approve, reject and return) at maker
stage

(F) Check the functionality of product
master



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master - Modify records
(approve, reject and return) at maker
stage

(F) Check the functionality of product
master

Product Master


Action	Product Group	Product Code	Product Description	Retail/Corporate	Status	Authorization Status
	98303249	APL	I	R	Active	
	98303275	xy		R	Active	
	98303249	HLL		R	Active	
	98303249	HL		R	Active	
	98303249	LFH		R	Active	

Showing 1 to 5 of 130 entries

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master - Modify records
(approve, reject and return) at maker
stage


(F) Check the functionality of product
master

The image shows the 'Product Master' form in the Azentio software. The form has a white background with a blue header bar. The header bar contains the text 'Product Master' and a back arrow. Below the header bar is a form with several fields: 'Product Group' (a dropdown menu with 'Deposits' selected), 'Product Code' (a text input field with 'xy'), 'Product Description' (a text input field with a placeholder), 'Retail/Corporate' (a dropdown menu with 'Retail' selected), 'DM Code' (a text input field with 'yz'), 'Status' (a toggle switch that is currently turned on), and 'Remarks' (a text input field with 'ok'). At the top right of the form are buttons for 'Submit', 'Cancel', and a help icon. At the bottom right is a button for 'Add'.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master - Modify records
(approve, reject and return) at maker
stage

(F) Check the functionality of product
master

The image shows the 'Product Master' form in the Azentio software. The form has a white background with a blue header bar. The header bar contains the text 'Product Master' and a back arrow. Below the header bar is a form with several fields: 'Product Group' (a dropdown menu with 'Deposits' selected), 'Product Code' (a text input field with 'xy'), 'Product Description' (a text input field with a placeholder), 'Retail/Corporate' (a dropdown menu with 'Retail' selected), 'DM Code' (a text input field with 'yz'), 'Status' (a toggle switch that is currently turned on), and 'Remarks' (a text input field with 'ok'). At the top right of the form are buttons for 'Submit', 'Cancel', and a help icon. At the bottom right is a button for 'Add'.