

# Cucumber Report

19-Oct-2022, 3:19:36 pm

Start : Oct 19, 3:18:58.823 pm

End : Oct 19, 3:19:35.466 pm

Duration : 36.643 s

Features


Scenarios

Steps

PASSED - 1  
FAILED - 0  
SKIPPED - 0

PASSED - 1  
FAILED - 0  
SKIPPED - 0

PASSED - 13  
FAILED - 0  
SKIPPED - 0







#	Feature Name	T	P	F	S	Duration
1	Check the functionality of the Allocation Masater	1	1	0	0	36.643 s







#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Check the functionality of the Allocation Masater</u>	<u>List view of Allocation master - Approved records</u>	13	13	0	0	36.633 s




**(F)- Check the functionality of the Allocation Masater**

<b>PASSED</b>	<b>DURATION - 36.643 s</b>	Scenarios		Steps	
/ 3:18:58.823 pm // 3:19:35.466 pm /		Total - 1		Total - 13	
		Pass - 1		Pass - 13	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	




**(S)- List view of Allocation master - Approved records**

<b>PASSED</b>	<b>DURATION - 36.633 s</b>		Steps	
/ 3:18:58.833 pm // 3:19:35.466 pm /			Total - 13	
Check the functionality of the Allocation Masater			Pass - 13	
@AT_ALM_014			Fail - 0	
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given User Launch the KULS application	PASSED	15.016 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.354 s
	screenshot		
			
2	Then user click on configurations Tab	PASSED	0.151 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.314 s
	screenshot		
			

#	Step / Hook Details	Status	Duration
3	When user click Config Manager menu	PASSED	0.318 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.332 s
	screenshot		
			
4	And user click on Allocation Master List view Icon	PASSED	0.274 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.516 s
	screenshot		
			
5	And User verify the Values in List view should be non editable in Allocation Master	PASSED	0.239 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.237 s
	screenshot		
			
6	And user verify the Add button of Allocation Master	PASSED	0.248 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.503 s
	screenshot		
			
7	And user click on back button in Master	PASSED	0.404 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.357 s
	screenshot		


#	Step / Hook Details	Status	Duration
			
8	And user click on search box	PASSED	0.923 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.277 s
	screenshot		
			
9	And user Enter the Mismatch data in search text box	PASSED	3.625 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.229 s
	screenshot		
			
10	And user click on search box	PASSED	0.318 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.317 s
	screenshot		
			
11	And user Enter the matching data in search text box	PASSED	1.475 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.205 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
12	And user click on Export button and Download the PDF file	PASSED	1.008 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.300 s
	screenshot		
			
13	And user click on Export button and Download the Excel file	PASSED	0.294 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.147 s
	screenshot		
			

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) List view of Allocation master -  
Approved records


(F) Check the functionality of the  
Allocation Masater



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) List view of Allocation master -  
Approved records

(F) Check the functionality of the  
Allocation Masater






(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) List view of Allocation master -  
Approved records


(F) Check the functionality of the  
Allocation Masater



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) List view of Allocation master -  
Approved records

(F) Check the functionality of the  
Allocation Masater



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) List view of Allocation master -  
Approved records

(F) Check the functionality of the  
Allocation Masater

The screenshot shows the AZENTIO ONE Banking web application. On the left is a blue sidebar menu with options: Dashboard, Configurations (Allocation Master, Allocation Details, Risk Rating Master, Insurance Master, UnderwriterOffsetControl, digitaldocumentmaster, Deposit Account Master, Risk Type Master, Project Master, Notification Master, Report Master), Transactions, and Reports. The main content area is titled 'Allocation Master' and displays a table with columns 'Action', 'Description', and 'Status'. The table contains five rows, each with an edit icon, a description (1, Done12, Done12, Done12, Allocation), and an 'Active' status. At the bottom, it says 'Showing 1 to 5 of 22 entries' with pagination controls. A search bar and an 'Export' button are in the top right. A user profile icon is in the top right corner.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) List view of Allocation master -  
Approved records

(F) Check the functionality of the  
Allocation Masater

The screenshot shows the AZENTIO ONE Banking web application. The sidebar menu is the same as in the first screenshot. The main content area is titled 'Allocation Master' and displays a form for creating or editing an allocation. The form has a 'Description' field and an 'Allocation Code' field. There are buttons for 'Back' and 'Save' (a blue button with a document icon). The top right of the form area has a search bar and an 'Export' button. A user profile icon is in the top right corner.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) List view of Allocation master -  
Approved records

(F) Check the functionality of the  
Allocation Masater

**AZENTIO**  
ONE Banking

Search the menu

Dashboard

Configurations

- Allocation Master
- Allocation Details
- Risk Rating Master
- Insurance Master
- UnderwriterOffsetControl
- digitaldocumentmaster
- Deposit Account Master
- Risk Type Master
- Project Master
- Notification Master
- Report Master

Transactions

Reports

**Allocation Master**

+ Search

Export

Action	Description	Status
	1	Active
	Done12	Active
	Done12	Active
	Done12	Active
	Allocation	Active

Showing 1 to 5 of 22 entries

1 2 3 4 5

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) List view of Allocation master -  
Approved records

(F) Check the functionality of the  
Allocation Masater

**AZENTIO**  
ONE Banking

Search the menu

Dashboard

Configurations

- Allocation Master
- Allocation Details
- Risk Rating Master
- Insurance Master
- UnderwriterOffsetControl
- digitaldocumentmaster
- Deposit Account Master
- Risk Type Master
- Project Master
- Notification Master
- Report Master

Transactions

Reports

**Allocation Master**

+ Search

Export

Action	Description	Status
	1	Active
	Done12	Active
	Done12	Active
	Done12	Active
	Allocation	Active

Showing 1 to 5 of 22 entries

1 2 3 4 5

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) List view of Allocation master -  
Approved records

(F) Check the functionality of the  
Allocation Masater

The screenshot displays the AZENTIO ONE Banking web application. The left sidebar contains a navigation menu with categories: Dashboard, Configurations, Transactions, and Reports. Under Configurations, the 'Allocation Master' is selected. The main content area is titled 'Allocation Master' and features a search bar, a '+ Add' button, and a table with columns 'Action', 'Description', and 'Status'. The table is currently empty, with a message 'Showing 0 to 0 of 0 entries' at the bottom. The top right of the interface shows user settings for language (Engl...), location (LOS), and name (Aze...).

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) List view of Allocation master -  
Approved records

(F) Check the functionality of the  
Allocation Masater

This screenshot shows the same AZENTIO ONE Banking web application, but the 'Allocation Master' table now contains five entries. Each entry has an 'Action' icon (pencil and eye), a 'Description', and a green 'Active' status tag. The entries are: '1', 'Done12', 'Done12', 'Done12', and 'Allocation'. The table footer indicates 'Showing 1 to 5 of 22 entries'. The top right of the interface shows user settings for language (Engl...), location (LOS), and name (Aze...).

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) List view of Allocation master -  
Approved records

(F) Check the functionality of the  
Allocation Masater

The screenshot displays the AZENTIO ONE Banking web application. The left sidebar contains a menu with options: Dashboard, Configurations (with sub-items: Allocation Master, Allocation Details, Risk Rating Master, Insurance Master, UnderwriterOffsetControl, digitaldocumentmaster, Deposit Account Master, Risk Type Master, Project Master, Notification Master, Report Master), Transactions, and Reports. The main content area is titled 'Allocation Master' and features a table with columns 'Action', 'Description', and 'Status'. A single record is visible: 'Allocation master home loan' with a status of 'Active'. The bottom of the table indicates 'Showing 1 to 1 of 1 entries'.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) List view of Allocation master -  
Approved records

(F) Check the functionality of the  
Allocation Masater

This screenshot shows the same AZENTIO ONE Banking web application, but the 'Allocation Master' table now displays five records, all with a status of 'Active'. The records are: '1', 'Done12', 'Done12', 'Done12', and 'Allocation'. The bottom of the table indicates 'Showing 1 to 5 of 22 entries', suggesting a pagination system.

(S) List view of Allocation master - Approved records

(F) Check the functionality of the Allocation Masater

ONE Banking

Engl... ▾
LOS ▾
Aze... ▾

- Dashboard
- Configurations ▾
  - Allocation Master
  - Allocation Details
  - Risk Rating Master
  - Insurance Master
  - Underwriter Offset Control
  - Digital Document Master
  - Deposit Account Master
  - Risk Type Master
  - Project Master
  - Notification Master
- Transactions ▾
- Reports ▾

## Allocation Master

+

Q

Export ▾

Action	Description ↑↓	Status ↑↓
	1	Active
	Done12	Active
	Done12	Active
	Done12	Active
	Allocation	Active

Showing 1 to 5 of 22 entries

<<
<
1
2
3
4
5
>
>>

5 ▾