


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	To Verify the fuctionalities of Customer Employment	1	0	1	0	35.393 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	To Verify the fuctionalities of Customer	To verify fields in list view in customer employment	16	8	1	7	35.387 s
	Employment						

DETAILED SECTION -- 4 --

(F)- To Verify the fuctionalities of Customer Employment

FAILED	DURATION - 35.393 s	Scenarios		Steps	
		Total - 1		Total - 16	
/ 6:32:05.916 PI	M // 6:32:41.309 PM /	Pass - 0	1	Pass - 8	16
		Fail - 1.		Fail - 1	
		Skip - 0		Skip - 7	

(S)- To verify fields in list view in customer employment



#	Step / Hook Details	Status	Duration
1	And Choose the data set id for list view validation in customer employment	PASSED	0.875 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.190 s
	screenshot		
	+		
2	Given Launch the kuls application and Navigate to Application details view list	PASSED	21.108 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.550 s
	screenshot		
	ASSETTION		

Then Click the inbox in customer employment AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) FASSED AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Then Enter app data entry in the text bar AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Then Enter app data entry in the text bar AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)	#	Step / Hook Details	Status	Duration
screenshot And click the search button in customer employement AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then Enter app data entry in the text bar AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	3	Then Click the inbox in customer employment	PASSED	0.285 s
And click the search button in customer employement AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot Then Enter app data entry in the text bar AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) passed AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) passed AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) passed passed are a step a		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.353 s
AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Then Enter app data entry in the text bar AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 2.113 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then Enter app data entry in the text bar AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And click the first action icon in customer employement AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot				
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then Enter app data entry in the text bar AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And click the first action icon in customer employement AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot	4	And click the search button in customer employement	PASSED	0.680 s
screenshot Then Enter app data entry in the text bar AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot And click the first action icon in customer employement AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) passed 2.113 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) passed 0.206 s			PASSED	0.221 s
5 Then Enter app data entry in the text bar AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot And click the first action icon in customer employement AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot PASSED 2.113 s PASSED 0.243 s				
AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot AGTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AGTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot D.206 s 2.113 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot				
Screenshot 6 And click the first action icon in customer employement AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario) Screenshot PASSED 0.243 s	5	Then Enter app data entry in the text bar	PASSED	0.102 s
6 And click the first action icon in customer employement AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot PASSED 0.243 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.206 s
6 And click the first action icon in customer employement PASSED 2.113 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot DASSED 0.243 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot PASSED 0.243 s		*** ACRITICAL **** **** **** **** **** **** **** *		
screenshot	6	And click the first action icon in customer employement	PASSED	2.113 s
		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.243 s
Control		screenshot		
7 Then Click the customer finanace tab in customer employment PASSED 2.159 s	7	Then Click the customer finanace tab in customer employment	PASSED	2.159 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.376 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.376 s
		screenshot		

#	Step / Hook Details	Status	Duration
	AZENTO		
8	And click the first edit icon in customer finance tab	PASSED	0.228 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.352 s
	screenshot		
	Screenshot		
	Company Comp		
9	Then verify field Employer name in listview of the customer employment	FAILED	0.158 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"///table/1/btody[1]/tr[1]/td[3])[3]"} (Session info: chrome=99.0.4844.82) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0-0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016647', ip: '10.1.47.114', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [ff8e63bc3389becf10c959ce7ff662f5, findElement {using=xpath, value=(//table[1]/tbdoy[1]/tr[1]/td[3])[3]]} Capabilities {acceptinsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8, userDataDir: C:Users/ININDC-11AppDatalt), goog:chromeOptions: {debuggerAddress: localhost:61146}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws.//localhost:61146/evto, se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictleIntercataDility: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: ff8e63bc3389becf10c959ce7ff662f5 at jdk.internal.reflect.GeneratedConstructorAccessor40.newInstance(Unknown Source) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.execute.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.exervice.DriverCommandExecutor.invokeExecute(DriverCo		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java.361) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373)		
	at a g. apanganasa and motor to about a mide and in the first of the f		

DETAILED SECTION -- 7 --

#	Step / Hook Details	Status	Duration
	at stepdefinitions.TransactionCustomerEmployment. verify_field_employer_name_in_listview_of_the_customer_employment(TransactionCustomerEmployment.java:802) at ?.verify field Employer name in listview of the customer employment(file:///C:/Users/inindc00073/git/ repository4/Kamala_Priya_AzentioULSFramework3/src/test/java/features/CustomerEmployment.feature:80) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.367 s
	screenshot		
10	Then verify field nature of employment in listview of the customer employment	SKIPPED	0.000 s
11	Then verify field employment type in listview of the customer employment	SKIPPED	0.000 s
12	Then verify field status in listview of the customer employment	SKIPPED	0.000 s
13	And verify the functionality of Search box with matching data in list view of the customer employment	SKIPPED	0.000 s
14	And verify the functionality of Search box with mismatch data in list view of the customer employment	SKIPPED	0.000 s
15	Then verify the functionality of Export to PDF button in the list view of the customer employment	SKIPPED	0.000 s
16	Then verify the functionality of Export to Excel button in the list view of the customer employment	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

 $\underline{\text{(S) To verify fields in list view in customer}}\\ \underline{\text{employment}}$


(F) To Verify the fuctionalities of Customer Employment

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)


(S) To verify fields in list view in customer employment

(F) To Verify the fuctionalities of Customer Employment






EXPANDED SECTION -- 10 --



EXPANDED SECTION -- 11 --



EXPANDED SECTION -- 12 --

