

Cucumber Report

17-Nov-2022, 4:07:29 pm

Start : Nov 17, 4:06:35.775 pm

End : Nov 17, 4:07:24.473 pm

Duration : 48.698 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 0


FAILED - 1

SKIPPED - 0

PASSED - 10


FAILED - 1

SKIPPED - 1







#	Feature Name	T	P	F	S	Duration
1	<u>Check the functionality of Living Expenses Master</u>	1	0	1	0	48.698 s







#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the functionality of Living Expenses Master	Creation of Living Expenses Location record with invalid data	12	10	1	1	48.692 s

(F)- Check the functionality of Living Expenses Master





FAILED	DURATION - 48.698 s	Scenarios		Steps	
/ 4:06:35.775 pm // 4:07:24.473 pm /		Total - 1	1	Total - 12	12
		Pass - 0		Pass - 10	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 1	


(S)- Creation of Living Expenses Location record with invalid data

FAILED	DURATION - 48.692 s		Steps Total - 12 Pass - 10 Fail - 1 Skip - 1	
/ 4:06:35.781 pm // 4:07:24.473 pm /				
Check the functionality of Living Expenses Master				
@AT_LE_028_Validation				

#	Step / Hook Details	Status	Duration
1	Given user log in as uls application maker	PASSED	18.351 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.350 s
	screenshot		
			
2	Then user change Application Type as Los	PASSED	2.783 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.383 s
	screenshot		
			

#	Step / Hook Details	Status	Duration
3	Then user click on configurations Tab	PASSED	0.160 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.889 s
	screenshot		
			
4	When user click Config Manager menu	PASSED	0.366 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.522 s
	screenshot		
			
5	And user Goto the Temp view screen of living Expense	PASSED	0.926 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.219 s
	screenshot		
			
6	And click on Pencil icon of existing record	PASSED	0.609 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.568 s
	screenshot		
			
7	And Navigate to Living expense location page	PASSED	2.208 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.729 s
	screenshot		


#	Step / Hook Details	Status	Duration
			
8	And Click on Add icon of Living expense parameter	PASSED	0.307 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.004 s
	screenshot		
			
9	And user save the Record in Living Expensess	PASSED	0.248 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.414 s
	screenshot		
			
10	And user Pass the Exceldata value for Living Expense Location Invalid	PASSED	0.126 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.194 s
	screenshot		
			
11	And user verify the Blank field in Living Expense	FAILED	0.025 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"(//ion-badge[contains(text(),'null')])[1]"} (Session info: chrome=106.0.5249.119) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [25d7dfae394b3cddb3fba88699e982, findElement {using=xpath, value=//ion-badge[contains(text(),'null')])[1]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 106.0.5249.119, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: C:\Users\ININDC~1\AppData\L..., goog:chromeOptions: {debuggerAddress: localhost:59805},		

#	Step / Hook Details	Status	Duration
	<p>javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:59805/devtoo..., se:cdpVersion: 106.0.5249.119, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 25d7d7fae394b3cddbdf3fba88699e982</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at stepdefinitions.LivingExpense_Master.user_verify_the_blank_field_in_living_expense(LivingExpense_Master.java:776) at ?.user verify the Blank field in Living Expense(file:///C:/Users/inindc00075/git/Arshath_ULS/Arshath_AzentioULSFramework/src/test/java/features/MDM_LivingExp_Master.feature:762) * Not displayable characters are replaced by '?'. </p>		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.268 s
	<p>screenshot</p> 		
12	And Enter the Invalid value in Area factor income of Living expense parameter	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Living Expenses Location
record with invalid data


(F) Check the functionality of Living
Expenses Master





(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Living Expenses Location
record with invalid data

(F) Check the functionality of Living
Expenses Master



<p>(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)</p>	
<p><u>(S) Creation of Living Expenses Location record with invalid data</u></p>	
<p><u>(F) Check the functionality of Living Expenses Master</u></p>	

<p>(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)</p>	
<p><u>(S) Creation of Living Expenses Location record with invalid data</u></p>	
<p><u>(F) Check the functionality of Living Expenses Master</u></p>	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Living Expenses Location
record with invalid data

(F) Check the functionality of Living
Expenses Master

AZENTIO ONEBOOKING

17-Nov-2022

Engl... LOS Aze...

Search the menu

List of Living Expense Model

Dashboard

Configurations

Project Master

Notification Master

Report Master

Target Master

Business Division Master

Approval Reviewer Level Matrix

Income Group Definition

Facility Type

NPA Identification

Classification Master

Living Expense

Transactions

Reports

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Living Expenses Location
record with invalid data

(F) Check the functionality of Living
Expenses Master

AZENTIO ONEBOOKING

17-Nov-2022

Engl... LOS Aze...

Search the menu

List of Living Expense Model

+

Export

Action	Description	Rule ID	Effective Date	Status
	Expenses	98303254	2023-08-02	Active
	desc22	98303335	2022-11-16	Active
	Aanchal	98303335	2022-11-15	Active
	desc23	98303257	2022-11-14	Active
	desc11	98303257	2022-11-15	Active

Showing 1 to 5 of 33 entries

1 2 3 4 5

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Living Expenses Location
record with invalid data

(F) Check the functionality of Living
Expenses Master

The screenshot displays the 'Living Expense Location List' interface. The left sidebar is a dark blue navigation menu with the 'AZENTIO ONEBOOKING' logo at the top. The main content area is titled 'Living Expense Location List' and shows a table with several columns. The table content is mostly obscured by greyed-out placeholder boxes, suggesting a list of records. The top navigation bar includes the date '17-Nov-2022', a language dropdown set to 'Engl...', and other settings like 'LOS' and 'Aze...'. A blue circular button with a gear icon is visible in the bottom right corner of the main content area.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Living Expenses Location
record with invalid data

(F) Check the functionality of Living
Expenses Master

The screenshot displays the 'Living Expense Location' form. The left sidebar is identical to the previous screenshot. The main content area is titled 'Living Expense Location' and shows a form with the following fields: 'Country' (a dropdown menu with 'Select' as the current value), 'Province' (a dropdown menu with 'Select' as the current value), 'Area Factor Income' (a text input box), and 'Area Factor Expenditure' (a text input box). The top navigation bar is identical to the previous screenshot, showing the date '17-Nov-2022', language 'Engl...', and other settings.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Living Expenses Location
record with invalid data

(F) Check the functionality of Living
Expenses Master

17-Nov-2022

Engl... LOS Aze...

Living Expense Location

Living Expense Location

Country *
Select
Required field

Province *
Select
Required field

Area Factor Income *
Required field

Area Factor Expenditure *
Required field

Please fill all the details

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Living Expenses Location
record with invalid data

(F) Check the functionality of Living
Expenses Master

17-Nov-2022

Engl... LOS Aze...

Living Expense Location

Living Expense Location

Country *
Select
Required field

Province *
Select
Required field

Area Factor Income *
Required field

Area Factor Expenditure *
Required field

Please fill all the details

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Living Expenses Location
record with invalid data

(F) Check the functionality of Living
Expenses Master

AZENTIO

ONEBOOKING

Search the menu

Dashboard

Configurations

Project Master

Notification Master

Report Master

Target Master

Business Division Master

Approval Reviewer Level Matrix

Income Group Definition

Facility Type

Living Expense Definition

Living Expense Parameter

Living Expense Location

Living Expense Location

Country

Select

Required field

Province

Select

Required field

Area Factor Expenditure

Required field

Area Factor Income

Required field

Please fill all the details