

Cucumber Report

Aug 10, 2022, 1:49:01 AM

Start : Aug 10, 1:48:35.666 AM

End : Aug 10, 1:48:59.634 AM

Duration : 23.968 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 7
FAILED - 1
SKIPPED - 3







#	Feature Name	T	P	F	S	Duration
1	<u>collateral Functionality</u>	1	0	1	0	23.968 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>collateral Functionality</u>	<u>collateral - to check the functionality of list view buttons of approved records</u>	11	7	1	3	23.964 s

(F)- collateral Functionality



FAILED	DURATION - 23.968 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 11 Pass - 7 Fail - 1 Skip - 3	
/ 1:48:35.666 AM // 1:48:59.634 AM /					


(S)- collateral - to check the functionality of list view buttons of approved records

<div>FAILED</div> <div>DURATION - 23.964 s</div>		<div></div>	<div>Steps</div> <div>Total - 11</div> <div>Pass - 7</div> <div>Fail - 1</div> <div>Skip - 3</div>	<div></div>
<div>/ 1:48:35.670 AM // 1:48:59.634 AM /</div>				
<div>collateral Functionality</div>				
<div>@collateralListView</div>				


#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	6.987 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.307 s
	screenshot		
			
2	And User Login as maker	PASSED	5.441 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.152 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	Then click on Asset collateral config	PASSED	0.334 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.201 s
	screenshot 		
4	Then click on collateral eye icon	PASSED	0.255 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.466 s
	screenshot 		
5	Then verify collateral details list view fields should display all the fields	PASSED	2.061 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.161 s
	screenshot 		
6	Then values in collateral list view should not be editable	PASSED	0.073 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.194 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
7	Then verify collateral add button should allow to create new record	PASSED	1.491 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.380 s
	<p>screenshot</p> 		
8	Then verify collateral search box should display matching record with matched data	FAILED	0.187 s
	<p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//p-table[1]/div[1]/div[1]/div[1]/div[3]/span[1]/button[1]"} (Session info: chrome=99.0.4844.82) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [c30143d0ba7cec6aee0e88e3c65af38b, findElement {using=xpath, value=//p-table[1]/div[1]/div[1]/div[1]/div[3]/span[1]/button[1]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\NINDC~1\AppData\Local\goog:chromeOptions: {debuggerAddress: localhost:56154}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:56154/devtoo..., se.cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: c30143d0ba7cec6aee0e88e3c65af38b</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)</p>		

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy45.click(Unknown Source) at stepdefinitions.Collateral.verify_collateral_search_box_should_display_matching_record_with_matched_data(Collateral.java:373) at ?.verify collateral search box should display matching record with matched data(file:///C:/Users/inindc00089/git/repository6/Prianka_AzentioULSFramework/src/test/java/features/Collateral.feature:162) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.384 s
9	Then verify collateral search box should not display any record with mismatched data	SKIPPED	0.000 s
10	Then click on collateral export to pdf button system should download Pdf file	SKIPPED	0.000 s
11	Then click on collateral export to excel button system should download Excel file	SKIPPED	0.001 s


(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
<u>(S) collateral - to check the functionality of list view buttons of approved records</u>	
<u>(F) collateral Functionality</u>	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
<u>(S) collateral - to check the functionality of list view buttons of approved records</u>	
<u>(F) collateral Functionality</u>	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) collateral - to check the functionality of
list view buttons of approved records


(F) collateral Functionality



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) collateral - to check the functionality of
list view buttons of approved records

(F) collateral Functionality








(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) collateral - to check the functionality of
list view buttons of approved records

(F) collateral Functionality

The screenshot displays the AZENTIO ONEBanking application. On the left is a blue sidebar menu with options: Dashboard, Configurations, Asset Collateral Config, Collateral, Collateral sub type, Collateral type, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, and Transactions. The main area shows a table titled 'List of Asset/Collateral categories'. The table has columns: Action, Asset/Collateral Category Code, AssetCollateral Category Description, Created By, and Status. It lists five entries, all with 'Active' status. At the bottom, it says 'Showing 1 to 5 of 64 entries' with pagination controls.






Action	Asset/Collateral Category Code	AssetCollateral Category Description	Created By	Status
	FD28	FixedDepo	in00135	Active
	FD26	FixedDepo	in00135	Active
	FD24	FixedDepo	in00135	Active
	854145	Okey	in00135	Active
	FD18	FixedDepo	in00135	Active

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) collateral - to check the functionality of
list view buttons of approved records

(F) collateral Functionality

This screenshot is identical to the one above, showing the AZENTIO ONEBanking application with the same sidebar menu and the 'List of Asset/Collateral categories' table. The table contains five entries, all marked as 'Active'. The pagination at the bottom indicates 'Showing 1 to 5 of 64 entries'.

Action	Asset/Collateral Category Code	AssetCollateral Category Description	Created By	Status
	FD28	FixedDepo	in00135	Active
	FD26	FixedDepo	in00135	Active
	FD24	FixedDepo	in00135	Active
	854145	Okey	in00135	Active
	FD18	FixedDepo	in00135	Active

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) collateral - to check the functionality of
list view buttons of approved records

(F) collateral Functionality

AZENTIO ONEBanking

Search the menu

Dashboard

Configurations

Asset Collateral Config

Collateral

Collateral sub type

Collateral type

Business Rules

Corporate Masters

Misc Config

Other Masters

Product Definitions

Transactions

List of Asset/Collateral categories

+

Search

Export

Action	Asset/Collateral Category Code	AssetCollateral Category Description	Created By	Status
	FD28	FixedDepo	in00135	Active
	FD26	FixedDepo	in00135	Active
	FD24	FixedDepo	in00135	Active
	854145	Okey	in00135	Active
	FD18	FixedDepo	in00135	Active

Showing 1 to 5 of 64 entries

1 2 3 4 5

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) collateral - to check the functionality of
list view buttons of approved records

(F) collateral Functionality

AZENTIO ONEBanking

Search the menu

Dashboard

Configurations

Asset Collateral Config

Collateral

Collateral sub type

Collateral type

Business Rules

Corporate Masters

Misc Config

Other Masters

Product Definitions

Transactions

List of Asset/Collateral categories

+

Search

Export

Action	Asset/Collateral Category Code	AssetCollateral Category Description	Created By	Status
	FD28	FixedDepo	in00135	Active
	FD26	FixedDepo	in00135	Active
	FD24	FixedDepo	in00135	Active
	854145	Okey	in00135	Active
	FD18	FixedDepo	in00135	Active

Showing 1 to 5 of 64 entries

1 2 3 4 5