

# Cucumber Report

22-Nov-2022, 3:39:44 pm

**Start : Nov 22, 3:38:42.416 pm**

**End : Nov 22, 3:39:43.112 pm**

**Duration : 1 m 0.696 s**

*Features*

*Scenarios*

*Steps*

**PASSED - 0**

**FAILED - 1**

**SKIPPED - 0**

**PASSED - 0**


**FAILED - 1**

**SKIPPED - 0**

**PASSED - 6**

**FAILED - 1**

**SKIPPED - 2**







#	Feature Name	T	P	F	S	Duration
1	To verify the functional flow for customer entity layout facility details	1	0	1	0	1 m 0.696 s







#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>To verify the functional flow for customer entity layout facility details</u>	<u>To verify the impact when user keep any mandatory field blank and click on save button</u>	9	6	1	2	1 m 0.666 s





**(F)- To verify the functional flow for customer entity layout facility details**

<b>FAILED</b>	<b>DURATION - 1 m 0.696 s</b>	Scenarios		Steps	
/ 3:38:42.416 pm // 3:39:43.112 pm /		Total - 1		Total - 9	
		Pass - 0		Pass - 6	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 2	


**(S)- To verify the impact when user keep any mandatory field blank and click on save button**


<b>FAILED</b>	<b>DURATION - 1 m 0.666 s</b>		Steps Total - 9 Pass - 6 Fail - 1 Skip - 2	
/ 3:38:42.446 pm // 3:39:43.112 pm /				
To verify the functional flow for customer entity layout facility details				
@AT_FD_002				


#	Step / Hook Details	Status	Duration
1	Given User Launch the KULS url for Transaction	PASSED	18.346 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.383 s
	screenshot		
			
2	And user click on Inbox Icon	PASSED	0.282 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.678 s
	screenshot		
			

#	Step / Hook Details	Status	Duration
3	And User click the action edit icon in customer entity layout facility details	PASSED	3.244 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.445 s
	screenshot		
			
4	And User click the facility info tab in customer entity layout facility details	PASSED	5.314 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.588 s
	screenshot		
			
5	And User click the add icon in customer entity layout facility details	PASSED	0.377 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.650 s
	screenshot		
			
6	And User update the excel data for Facility details Verification	PASSED	0.068 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.478 s
	screenshot		
			
7	And User verify the impact when user enter characters value in numeric field in customer entity layout facility details	FAILED	0.027 s
org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//ion-label[contains(text(),'Loan')]/following-sibling::ion-input//child::input"} (Session info: chrome=106.0.5249.119) For documentation on this error,			

#	Step / Hook Details	Status	Duration
	<p>please visit: <a href="https://selenium.dev/exceptions/#no_such_element">https://selenium.dev/exceptions/#no_such_element</a> Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVDAP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d0e884a770d3d49901db919d4f3bf909, findElement {using=xpath, value=//ion-label[contains(text(),'Loan')]/following-sibling::ion-input//child::input}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 106.0.5249.119, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: C:\Users\NININDC~1\AppData\Local\Temp\chrome-win-106.0.5249.119\chromedriver.exe}, goog:chromeOptions: {debuggerAddress: localhost:58936}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58936/devtools/page/106.0.5249.119, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: d0e884a770d3d49901db919d4f3bf909</p> <p>atjdk.internal.reflect.GeneratedConstructorAccessor40.newInstance(Unknown Source)</p> <p>atjava.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</p> <p>atjava.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)</p> <p>atjava.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)</p> <p>atorg.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)</p> <p>atorg.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)</p> <p>atorg.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)</p> <p>atorg.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)</p> <p>atorg.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)</p> <p>atorg.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)</p> <p>atorg.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)</p> <p>atorg.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)</p> <p>atorg.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)</p> <p>atorg.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381)</p> <p>atorg.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373)</p> <p>atorg.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)</p> <p>atorg.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)</p> <p>atjdk.proxy2/jdk.proxy2.\$Proxy46.getWrappedElement(Unknown Source)</p> <p>atorg.openqa.selenium.remote.internal.WebElementToJsonConverter.apply(WebElementToJsonConverter.java:51)</p> <p>atjava.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:197)</p> <p>atjava.base/java.util.Spliterators\$ArraySpliterator.forEachRemaining(Spliterators.java:992)</p> <p>atjava.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509)</p> <p>atjava.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499)</p> <p>atjava.base/java.util.stream.ReduceOps\$ReduceOp.evaluateSequential(ReduceOps.java:921)</p> <p>atjava.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234)</p> <p>atjava.base/java.util.stream.ReferencePipeline.collect(ReferencePipeline.java:682)</p> <p>atorg.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:478)</p> <p>athelper.JavascriptHelper.executeScript(JavascriptHelper.java:27)</p> <p>athelper.JavascriptHelper.scrollToView(JavascriptHelper.java:49)</p> <p>atstepdefinitions.KULS_CustomerEntityLayout_FacilityDetails.user_verify_the_impact_when_user_enter_characters_value_in_numeric_field_in_customer_entity_layout_facility_details(KULS_CustomerEntityLayout_FacilityDetails.java:526)</p> <p>at ?.User verify the impact when user enter characters value in numeric field in customer entity layout facility details(file:///C:/Users/</p>		

#	Step / Hook Details	Status	Duration
	inindc00075/git/Arshath_ULS/Arshath_AzentioULSFramework/src/test/java/features/ULS_FacilityDetails.feature:42) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.364 s
8	And User verify the impact when user enters only special characters value in any field in customer entity layout facility details	SKIPPED	0.001 s
9	And User verify the impact when user keep any mandatory field blank and click on save button in customer entity layout facility details	SKIPPED	0.000 s

<p>(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)</p>	
<p><u>(S) To verify the impact when user keep any mandatory field blank and click on save button</u></p>	
<p><u>(F) To verify the functional flow for customer entity layout facility details</u></p>	

<p>(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)</p>	
<p><u>(S) To verify the impact when user keep any mandatory field blank and click on save button</u></p>	
<p><u>(F) To verify the functional flow for customer entity layout facility details</u></p>	



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) To verify the impact when user keep  
any mandatory field blank and click on  
save button

(F) To verify the functional flow for  
customer entity layout facility details

The screenshot displays the AZENTIO ONE Banking application interface. On the left is a blue sidebar menu with options: Dashboard, Configurations, Transactions, and Reports. The main area shows an 'Inbox' table with columns: Action, Reference Id, Client Name, Event, Workflow, Employee Name, Stage Code, Stage Desc, Role Code, Created Date, and Approver Role. The table contains 10 entries for 'Loan Application' events, all with 'Home Loan Workflow' and 'App Data Entry' stages. The bottom of the table shows pagination: 'Showing 1 to 10 of 105 entries' with page numbers 1 through 10.

Action	Reference Id	Client Name	Event	Workflow	Employee Name	Stage Code	Stage Desc	Role Code	Created Date	Approver Role
	2879	Aakash Top Up	Loan Application	Home Loan Workflow	in02040	APPDATAENT	App Data Entry	CPUEXEC	22-Nov-2022	
	2559	PREETAM	Loan Application	Home Loan Workflow	in02040	APPDATAENT	App Data Entry	CPUEXEC	22-Nov-2022	
	2779		Loan Application	Home Loan Workflow	in02040	APPDATAENT	App Data Entry	CPUEXEC	18-Nov-2022	
	2591	SHIVRAJ	Loan Application	Home Loan Workflow	in02040	APPDATAENT	App Data Entry	CPUEXEC	13-Nov-2022	
	2227	Aakash	Loan Application	Home Loan Workflow	in02040	APPDATAENT	App Data Entry	CPUEXEC	07-Nov-2022	
	1324	shweta	Loan Application	Home Loan Workflow	in02040	APPDATAENT	App Data Entry	CPUEXEC	02-Nov-2022	
	1490	Aanchal	Loan Application	Home Loan Workflow	in02040	APPDATAENT	App Data Entry	CPUEXEC	02-Nov-2022	
	2005	Rohit	Loan Application	Home Loan Workflow	in02040	APPDATAENT	App Data Entry	CPUEXEC	01-Nov-2022	
	1921	NITU	Loan Application	Home Loan Workflow	in02040	APPDATAENT	App Data Entry	CPUEXEC	01-Nov-2022	
	1836	ROSHAN	Loan Application	Home Loan Workflow	in02040	APPDATAENT	App Data Entry	CPUEXEC	31-Oct-2022	

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) To verify the impact when user keep  
any mandatory field blank and click on  
save button


(F) To verify the functional flow for  
customer entity layout facility details

This screenshot shows the same AZENTIO ONE Banking application interface as the one above, but it is partially obscured by the test step descriptions on the left. The sidebar menu and the top header are visible, showing the application name and user information.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) To verify the impact when user keep  
any mandatory field blank and click on  
save button


(F) To verify the functional flow for  
customer entity layout facility details



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) To verify the impact when user keep  
any mandatory field blank and click on  
save button

(F) To verify the functional flow for  
customer entity layout facility details











(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) To verify the impact when user keep  
any mandatory field blank and click on  
save button

(F) To verify the functional flow for  
customer entity layout facility details

The screenshot displays the AZENTIO ONE Banking interface. The top navigation bar includes the date '22-Nov-2022', a calendar icon, an email icon, a grid icon, and language/region selectors for 'Engl...', 'LOS', and 'Aze...'. A user profile icon is also present. The main navigation menu on the left lists 'Dashboard', 'Configurations', 'Transactions', and 'Reports'. The breadcrumb trail shows 'Prev' > 'Application info' > 'Customer details' > 'Additional Customer info' > 'Customer Financials' > 'Facility info' > 'Document Details' > 'Offering' > 'Repayment Schedule' > 'Policy Check' > 'Fee Details' > 'Prop' > 'Next'. The 'Facility info' tab is active, displaying the 'Conventional Facility List'.

Action	Classification	Product	Tenure	Expiry date	Requested Amount	Status
 	AHL	SUBTOP	56		100000	Active
 	AHL	SUBTOP	56		100000	Active
 	AHL	SUBTOP	56		100000	Active
 	AHL	SUBTOP	220		3000000	Active

Showing 1 to 4 of 4 entries << < 1 > >> 5