

# Cucumber Report

Sep 8, 2022, 1:27:32 PM

Start : Sep 08, 1:26:35.674 PM

End : Sep 08, 1:27:31.464 PM

Duration : 55.790 s

Features


Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0


PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 16  
FAILED - 1  
SKIPPED - 7







#	Feature Name	T	P	F	S	Duration
1	ReportMaster Functionality	1	0	1	0	55.790 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	ReportMaster Functionality	To verify user is able to reject Report Group Master record	24	16	1	7	55.787 s




**(F)- ReportMaster Functionality**



<b>FAILED</b>	<b>DURATION - 55.790 s</b>	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 24 Pass - 16 Fail - 1 Skip - 7	
/ 1:26:35.674 PM // 1:27:31.464 PM /					





**(S)- To verify user is able to reject Report Group Master record**




<div>FAILED</div> <div>DURATION - 55.787 s</div>		<div></div>	<div>Steps</div> <div>Total - 24</div> <div>Pass - 16</div> <div>Fail - 1</div> <div>Skip - 7</div>	<div></div>
<div>/ 1:26:35.677 PM // 1:27:31.464 PM /</div>				
<div>ReportMaster Functionality</div>				
<div>@ReportMaster25</div>				

#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	6.019 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.645 s
	screenshot		
			
2	And User Login as maker	PASSED	7.962 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.154 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	Then click on Config Manager	PASSED	0.190 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.219 s
	screenshot		
			
4	Then click on Report Master Checkbox	PASSED	0.345 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.230 s
	screenshot		
			
5	Then search Report Master record from view List	PASSED	1.530 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.178 s
	screenshot		
			
6	Then click on Report Group Master segment button	PASSED	0.455 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.233 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
7	Then click on Report Group Master AddButton	PASSED	0.474 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.177 s
	screenshot 		
8	Then Enter Group Name	PASSED	0.294 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.154 s
	screenshot 		
9	Then Enter Group Description	PASSED	0.219 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.154 s
	screenshot 		
10	Then Enter Min Required Parameter	PASSED	0.184 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.112 s
	screenshot		


#	Step / Hook Details	Status	Duration
			
11	Then save Report Group Master Record	PASSED	0.138 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.227 s
	screenshot		
			
12	Then validate Success pop up	PASSED	0.206 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.176 s
	screenshot		
			
13	Then click on inbox	PASSED	0.168 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.141 s
	screenshot		
			
14	Then click on inbox search icon	PASSED	0.190 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.138 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
15	Then search Report Group Master record	PASSED	1.082 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.103 s
	screenshot		
			
16	And maker user open the record from inbox	PASSED	0.179 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.370 s
	screenshot		
			
17	Then maker user submit the Record	FAILED	28.680 s
	<p>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: //body/div/div/div/div/button' (tried for 20 second(s) with 1000 milliseconds interval)</p> <p>at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263)</p> <p>at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231)</p> <p>at helper.WaitHelper.waitForElementwithFluentwait(WaitHelper.java:103)</p> <p>at stepdefinitions.ProductMaster_Retail.maker_user_submit_the_record(ProductMaster_Retail.java:440)</p> <p>at ?.maker user submit the Record(file:///C:/Users/inindc00089/git/repository6/Priyanka_AzentioULSFramework/src/test/java/features/ReportMaster.feature:24)</p> <p>Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//body/div/div/div/div/button"} (Session info: chrome=99.0.4844.82) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [411ed0de81095821d90f8f33d047a1bd, findElement {using=xpath, value=//body/div/div/div/div/button}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppDataL...}, goog:chromeOptions: {debuggerAddress: localhost:53726}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp:</p>		



#	Step / Hook Details	Status	Duration
	ws://localhost:53726/devtoo..., se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 411ed0de81095821d90f8f33d047a1bd atjdk.internal.reflect.GeneratedConstructorAccessor18.newInstance(Unknown Source) atjava.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) atjava.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) atjava.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) atorg.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) atorg.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) atorg.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) atorg.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) atorg.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) atorg.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) atorg.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) atorg.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) atorg.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) atorg.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) atorg.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) atorg.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) atorg.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) atjdk.proxy2/jdk.proxy2.\$Proxy45.isDisplayed(Unknown Source) atorg.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307) atorg.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40) atorg.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293) atorg.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) atorg.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) athelper.WaitHelper.waitForElementwithFluentwait(WaitHelper.java:103) atstepdefinitions.ProductMaster_Retail.make_user_submit_the_record(ProductMaster_Retail.java:440) atjava.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) atjava.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) atjava.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) atjava.base/java.lang.reflect.Method.invoke(Method.java:568) atio.cucumber.java.Invoker.doInvoke(Invoker.java:66) atio.cucumber.java.Invoker.invoke(Invoker.java:24) atio.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) atio.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) atio.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) atio.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) atio.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) atio.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) atio.cucumber.core.runner.TestStep.run(TestStep.java:64) atio.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		

#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) </pre> <p>* Not displayable characters are replaced by '?'.  </p>		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.102 s
	screenshot		


#	Step / Hook Details	Status	Duration
			
18	Then user logout from the application	SKIPPED	0.001 s
19	And User Login as Checker	SKIPPED	0.000 s
20	Then click on inbox	SKIPPED	0.000 s
21	Then click on inbox search icon	SKIPPED	0.000 s
22	Then search Report Group Master record	SKIPPED	0.000 s
23	Then checker user open the record from inbox	SKIPPED	0.000 s
24	Then checker user reject the record	SKIPPED	0.001 s



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) To verify user is able to reject Report  
Group Master record


(F) ReportMaster Functionality



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) To verify user is able to reject Report  
Group Master record

(F) ReportMaster Functionality



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) To verify user is able to reject Report  
Group Master record

(F) ReportMaster Functionality

The screenshot shows the AZENTIO ONEBanking interface. On the left is a blue sidebar menu with options: Dashboard, Configurations, Floating rate master, Employer master, Bounce Master, BP Master, Allocation Master, Allocation Details, Deposit Account Master, Notification Master, Report Master, and Transactions. The main area is titled 'Report Master - List View'. It features a search bar with 'AssetReport' and an 'Export' button. Below is a table with columns: Action, Report Name, Description, Report Type, and Status. The table contains five rows of data. At the bottom, it says 'Showing 1 to 5 of 16 entries' with pagination controls.

Action	Report Name	Description	Report Type	Status
	AssetReport	Report of an Asset	57945	Active
	Report	Done	57945	Active
	Repayment Schedule	Repayment Schedule	57945	
	MITC	MITC	57945	
	Sanction Letter	Sanction Letter	57945	

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) To verify user is able to reject Report  
Group Master record

(F) ReportMaster Functionality

The screenshot shows the AZENTIO ONEBanking interface. On the left is a blue sidebar menu with options: Dashboard, Configurations, Floating rate master, Employer master, Bounce Master, BP Master, Allocation Master, Allocation Details, Deposit Account Master, Notification Master, Report Master, and Transactions. The main area is titled 'Report Group Master'. It features a search bar and a 'Report Master' button. Below is a table with columns: Report Name, Description, Report Type, and Status. The table contains five rows of data. At the bottom, it says 'Showing 1 to 5 of 16 entries' with pagination controls.

Report Name	Description	Report Type	Status
AssetReport	Report of an Asset	57945	Active
Report	Done	57945	Active
Repayment Schedule	Repayment Schedule	57945	
MITC	MITC	57945	
Sanction Letter	Sanction Letter	57945	

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) To verify user is able to reject Report  
Group Master record

(F) ReportMaster Functionality

The screenshot shows the AZENTIO ONEBanking interface. On the left is a blue sidebar menu with options: Dashboard, Configurations (expanded), Floating rate master, Employer master, Bounce Master, BP Master, Allocation Master, Allocation Details, Deposit Account Master, Notification Master, Report Master, and Transactions. The main content area is titled 'Report Group Master' and has tabs for 'Report Master' and 'Report Group Master'. It displays a table with columns: Action, Group Name, Description, and Status. One entry is visible with status 'Active'. At the bottom right, there is a blue circular button with a gear icon.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) To verify user is able to reject Report  
Group Master record

(F) ReportMaster Functionality

The screenshot shows the AZENTIO ONEBanking interface for adding a new report group. The sidebar menu is the same as in the previous screenshot. The main content area is titled 'Report Group Master' and has tabs for 'Report Master' and 'Report Group Master'. It features a 'Go Back' button and a form with fields for 'Group Name \*' (containing 'Reports') and 'Group Description \*'. Below these is a section for 'Min Parameters Required \*' with a list of parameters: GST, Service Tax, TDS, and VAT. There are two columns: 'Available' and 'Selected', each with a list of parameters and arrows to move them between the columns.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) To verify user is able to reject Report  
Group Master record

(F) ReportMaster Functionality

**AZENTIO ONEBanking**

Search the menu

Dashboard

Configurations

Floating rate master

Employer master

Bounce Master

BP Master

Allocation Master

Allocation Details

Deposit Account Master

Notification Master

Report Master

Transactions

Report Master | **Report Group Master**

Report Group Master

Group Name \*  
Reports

Group Description \*  
Report Group

Min Parameters Required \*

Available

Selected

GST

Service Tax

TDS

VAT

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) To verify user is able to reject Report  
Group Master record

(F) ReportMaster Functionality

**AZENTIO ONEBanking**

Search the menu

Dashboard

Configurations

Floating rate master

Employer master

Bounce Master

BP Master

Allocation Master

Allocation Details

Deposit Account Master

Notification Master

Report Master

Transactions

Report Master | **Report Group Master**

Report Group Master

Group Name \*  
Reports

Group Description \*  
Report Group

Min Parameters Required \*

4

Available

Selected

GST

Service Tax

TDS

VAT



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) To verify user is able to reject Report  
Group Master record

(F) ReportMaster Functionality

The screenshot shows the 'Report Group Master' form in the AZENTIO ONEBanking application. The left sidebar contains a menu with options: Dashboard, Configurations, Floating rate master, Employer master, Bounce Master, BP Master, Allocation Master, Allocation Details, Deposit Account Master, Notification Master, Report Master, and Transactions. The main form area has two tabs: 'Report Master' and 'Report Group Master'. The 'Report Group Master' tab is active. It contains fields for 'Group Name' (with the value 'Reports') and 'Group Description' (with the value 'Report Group'). Below these is a 'Min Parameters Required' field with the value '4'. There are two columns: 'Available' and 'Selected'. The 'Available' column has four empty slots with up and down arrows. The 'Selected' column has four slots, each containing a parameter: 'GST', 'Service Tax', 'TDS', and 'VAT'. Each slot has up and down arrows. A green success message 'Success' is visible in the top right corner.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) To verify user is able to reject Report  
Group Master record

(F) ReportMaster Functionality

The screenshot shows the 'Report Group Master' list view in the AZENTIO ONEBanking application. The left sidebar is the same as in the previous screenshot. The main form area has two tabs: 'Report Master' and 'Report Group Master'. The 'Report Group Master' tab is active. It shows a table with columns: 'Action', 'Group Name', 'Description', and 'Status'. There is one entry with 'Active' status. A green success message 'Success' is visible in the top right corner. At the bottom, there is a pagination bar showing 'Showing 1 to 1 of 1 entries' and a search bar.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) To verify user is able to reject Report  
Group Master record

(F) ReportMaster Functionality

The screenshot shows the AZENTIO ONEBanking application interface. On the left is a blue sidebar menu with options: Dashboard, Configurations (with a sub-menu containing Floating rate master, Employer master, Bounce Master, BP Master, Allocation Master, Allocation Details, Deposit Account Master, Notification Master, and Report Master), and Transactions. The main area is titled 'Inbox' and shows 'Action' with a search bar. Below the search bar, it says 'Showing 0 to 0 of 0 entries' with pagination controls. A blue circular button with a gear icon is visible on the right side of the screen.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) To verify user is able to reject Report  
Group Master record

(F) ReportMaster Functionality

The screenshot shows the AZENTIO ONEBanking application interface with the 'Inbox' section populated with 10 entries. The sidebar menu is the same as in the previous screenshot. The 'Inbox' section has a search bar and a table with the following columns: Action, Reference Id, Event Code, Stage Code, Role Code, Employee Name, Created Date, Workflow Code, and Product. The table contains 10 rows of data, all with 'MAKER' as the role and 'in00135' as the employee name. The pagination at the bottom shows 'Showing 1 to 10 of 1204 entries' with a page number '1' highlighted and a blue circular button with a gear icon on the right.

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product
	41	COVENANT_MST	MAKER	LOSMKR	in00135	07-Sep-2022 10:51	TSW	
	6107	PRODUCT_MST	MAKER	LOSMKR	in00135	05-Sep-2022 13:41	TSW	
	104	CHARGE_MST	MAKER	LOSMKR	in00135	02-Sep-2022 12:31	TSW	
	103	CHARGE_MST	MAKER	LOSMKR	in00135	02-Sep-2022 12:28	TSW	
	93	DUE_MST	MAKER	LOSMKR	in00135	02-Sep-2022 12:5	TSW	
	102	CHARGE_MST	MAKER	LOSMKR	in00135	02-Sep-2022 11:58	TSW	
	101	CHARGE_MST	MAKER	LOSMKR	in00135	02-Sep-2022 11:56	TSW	
	100	CHARGE_MST	MAKER	LOSMKR	in00135	02-Sep-2022 11:52	TSW	
	99	CHARGE_MST	MAKER	LOSMKR	in00135	02-Sep-2022 11:34	TSW	
	98	CHARGE_MST	MAKER	LOSMKR	in00135	02-Sep-2022 11:31	TSW	

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) To verify user is able to reject Report  
Group Master record

(F) ReportMaster Functionality

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product
	31	MST_REPORT	MAKER	LOSMKR	in00135	25-Aug-2022 14:54	TSW	
	30	MST_REPORT	MAKER	LOSMKR	in00135	25-Aug-2022 14:54	TSW	
	28	MST_REPORT	MAKER	LOSMKR	in00135	24-Aug-2022 17:16	TSW	
	11	MST_REPORT	MAKER	LOSMKR	in00135	22-Jun-2022 17:26	TSW	
	7	MST_REPORT	MAKER	LOSMKR	in00135	22-Jun-2022 10:25	TSW	
	5	MST_REPORT	MAKER	LOSMKR	in00135	17-Jun-2022 11:59	TSW	

Showing 1 to 6 of 6 entries

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) To verify user is able to reject Report  
Group Master record

(F) ReportMaster Functionality

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product
	31	MST_REPORT	MAKER	LOSMKR	in00135	25-Aug-2022 14:54	TSW	
	30	MST_REPORT	MAKER	LOSMKR	in00135	25-Aug-2022 14:54	TSW	
	28	MST_REPORT	MAKER	LOSMKR	in00135	24-Aug-2022 17:16	TSW	
	11	MST_REPORT	MAKER	LOSMKR	in00135	22-Jun-2022 17:26	TSW	
	7	MST_REPORT	MAKER	LOSMKR	in00135	22-Jun-2022 10:25	TSW	
	5	MST_REPORT	MAKER	LOSMKR	in00135	17-Jun-2022 11:59	TSW	

### Report Parameter Details

Parameter Name	Value
Report Group	Report Group
Report Type	Report Type
Report Date	Report Date
Report Time	Report Time
Report User	Report User
Report Role	Report Role
Report Product	Report Product

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) To verify user is able to reject Report  
Group Master record

(F) ReportMaster Functionality

AZENTIO

ONEBanking

Search the menu

Dashboard

Configurations

Floating rate master

Employer master

Bounce Master

BP Master

Allocation Master

Allocation Details

Deposit Account Master

Notification Master

Report Master

Transactions

Report Master

Report Name \*  
12

Report Description \*  
12

Report Category \*  
REPORT

Report Name 2 \*  
12

Report Type \*  
BIR

Status  
☒

Report Name 3 \*  
12

Report Url \*  
12

Submit

Cancel

Report Parameter Details

Export

Action	Sequence Number	Description	Parameter Name	Is Mandatory	Status
<div></div>	12	123	123	N	Active