

Cucumber Report

28-Nov-2022, 1:44:37 pm

Start : Nov 28, 1:44:01.394 pm

End : Nov 28, 1:44:34.417 pm

Duration : 33.023 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 0


FAILED - 1

SKIPPED - 0

PASSED - 12


FAILED - 1

SKIPPED - 70







#	Feature Name	T	P	F	S	Duration
1	<u>To test the property details tab</u>	1	0	1	0	33.023 s







#	Feature Name	Scenario Name	T	P	F	S	Duration
1	To test the property details tab	To create the property details with valid data	83	12	1	70	33.013 s


(F)- To test the property details tab





FAILED	DURATION - 33.023 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 83 Pass - 12 Fail - 1 Skip - 70	
/ 1:44:01.394 pm // 1:44:34.417 pm /					



(S)- To create the property details with valid data


FAILED	DURATION - 33.013 s		Steps Total - 83 Pass - 12 Fail - 1 Skip - 70	
/ 1:44:01.404 pm // 1:44:34.417 pm /				
To test the property details tab				
@AT_PD_001				

#	Step / Hook Details	Status	Duration
1	Given User Launch the KULS url for Transaction	PASSED	15.298 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.310 s
	screenshot		
			
2	And click on mail box	PASSED	1.206 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.285 s
	screenshot		
			

#	Step / Hook Details	Status	Duration
3	And search for app data entry record	PASSED	0.623 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.227 s
	screenshot		
			
4	And select the app data entry first record	PASSED	0.279 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.294 s
	screenshot		
			
5	And click on property detail record	PASSED	1.696 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.643 s
	screenshot		
			
6	And click on add button in property details tab	PASSED	0.215 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.994 s
	screenshot		
			
7	Then verify property details is showing in the screen	PASSED	0.483 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.223 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
8	Then verify address details is showing in screen	PASSED	0.220 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.287 s
	screenshot		
			
9	Then verify charge details is showing in the screen	PASSED	0.065 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.209 s
	screenshot		
			
10	Then verify construction details is showing in the screen	PASSED	0.065 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.278 s
	screenshot		
			
11	And user update the Excelsheet Testdata for Property creation	PASSED	0.004 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.206 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
12	Then verify security type field should be visiblle and mandatory dropdown	PASSED	0.162 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.192 s
	screenshot		
			
13	And user can able to select the data from the security dropdown	FAILED	1.097 s
	<p>org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-select _ngcontent-dkx-c322="" ng-reflect-ok-text="OK" ng-reflect-cancel-text="CANCEL" ng-reflect-placeholder="Select" ng-reflect-interface="popover" ng-reflect-multiple="false" ng-reflect-disabled="false" ng-reflect-is-disabled="false" class="ng-untouched ng-pristine ng-valid ios in-item hydrated ion-untouched ion-pristine ion-valid" role="button" aria-haspopup="listbox" aria-label="Select, Security Type *">...</ion-select> is not clickable at point (663, 97). Other element would receive the click: <ion-segment-button _ngcontent-dkx-c744="" id="seg3" ng-reflect-value="[object Object]" class="ng-star-inserted ios in-toolbar in-segment segment-button-has-label segment-button-has-label-only segment-button-layout-icon-top ion-activatable ion-activatable-instant ion-focusable hydrated" role="tab" aria-selected="false" tabindex="-1">...</ion-segment-button> (Session info: chrome=107.0.5304.121) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [39de02510af038bbad9e9376beeeaa72a, clickElement {id=f38eb300-9f59-4af6-be09-aa7566aabec9}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.121, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:61341}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61341/devtoo..., se:cdpVersion: 107.0.5304.121, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (39de02510af038bbad9e9376beeeaa72a)] -> xpath: //ion-label[text()=' Security Type ']/following-sibling::ion-select] Session ID: 39de02510af038bbad9e9376beeeaa72a</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)</p>		

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy46.click(Unknown Source) at stepdefinitions.PropertyDetails_Steps.user_can_able_to_select_the_data_from_the_security_dropdown(PropertyDetails_Steps.java:211) at ?.user can able to select the data from the security dropdown(file:///C:/Users/inindc00075/git/Arshath_ULS/Arshath_AzentioULSFramework/src/test/java/features/ULS_Property_Details.feature:16) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.366 s
14	Then verify property city field should be mandatory lookup	SKIPPED	0.000 s
15	And user can able to select the data from the property city field	SKIPPED	0.000 s
16	Then verify Type Of Transaction field should be mandatory lookup	SKIPPED	0.000 s
17	And user can able to select the data from the Type Of Transaction field	SKIPPED	0.000 s
18	Then verify Purchased from field should be mandatory lookup	SKIPPED	0.000 s
19	And user can able to select the data from the Purchased from field	SKIPPED	0.000 s
20	Then verify Property Type field should be mandatory lookup	SKIPPED	0.000 s
21	And user can able to select the data from the Property Type field	SKIPPED	0.000 s
22	Then verify APF Status field should be mandatory dropdown	SKIPPED	0.001 s
23	And user can able to select the data from the APF Status field	SKIPPED	0.000 s
24	Then verify Construction Status field should be mandatory dropdown	SKIPPED	0.000 s
25	And user can able to select the data from the Construction Status field	SKIPPED	0.000 s
26	Then verify Property Category field should be mandatory dropdown	SKIPPED	0.000 s
27	And user can able to select the data from the Property Category field	SKIPPED	0.000 s
28	Then verify Nature of Property field should be mandatory lookup	SKIPPED	0.000 s


#	Step / Hook Details	Status	Duration
29	And user can able to select the data from the Nature of Property field	SKIPPED	0.000 s
30	Then verify Occupancy Status field should be mandatory lookup	SKIPPED	0.000 s
31	And user can able to select the data from the Occupancy Status field	SKIPPED	0.000 s
32	Then verify name Of The Developer field should be mandatory lookup	SKIPPED	0.000 s
33	And user can able to select the data from the name Of The Developer field	SKIPPED	0.000 s
34	Then verify Project field should be mandatory lookup	SKIPPED	0.000 s
35	And user can able to select the data from the Project field	SKIPPED	0.001 s
36	Then verify Building Details field should be mandatory lookup	SKIPPED	0.000 s
37	And user can able to select the data from the Building Details field	SKIPPED	0.000 s
38	Then verify Unit Details field should be mandatory lookup	SKIPPED	0.000 s
39	And user can able to select the data from the Unit Details field	SKIPPED	0.000 s
40	Then verify address line 1 field should be non mendatory text box	SKIPPED	0.001 s
41	And user can able to enter the data into the address line 1 input box	SKIPPED	0.000 s
42	Then verify address line 2 field should be non mendatory text box	SKIPPED	0.000 s
43	And user can able to enter the data into the address line 2 input box	SKIPPED	0.000 s
44	Then verify address line 3 field should be text box	SKIPPED	0.000 s
45	And user can able to enter the data into the address line 3 input box	SKIPPED	0.000 s
46	Then verify country field should be non mandatory lookup	SKIPPED	0.000 s
47	And user can able to select the data from the country field	SKIPPED	0.000 s
48	Then verify state field should be non mandatory lookup	SKIPPED	0.000 s
49	And user can able to select the data from the state field	SKIPPED	0.000 s
50	Then verify city field should be non mandatory lookup	SKIPPED	0.000 s
51	And user can able to select the data from the city field	SKIPPED	0.000 s
52	Then verify District Neighbourhood field should be non mandatory textbox	SKIPPED	0.000 s
53	And user can able to enter the data from into District Neighbourhood field	SKIPPED	0.000 s
54	Then verify pincode field should be non mandatory textbox	SKIPPED	0.000 s
55	And user can able to enter the data from into pincode field	SKIPPED	0.000 s
56	Then verify Type Of Charge field should be mandatory dropdown	SKIPPED	0.000 s
57	And user can able to select the data from the Type Of Charge field	SKIPPED	0.000 s
58	Then verify Name Of Charge Holder field should be non mandatory textbox	SKIPPED	0.000 s
59	And user can able to enter the data from into Name Of Charge Holder field	SKIPPED	0.001 s
60	Then verify Amount to the Charge Holder field should be non mandatory currency field	SKIPPED	0.001 s
61	And user can able to enter the data from into Amount to the Charge Holder field	SKIPPED	0.000 s
62	Then verify Measurement field should be mandatory dropdown	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
63	And user can able to select the data from the Measurement field	SKIPPED	0.001 s
64	Then verify Approx Property Area field should be non mandatory textbox	SKIPPED	0.001 s
65	And user can able to enter the data from into Approx Property Area field	SKIPPED	0.000 s
66	Then verify Built Up Plot Area field should be non mandatory textbox	SKIPPED	0.001 s
67	And user can able to enter the data from into Built Up Plot Area field	SKIPPED	0.001 s
68	Then verify Carpet Area field should be non mandatory textbox	SKIPPED	0.001 s
69	And user can able to enter the data from into Carpet Area field	SKIPPED	0.001 s
70	Then verify Property Management field should be non mandatory lookup	SKIPPED	0.000 s
71	And user can able to select the data from the Property Management field	SKIPPED	0.000 s
72	Then verify Year Of Construction field should be non mandatory calendar	SKIPPED	0.000 s
73	And user can able to select the date from the Year Of Construction field	SKIPPED	0.000 s
74	Then verify percentage of completion field should be non mandatory textbox	SKIPPED	0.001 s
75	And user can able to enter the data from into percentage of completion field	SKIPPED	0.000 s
76	Then verify Expected Completion Date field should be non mandatory calendar	SKIPPED	0.000 s
77	And user can able to select the date from the Expected Completion Date field	SKIPPED	0.000 s
78	Then verify Agreement Date field should be non mandatory calendar	SKIPPED	0.000 s
79	And user can able to select the date from the Agreement Date field	SKIPPED	0.001 s
80	Then verify Agreement Validity Date field should be non mandatory calendar	SKIPPED	0.000 s
81	And user can able to select the date from the Agreement Validity Date field	SKIPPED	0.000 s
82	And save the property details record	SKIPPED	0.000 s
83	Then verify record is saved in the system	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To create the property details with
valid data


(F) To test the property details tab



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To create the property details with
valid data

(F) To test the property details tab



(F) To test the property details tab

AZENTIO
07-Jan-2024
Engl...
LOS
Aze...

Dashboard

Configurations

Transactions

Reports

Inbox

Action	Reference Id	Client Name	Event	Workflow	Employee Name	Stage Code	Stage Desc	Role Code	Created Date	Approver Role
	702	Shirpa Kothari	Loan Application	Home Loan Workflow	in02040	DISBMKR	Disbursement Maker	OPEMKR	28-Nov-2022	
	2759	Rohit	Loan Application	Home Loan Workflow	in02040	DISBMKR	Disbursement Maker	OPEMKR	28-Nov-2022	
	788	priya	Loan Application	Home Loan Workflow	in02040	OFFERING	Offering	CREEFF	24-Nov-2022	
	2948	Aakash Stage Completion	Loan Application	Home Loan Workflow	in02040	FEECOL	Fee Collection	BREXEC	24-Nov-2022	
	2947	Rohit	Loan Application	Home Loan Workflow	in02040	NEWAPP	New Application	BREXEC	23-Nov-2022	
	2934	Aakash BT BT Application	Loan Application	Home Loan Workflow	in02040	APPDATAENT	App Data Entry	CPUEXEC	23-Nov-2022	
	2457	jitesh	Loan Application	Home Loan Workflow	in02040	APPDATAENT	App Data Entry	CPUEXEC	23-Nov-2022	
	2927	Aakahs Login Fee	Loan Application	Home Loan Workflow	in02040	APPDATAENT	App Data Entry	CPUEXEC	23-Nov-2022	
	2881	Aakash BT BT Application	Loan Application	Home Loan Workflow	in02040	NEWAPP	New Application	BREXEC	22-Nov-2022	
	2879	Aakash Top Up	Loan Application	Home Loan Workflow	in02040	APPDATAENT	App Data Entry	CPUEXEC	22-Nov-2022	

Showing 1 to 10 of 249 entries

<<
<
1
2
3
4
5
>
>>

10

(F) To test the property details tab

07-Jan-2024

Engl...
LOS
Aze...

X AppData

Action	Reference Id	Client Name	Event	Workflow	Employee Name	Stage Code	Stage Desc	Role Code	Created Date	Approver Role
	2934	Aakash BT BT Application	Loan Application	Home Loan Workflow	in02040	APPDATAENT	App Data Entry	CPUEXEC	23-Nov-2022	
	2457	jitesh	Loan Application	Home Loan Workflow	in02040	APPDATAENT	App Data Entry	CPUEXEC	23-Nov-2022	
	2927	Aakahs Login Fee	Loan Application	Home Loan Workflow	in02040	APPDATAENT	App Data Entry	CPUEXEC	23-Nov-2022	
	2879	Aakash Top Up	Loan Application	Home Loan Workflow	in02040	APPDATAENT	App Data Entry	CPUEXEC	22-Nov-2022	
	2559	PREETAM	Loan Application	Home Loan Workflow	in02040	APPDATAENT	App Data Entry	CPUEXEC	22-Nov-2022	
	2779		Loan Application	Home Loan Workflow	in02040	APPDATAENT	App Data Entry	CPUEXEC	18-Nov-2022	
	2591	SHIVRAJ	Loan Application	Home Loan Workflow	in02040	APPDATAENT	App Data Entry	CPUEXEC	13-Nov-2022	
	2227	Aakash	Loan Application	Home Loan Workflow	in02040	APPDATAENT	App Data Entry	CPUEXEC	07-Nov-2022	
	1324	shveta	Loan Application	Home Loan Workflow	in02040	APPDATAENT	App Data Entry	CPUEXEC	02-Nov-2022	
	1490	Aanchal	Loan Application	Home Loan Workflow	in02040	APPDATAENT	App Data Entry	CPUEXEC	02-Nov-2022	

<
Showing 1 to 10 of 108 entries


 << < **1** 2 3 4 5 > >>

10 ▼

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To create the property details with
valid data


(F) To test the property details tab



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To create the property details with
valid data

(F) To test the property details tab



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To create the property details with
valid data

(F) To test the property details tab

The screenshot shows the 'Property Details' form in the AZENTIO ONE Banking application. The form is divided into several sections: 'Security Type', 'Type Of Transaction', 'Property Type', 'Construction Status', 'Nature Of Property', 'Name Of The Developer', 'Building Details', 'Address Details', 'Property City', 'Purchased From', 'APF Status', 'Property Category', 'Occupancy Status', 'Project', 'Unit Details', and 'Address Line 2'. Each section contains a dropdown menu for selection. The 'Address Details' section includes fields for 'Flat/House No. /Shop No. Plot No.', 'Address Line 3', 'State', and 'Country'. The 'Property City' field is also present. The form is part of a larger application with a sidebar menu and a top navigation bar.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To create the property details with
valid data

(F) To test the property details tab

The screenshot shows the 'Property Details' form in the AZENTIO ONE Banking application. The form is divided into several sections: 'Flat/House No. /Shop No. Plot No.', 'Address Line 3', 'State', 'City', 'Location Type', 'Distance From Branch To Property', 'Charge Details', 'Name Of The Charge Holder', 'Measurement', 'Built Up/Plot Area', 'Property Management', and 'Construction Details'. Each section contains a dropdown menu for selection. The 'Address Details' section includes fields for 'Flat/House No. /Shop No. Plot No.', 'Address Line 3', 'State', and 'Country'. The 'Property City' field is also present. The form is part of a larger application with a sidebar menu and a top navigation bar.

(F) To test the property details tab

07-Jan-2024

Engl...

LOS

Aze...

Dashboard

Configurations

Transactions

Reports

Search the menu

Prev

Application Info

Customer details

Additional Customer Info

Customer Financials

Facility Info

Document Details

Offering

Repayment Schedule

Policy Check

Fee Details

Next

Location Type *

Select

Distance From Branch To Property *

Select

Charge Details

Type Of Charge

Select

Amount To The Charge Holder

Approx. Property Area

Carpet Area

Location Category

Select

Name Of The Charge Holder

Measurement

Select

Built Up/Plot Area

Property Management

Select

Construction Details

Year Of Construction

Expected Completion Date

Agreement Validity Date

% Of Completion

Agreement Date

Construction Cost

(F) To test the property details tab

07-Jan-2024

Engl...

LOS

Aze...

Dashboard

Configurations

Transactions

Reports

Prev

Application Info

Customer details

Additional Customer Info

Customer Financials

Facility Info

Document Details

Offering

Repayment Schedule

Policy Check

Fee Details

Next

Location Type *

Distance From Branch To Property *

Location Category

Type Of Charge

Amount To The Charge Holder

Approx. Property Area

Carpet Area

Name Of The Charge Holder

Measurement

Built Up/Plot Area

Property Management

Year Of Construction

Expected Completion Date

Agreement Validity Date

% Of Completion

Agreement Date

Construction Cost

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To create the property details with
valid data

(F) To test the property details tab

The screenshot displays the AZENTIO ONE Banking application interface. The top navigation bar includes the date '07-Jan-2024', a calendar icon, an email icon, a grid icon, and language/region dropdowns for 'Engl...', 'LOS', and 'Aze...'. A user profile icon is also present. The main navigation menu on the left contains 'Dashboard', 'Configurations', 'Transactions', and 'Reports'. The 'Facility Info' tab is selected, showing a form with the following sections:

- Location Details:** Location Type (Select), Distance From Branch To Property (Select), Location Category (Select).
- Charge Details:** Type Of Charge (Select), Amount To The Charge Holder, Approx. Property Area, Carpet Area, Name Of The Charge Holder, Measurement (Select), Built Up/Plot Area, Property Management (Select).
- Construction Details:** Year Of Construction, Expected Completion Date, Agreement Validity Date, % Of Completion, Agreement Date, Construction Cost.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To create the property details with
valid data

(F) To test the property details tab

The screenshot displays the AZENTIO ONE Banking application interface, similar to the one above. The 'Facility Info' tab is selected, showing a form with the following sections:

- Transaction Details:** Type Of Transaction (Select), Property Type (Select), Construction Status (Select), Nature Of Property (Select), Name Of The Developer (Select), Building Details (Select).
- Purchased From:** Purchased From (Select), APF Status (Select), Property Category (Select), Occupancy Status (Select), Project (Select), Unit Details (Select).
- Address Details:** Flat/House No. /Shop No. Plot No. (Text), Address Line 3 (Text), State (Select), City (Text), Location Type (Select), Address Line 2 (Text), Country (Select), District/Neighbourhood (Select), Pincode (Text), Location Category (Select).

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To create the property details with
valid data

(F) To test the property details tab

AZENTIO

ONEBanking

Search the menu

Dashboard

Configurations

Transactions

Reports

07-Jan-2024

Engl...

LOS

Aze...

Prev

Application info

Customer details

Additional Customer info

Customer Financials

Facility info

Document Details

Offering

Repayment Schedule

Policy Check

Fee Details

Next

Type Of Transaction *

Select

Property Type *

Select

Construction Status *

Select

Nature Of Property *

Select

Name Of The Developer *

Select

Building Details

Select

Address Details

Flat/House No. /Shop No. Plot No. *

Address Line 3 *

State *

Select

City *

Location Type *

Select

Purchased From *

Select

APF Status *

Select

Property Category *

Select

Occupancy Status *

Select

Project

Select

Unit Details

Select

Address Line 2 *

Country *

Select

District/Neighbourhood *

Select

Pincode *

Location Category

Select