

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Check the functionality of product master	1	1	0	0	30.641 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the functionality of product	Product Master - to check the functionality of list view	14	14	0	0	30.635 s
	<u>master</u>	buttons of approved records					

DETAILED SECTION -- 4

## **(F)-** Check the functionality of product master

PASSED	DURATION - 30.641 s	Scenarios		Steps	
		Total - 1		Total - 14	
/ 1:25:56.671 PN	1 // 1:26:27.312 PM /	Pass - 1	1	Pass - 14	14
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

## (S)- Product Master - to check the functionality of list view buttons of approved records

PASSED DURATION - 30.635 s	8 - Steps
/ 1:25:56.677 PM // 1:26:27.312 PM /	6-1-10-14 Total - 14
	4-1-1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -
Check the functionality of product master	2-
@M10	0 - 1 - 2 3 4 5 6 7 8 9 10 11 12 13 14 Skip - 0

#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	8.611 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.376 s
	screenshot		
	AZENTIO' End-to-ford Banking Suite Institute in manufacture for more and perfect formers of the		
2	And User Login as maker	PASSED	5.389 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.726 s
	screenshot		

3 Then user should navigate to product master  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  And click on eye icon of product master  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinition	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  And click on eye icon of product master  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  Then verify product master details list view fields should display all the fields  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  FASSED  O.206 s  PASSED  O.596 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  FASSED  O.147 s  Then values in list view should not be editable  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  O.057 s  PASSED  O.176 s		TENTION  Product disclosion  Product disclosio		
screenshot  And click on eye icon of product master  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  5 Then verify product master details list view fields should display all the fields  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)	3		PASSED	0.141 s
4 And click on eye icon of product master  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  Screenshot  5 Then verify product master details list view fields should display all the fields  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  Screenshot  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  Screenshot  6 Then values in list view should not be editable  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  PASSED  0.057 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  PASSED  0.176 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.192 s
4 And click on eye icon of product master  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  Then verify product master details list view fields should display all the fields  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.057 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.176 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  Then verify product master details list view fields should display all the fields  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  Then verify product master details list view fields should display all the fields  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  O.596 s  1.605 s  0.147 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  O.057 s  PASSED  O.176 s		The state and state and a stat		
Screenshot  Then verify product master details list view fields should display all the fields  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  Then values in list view should not be editable  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.057 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.176 s	4	And click on eye icon of product master	PASSED	0.206 s
5 Then verify product master details list view fields should display all the fields  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  6 Then values in list view should not be editable  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.057 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.176 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.596 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  6 Then values in list view should not be editable  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.147 s  PASSED  0.057 s  PASSED  0.176 s				
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  6 Then values in list view should not be editable  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.147 s  PASSED  0.057 s  PASSED  0.176 s	5	Then verify product master details list view fields should display all the fields	PASSED	1.605 s
6 Then values in list view should not be editable  AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario)  PASSED  0.057 s  0.176 s				
6 Then values in list view should not be editable  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.057 s  0.176 s		screenshot	7	
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.176 s		AZENTIO		
	6	Then values in list view should not be editable	PASSED	0.057 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.176 s
		screenshot		


7 Then verify add button should allow to create new record  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber java.Scenario)  Screenshot  8 Then verify search box should display matching record with matched data  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber java.Scenario)  PASSED  0.238 s  2.748 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber java.Scenario)  PASSED  0.127 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber java.Scenario)  PASSED  0.142 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber java.Scenario)  PASSED  0.145 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber java.Scenario)  PASSED  0.063 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber java.Scenario)  PASSED  0.077 s	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  Screenshot  8 Then verify search box should display matching record with matched data  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  9 Then verify search box should not display any record with mismatched data  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  9 Then verify search box should not display any record with mismatched data  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  Screenshot  10 Then system should show product group field and the field will display only  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  PASSED  0.063 s  PASSED  0.177 s		Activito    19   19   19   19   19   19   19   1		
8 Then verify search box should display matching record with matched data  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  9 Then verify search box should not display any record with mismatched data  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  Screenshot  10 Then system should show product group field and the field will display only  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED  0.142 s  0.145 s	7	Then verify add button should allow to create new record	PASSED	1.730 s
8 Then verify search box should display matching record with matched data  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  9 Then verify search box should not display any record with mismatched data  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED  0.145 s  1.0 Then system should show product group field and the field will display only  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED  0.063 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED  0.177 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.238 s
8 Then verify search box should display matching record with matched data  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  9 Then verify search box should not display any record with mismatched data  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  9 AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  10 Then system should show product group field and the field will display only  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.063 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.177 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  9 Then verify search box should not display any record with mismatched data  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  10 Then system should show product group field and the field will display only  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.127 s  1.442 s  0.145 s  0.145 s  0.145 s		AZENTIO  Service de la constant de l		
Screenshot  9 Then verify search box should not display any record with mismatched data  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  Screenshot  10 Then system should show product group field and the field will display only  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  PASSED  0.063 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  PASSED  0.177 s	8	Then verify search box should display matching record with matched data	PASSED	2.748 s
9 Then verify search box should not display any record with mismatched data  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  10 Then system should show product group field and the field will display only  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.063 s  PASSED  0.177 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.127 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  10 Then system should show product group field and the field will display only  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.145 s  0.145 s				
Screenshot  10 Then system should show product group field and the field will display only  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.063 s  0.177 s	9	Then verify search box should not display any record with mismatched data	PASSED	1.442 s
10 Then system should show product group field and the field will display only  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.063 s  0.177 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.145 s
10 Then system should show product group field and the field will display only  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.063 s  0.177 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.177 s		The control of the co		
	10	Then system should show product group field and the field will display only	PASSED	0.063 s
correspond		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.177 s
Screenshot		screenshot		

Then system should show product code field and the field will display only  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED 0.113 s  Occupancy of the system should show product description field and the field will display only  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED 0.129 s  PASSED 0.129 s  PASSED 0.117 s  PASSED 0.061 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED 0.117 s  PASSED 0.061 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED 0.117 s  PASSED 0.129 s  PASSED 0.129 s  PASSED 0.088 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED 0.088 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED 0.088 s  PASSED 0.129 s	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  passed  12 Then system should show product description field and the field will display only  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  passed  13 Then system should show retail or corporate field and the field will display only  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  passed  14 Then system should show status field and the field will display only  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.113 s  0.113 s  0.113 s  0.060 s  PASSED  0.129 s  0.129 s		A TENTO    ORDINATION  ORDINAT		
12 Then system should show product description field and the field will display only  AFTER_STEP - stepdefinitions. HooksClass. add/Screenshot(io.cucumber.java.Scenario)  3. Then system should show retail or corporate field and the field will display only  AFTER_STEP - stepdefinitions. HooksClass. add/Screenshot(io.cucumber.java.Scenario)  Screenshot  4. Then system should show status field and the field will display only  AFTER_STEP - stepdefinitions. HooksClass. add/Screenshot(io.cucumber.java.Scenario)  PASSED  0.060 s  PASSED  0.061 s  PASSED  0.068 s  AFTER_STEP - stepdefinitions. HooksClass. add/Screenshot(io.cucumber.java.Scenario)  PASSED  0.129 s	11	Then system should show product code field and the field will display only	PASSED	0.075 s
12 Then system should show product description field and the field will display only  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  Screenshot  13 Then system should show retail or corporate field and the field will display only  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  Screenshot  14 Then system should show status field and the field will display only  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED  0.061 s  PASSED  0.117 s  4 Then system should show status field and the field will display only  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED  0.068 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED  0.129 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.113 s
12 Then system should show product description field and the field will display only  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  13 Then system should show retail or corporate field and the field will display only  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  14 Then system should show status field and the field will display only  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.061 s  PASSED  0.117 s  0.117 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.129 s  13 Then system should show retail or corporate field and the field will display only  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  14 Then system should show status field and the field will display only  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.061 s  0.117 s  0.117 s  0.118 s  PASSED  0.068 s  PASSED  0.068 s  PASSED  0.129 s		** O		
screenshot  13 Then system should show retail or corporate field and the field will display only  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  Screenshot  14 Then system should show status field and the field will display only  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  PASSED  0.068 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  PASSED  0.129 s	12	Then system should show product description field and the field will display only	PASSED	0.060 s
13 Then system should show retail or corporate field and the field will display only  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  14 Then system should show status field and the field will display only  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.068 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.129 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.129 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  14 Then system should show status field and the field will display only  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.117 s  0.117 s  PASSED  0.068 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  0.129 s				
Screenshot  14 Then system should show status field and the field will display only  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.068 s  0.129 s	13	Then system should show retail or corporate field and the field will display only	PASSED	0.061 s
14 Then system should show status field and the field will display only  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED  0.068 s  0.129 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.117 s
14 Then system should show status field and the field will display only  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.068 s  0.129 s		screenshot	7	
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.129 s		AZENTIO  I NO 10 N		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.129 s	14	Then system should show status field and the field will display only	PASSED	0.068 s
screenshot			PASSED	0.129 s
		screenshot	7	


DETAILED SECTION -- 8 --

						Step / Hook Details	Status	Duration
		0 1	nya uz a	11 30 Table 1	• 10	+		
© Asset Calabreal Carolog	Product Master							
() Strategia Sales					□ Iquet ∨			
© Coperate Mastern  © May Cody	Artist Product Group	Anados Code	Product Employee	RetallCorporate	Date (			
O Obellinder			Gar.					
SI Probabblehine	/ •	-	total .		-			
_	/ e soce		0.		Actor			
	/ 0 1000				Action 1			
A Probleman B .	/ a mose		or .		-			
A SAMOON B .		Showing	11507104000 =	(8)2-2-4	3 1 2 2			
© Projekting Product Behin. © Projekt Behin © Confel Manager					0			
	S and Colomo Colom S for Colomo Salor S copens Salor S copens Salor S for Colomo Salor S for Colomo S for Col	Product Moster  State St	Percent Moster   Perc	PRINCE MARKET NAME OF THE PRINCE OF THE PRIN	Productions  Production  In a constant of the	Proof Mater    Proof Mater   P	AZEÑTIO  S 100 101 00 100 100 100 100 100 100 100	AZENTIO  Superior de la constant de


EXPANDED SECTION -- 9 --




EXPANDED SECTION -- 10 --




EXPANDED SECTION -- 11 --




EXPANDED SECTION -- 12 --



EXPANDED SECTION -- 13 --



EXPANDED SECTION -- 14 --



EXPANDED SECTION -- 15 --

