

Cucumber Report

Jul 21, 2022, 7:18:16 PM

Start : Jul 21, 7:17:28.984 PM

End : Jul 21, 7:18:15.221 PM

Duration : 46.237 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 15
FAILED - 1
SKIPPED - 5







#	Feature Name	T	P	F	S	Duration
1	Product Master Retail Functionality	1	0	1	0	46.237 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Product Master Retail Functionality	verify Checker user is able to Approve the record	21	15	1	5	46.233 s




(F)- Product Master Retail Functionality

FAILED	DURATION - 46.237 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 21 Pass - 15 Fail - 1 Skip - 5	
/ 7:17:28.984 PM // 7:18:15.221 PM /					

(S)- verify Checker user is able to Approve the record



<div>FAILED</div> <div>DURATION - 46.233 s</div>		<div></div>	<div>Steps</div> <div>Total - 21</div> <div>Pass - 15</div> <div>Fail - 1</div> <div>Skip - 5</div>	<div></div>
/ 7:17:28.988 PM // 7:18:15.221 PM /				
Product Master Retail Functionality				
@ProductMaster_Retail_Approve_Reject_Return				


#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	9.560 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.202 s
	screenshot 		
2	And User Login as maker	PASSED	0.000 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.147 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	Then click on Product Setup	PASSED	0.107 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.182 s
	screenshot		
			
4	Then click on Product Master eye icon	PASSED	0.127 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.163 s
	screenshot		
			
5	Then click on Product Master add button	PASSED	3.158 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.252 s
	screenshot		
			
6	Then verify functionality and asterik mark of the field Product Group	PASSED	5.373 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.145 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
7	Then verify functionality and asterik mark of the field Product Code	PASSED	1.208 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.094 s
	screenshot		
			
8	Then Enter Product Description	PASSED	0.140 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.093 s
	screenshot		
			
9	Then verify functionality and asterik mark of the field RetailCorporate	PASSED	5.228 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.126 s
	screenshot		
			
10	Then verify the field Remarks	PASSED	4.207 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.094 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
11	Then click on save button	PASSED	3.173 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.163 s
	screenshot		
			
12	Then validate Success pop up	PASSED	0.001 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.157 s
	screenshot		
			
13	Then click on inbox	PASSED	0.160 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.163 s
	screenshot		
			
14	And open record for Approve	PASSED	0.152 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.189 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
15	Then submit the Record	PASSED	7.495 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.157 s
	screenshot 		
16	Then Logout from Maker	FAILED	1.083 s
	<p>org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-icon _ngcontent-bbg-c183="" slot="start" name="log-out" ng-reflect-name="log-out" aria-label="log out" role="img" class="md hydrated"></ion-icon> is not clickable at point (1369, 48). Other element would receive the click: <div role="alert" class="ng-tns-c143-12 toast-message ng-star-inserted" aria-label="Record APPROVED Successfully, and Current Stage is CHECKER with status PENDING from in01589." style="">...</div> (Session info: chrome=99.0.4844.82) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [efb0845070f581094c231d04ebaf529a, clickElement {id=622fdffd-a270-4656-b528-53ded0106d23}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\L..., goog:chromeOptions: {debuggerAddress: localhost:52256}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52256/devtoo..., se.cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (efb0845070f581094c231d04ebaf529a)] -> xpath: //ion-header/ion-toolbar[1]/div[1]/ion-item[1]/ion-label[1]/div[1]/div[2]/ion-icon[1]] Session ID: efb0845070f581094c231d04ebaf529a</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)</p>		

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at jdk.internal.reflect.GeneratedMethodAccessor3.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy45.click(Unknown Source) at stepdefinitions.ProductMaster_Retail.logout_from_maker(ProductMaster_Retail.java:327) at ?.Logout from Maker(file:///C:/Users/inindc00089/git/Azentio_ULSFramework/AzentioAutomationFramework/src/test/java/features/ProductMaster_Retail.feature:76) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.162 s
17	And User Login as Checker	SKIPPED	0.000 s
18	Then click on Menu	SKIPPED	0.000 s
19	Then click on inbox	SKIPPED	0.000 s
20	Then Open the record to approve it	SKIPPED	0.000 s
21	Then approve the record	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve
the record

(F) Product Master Retail Functionality

The screenshot shows the Azentio Product wise Analysis dashboard. The left sidebar contains a menu with the following items: Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup, Regulatory Product Defini..., Project Setup, Config Manager, and Sample Screens. The main content area is titled "Product wise Analysis" and contains three charts: "Product-wise Amount Financed", "Subproduct-wise Amount Financed", and "Scheme wise Amount Financed". All three charts are currently empty, displaying only a loading spinner. The top navigation bar includes a hamburger menu, a mail icon, language selection (English), location selection (LOS), software selection (Azentio Software), a grid icon, a bell icon, a user profile (Puneet, 01-Sep-2023), and a dark mode toggle. The bottom of the dashboard indicates it is "Powered by Metabase".

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve
the record

(F) Product Master Retail Functionality

The screenshot shows the Azentio Product wise Analysis dashboard. The left sidebar contains a menu with the following items: Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup, Regulatory Product Defini..., Project Setup, Config Manager, and Sample Screens. The main content area is titled "Product wise Analysis" and contains three charts: "Product-wise Amount Financed", "Subproduct-wise Amount Financed", and "Scheme wise Amount Financed". The "Product-wise Amount Financed" chart is a bar chart showing the amount financed for different product codes. The data is as follows:


Productcode	Amount Financed
AHL	97.0M
AAL	23.0M
APL	26.0M
CD	5.0M
AFC	2.0M
CC	2.0M
TL	6.0M

The "Subproduct-wise Amount Financed" and "Scheme wise Amount Financed" charts are currently empty, displaying only a loading spinner. The top navigation bar includes a hamburger menu, a mail icon, language selection (English), location selection (LOS), software selection (Azentio Software), a grid icon, a bell icon, a user profile (Puneet, 01-Sep-2023), and a dark mode toggle. The bottom of the dashboard indicates it is "Powered by Metabase".

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve
the record


(F) Product Master Retail Functionality



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve
the record

(F) Product Master Retail Functionality



(F) Product Master Retail Functionality

- Asset Collateral Config
- Business Rules
- Corporate Masters
- Misc Config
- Other Masters
- Product Definitions
- Product Setup
- Asset Auto Master
- Asset CD Master
- Product master**
- Sub Product Master
- Regulatory Product Defini...
- Project Setup
- Config Manager

English

LOS

Azentio Software

Puneet

01-Sep-2023

Product Master

+

Q

Export

Action	Product Group	Product Code	Product Description	Retail/Corporate	Status
	98303249	5634	dfdf	C	Active
	98303249	HOMPUR2	Housing Loan 2	R	Active
	98303249	KLLL		C	Active
	98303275	1212		R	Active
	98303249	HOMPUR1		R	Active

Showing 1 to 5 of 89 entries

<<

<

1

2

3

4

5

>

>>

5

>

(F) Product Master Retail Functionality

- Asset Collateral Config
- Business Rules
- Corporate Masters
- Misc Config
- Other Masters
- Product Definitions
- Product Setup
 - Asset Auto Master
 - Asset CD Master
 - Product master**
 - Sub Product Master
- Regulatory Product Defini...
- Project Setup
- Config Manager

☰

English

LOS

Azentio Software

Puneet
01-Sep-2023

Product Master

Product Master

Product Group *

Lending

Product Description *

Select

Deposits

DM Code

Lending

Trade

Remarks

Treasury

Product Code *


Retail/Corporate *

Select

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve
the record


(F) Product Master Retail Functionality

The screenshot shows the Azentio Product Master form. The form has a header bar with a back arrow, the title 'Product Master', and a red notification icon. Below the header, the form is divided into several sections. The first section contains 'Product Group' (a dropdown menu with 'Lending' selected) and 'Product Code' (a text input field with 'A' entered). The second section contains 'Product Description' (a text input field with 'OK' entered) and 'Retail/Corporate' (a dropdown menu with 'Select' selected). Below these are 'DM Code' (a text input field) and 'Remarks' (a large text area). The form is styled with a clean, modern design using white backgrounds and blue accents.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve
the record

(F) Product Master Retail Functionality

The screenshot shows the Azentio Product Master form. The form has a header bar with a back arrow, the title 'Product Master', and a red notification icon. Below the header, the form is divided into several sections. The first section contains 'Product Group' (a dropdown menu with 'Lending' selected) and 'Product Code' (a text input field with 'A' entered). The second section contains 'Product Description' (a text input field with 'OK' entered) and 'Retail/Corporate' (a dropdown menu with 'Select' selected). Below these are 'DM Code' (a text input field) and 'Remarks' (a large text area). The form is styled with a clean, modern design using white backgrounds and blue accents.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve
the record

(F) Product Master Retail Functionality

The screenshot shows the Azentio Product Master interface. The sidebar on the left contains navigation options: Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup, Asset Auto Master, Asset CD Master, Product master (highlighted), Sub Product Master, Regulatory Product Defini..., Project Setup, and Config Manager. The main content area displays a table of products with the following columns: Action, Product Group, Product Code, Product Description, Retail/Corporate, Status, and Authorization Status. The table contains five rows of data, all with a status of 'Active'. The last row has an authorization status of 'CHECKER'. A pagination bar at the bottom indicates 'Showing 1 to 5 of 109 entries' with page numbers 1 through 5. A green success message 'success' is visible in the top right corner.

Action	Product Group	Product Code	Product Description	Retail/Corporate	Status	Authorization Status
	98303249	A	OK	R	Active	
	98303275	depo36	depo36	R	Active	
	98303275	depo35	depo35	R	Active	
	98303275	depo34	depo34	R	Active	
	98303249	A	OK	R	Active	CHECKER

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve
the record

(F) Product Master Retail Functionality

This screenshot is identical to the one above, showing the Azentio Product Master interface with the same sidebar, table of products, and pagination. The table contains five rows of data, all with a status of 'Active'. The last row has an authorization status of 'CHECKER'. A green success message 'success' is visible in the top right corner.

Action	Product Group	Product Code	Product Description	Retail/Corporate	Status	Authorization Status
	98303249	A	OK	R	Active	
	98303275	depo36	depo36	R	Active	
	98303275	depo35	depo35	R	Active	
	98303275	depo34	depo34	R	Active	
	98303249	A	OK	R	Active	CHECKER

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve
the record

(F) Product Master Retail Functionality

AZENTIO™

- Asset Collateral Config
- Business Rules
- Corporate Masters
- Misc Config
- Other Masters
- Product Definitions
- Product Setup
- Asset Auto Master
- Asset CD Master
- Product master**
- Sub Product Master
- Regulatory Product Defini...
- Project Setup
- Config Manager

Inbox

Action

Showing 0 to 0 of 0 entries

10

success

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve
the record

(F) Product Master Retail Functionality

AZENTIO™

- Asset Collateral Config
- Business Rules
- Corporate Masters
- Misc Config
- Other Masters
- Product Definitions
- Product Setup
- Asset Auto Master
- Asset CD Master
- Product master**
- Sub Product Master
- Regulatory Product Defini...
- Project Setup
- Config Manager

Inbox

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product
	5641	PRODUCT_MST	MAKER	LOSMKR	in00135	21-Jul-2022 19:17	TSW	
	5640	PRODUCT_MST	MAKER	LOSMKR	in00135	21-Jul-2022 19:13	TSW	
	5639	PRODUCT_MST	MAKER	LOSMKR	in00135	21-Jul-2022 19:12	TSW	
	5638	PRODUCT_MST	MAKER	LOSMKR	in00135	21-Jul-2022 19:12	TSW	
	5635	SUB_PRD_MAST	MAKER	LOSMKR	in00135	21-Jul-2022 18:30	TSW	
	51	SCHEME_MST	MAKER	LOSMKR	in00135	21-Jul-2022 18:23	TSW	
	69	SCHEME_MST	MAKER	LOSMKR	in00135	21-Jul-2022 18:11	TSW	
	5628	SUB_PRD_MAST	MAKER	LOSMKR	in00135	21-Jul-2022 17:52	TSW	
	67	SCHEME_MST	MAKER	LOSMKR	in00135	21-Jul-2022 17:48	TSW	
	5626	SUB_PRD_MAST	MAKER	LOSMKR	in00135	21-Jul-2022 17:47	TSW	

success

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve
the record

(F) Product Master Retail Functionality

AZENTIO™

English LOS Azentio Software

Inbox

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product
	5640	PRODUCT_MST	MAKER	LOSMKR	in00135	21-Jul-2022 19:13	TSW	
	5639	PRODUCT_MST	MAKER	LOSMKR	in00135	21-Jul-2022 19:12	TSW	
	5638	PRODUCT_MST	MAKER	LOSMKR	in00135	21-Jul-2022 19:12	TSW	
	5635	SUB_PRD_MAST	MAKER	LOSMKR	in00135	21-Jul-2022 18:30	TSW	
	51	SCHEME_MST	MAKER	LOSMKR	in00135	21-Jul-2022 18:23	TSW	
	69	SCHEME_MST	MAKER	LOSMKR	in00135	21-Jul-2022 18:11	TSW	
	5628	SUB_PRD_MAST	MAKER	LOSMKR	in00135	21-Jul-2022 17:52	TSW	
	67	SCHEME_MST	MAKER	LOSMKR	in00135	21-Jul-2022 17:48	TSW	
	5626	SUB_PRD_MAST	MAKER	LOSMKR	in00135	21-Jul-2022 17:47	TSW	
	5623	SUB_PRD_MAST	MAKER	LOSMKR	in00135	21-Jul-2022 17:41	TSW	

Record APPROVED Successfully, and Current Stage is CHECKER with status PENDING from in01589.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve
the record

(F) Product Master Retail Functionality

AZENTIO™

English LOS Azentio Software

Inbox

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product
	5640	PRODUCT_MST	MAKER	LOSMKR	in00135	21-Jul-2022 19:13	TSW	
	5639	PRODUCT_MST	MAKER	LOSMKR	in00135	21-Jul-2022 19:12	TSW	
	5638	PRODUCT_MST	MAKER	LOSMKR	in00135	21-Jul-2022 19:12	TSW	
	5635	SUB_PRD_MAST	MAKER	LOSMKR	in00135	21-Jul-2022 18:30	TSW	
	51	SCHEME_MST	MAKER	LOSMKR	in00135	21-Jul-2022 18:23	TSW	
	69	SCHEME_MST	MAKER	LOSMKR	in00135	21-Jul-2022 18:11	TSW	
	5628	SUB_PRD_MAST	MAKER	LOSMKR	in00135	21-Jul-2022 17:52	TSW	
	67	SCHEME_MST	MAKER	LOSMKR	in00135	21-Jul-2022 17:48	TSW	
	5626	SUB_PRD_MAST	MAKER	LOSMKR	in00135	21-Jul-2022 17:47	TSW	
	5623	SUB_PRD_MAST	MAKER	LOSMKR	in00135	21-Jul-2022 17:41	TSW	

Record APPROVED Successfully, and Current Stage is CHECKER with status PENDING from in01589.