

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	To verify under writer offset control module fields and creation and updation	1	1	0	0	27.307 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	To verify under writer offset control	To verify maker user can able to create the record with	10	10	0	0	27.302 s
	module fields and creation and updation	invalid input					

DETAILED SECTION

(F)- To verify under writer offset control module fields and creation and updation

PASSED	DURATION - 27.307 s	Scenarios		Steps	
		Total - 1		Total - 10	
/ 2:13:40.789 PM	/ // 2:14:08.096 PM /	Pass - 1	1	Pass - 10	10
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- To verify maker user can able to create the record with invalid input

PASSED DURATION - 27.302 s	8 7		-						-			Steps		
/ 2:13:40.794 PM // 2:14:08.096 PM /	6-	 						-				Total - 10		
To verify under writer offset control module fields	4-	 		- +	- +	- +		-	-		!	Pass - 10	10	
and creation and updation	2-							1			-	Skip - 0		
@AT_UOC_T005	0 7	1	2	3	4	5	6	7	8	9	10	Chap 0		


#	Step / Hook Details	Status	Duration
1	Given Navigate to ULS application URL	PASSED	7.318 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.920 s
	screenshot		
	AZENTIO End-to-End Banking Suite Inc. The Control of the Same Andre or Inc. Inc. Inc. Inc. Inc. Inc. Inc. Inc.		
2	Then login with valid maker credentials	PASSED	4.033 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.237 s
	screenshot		

3 And click on business rules main module AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 4 And click on under writer off set control view button AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.316 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 5 Then click on add button to create under writer off set record PASSED 1.184 s AFTER_STEP_stepdefinitions.HooksClass.eddScreenshot(io.cucumber.java.Scenario) PASSED 1.184 s	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 4 And click on under writer off set control view button AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 5 Then click on add button to create under writer off set record 0.672 s 0.672 s 0.672 s 0.672 s		AZENTIO		
screenshot 4 And click on under writer off set control view button AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 5 Then click on add button to create under writer off set record PASSED 1.184 s	3	And click on business rules main module	PASSED	0.409 s
4 And click on under writer off set control view button AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario) screenshot 5 Then click on add button to create under writer off set record PASSED 1.184 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.672 s
4 And click on under writer off set control view button AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot Then click on add button to create under writer off set record PASSED 0.316 s 0.301 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot Then click on add button to create under writer off set record PASSED 0.301 s PASSED 1.184 s		The state of the s		
Screenshot Then click on add button to create under writer off set record PASSED 1.184 s	4	And click on under writer off set control view button	PASSED	0.316 s
5 Then click on add button to create under writer off set record PASSED 1.184 s			PASSED	0.301 s
AETER STER - standafinitions HooksClass addScreanshot(in cucumber java Scenario)	5	Then click on add button to create under writer off set record	PASSED	1.184 s
Ai TEN_3TEI - Stephelinitions. Hooks class. add Screen short includes. Java. Scenario)		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.401 s
screenshot		screenshot		
6 And click on save button before entering mendatory details PASSED 0.237 s	6	And click on save button before entering mendatory details	PASSED	0.237 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.341 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.341 s
		screenshot		


7 Then verify system should show the validation for minimum and maximum value mendatory fields AFTER_STEP_stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) 8 And fill the alphabets in minimum and maximum value input box AFTER_STEP_stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) 9 Then click on save button after enter the alphabet input AFTER_STEP_stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot 4 AFTER_STEP_stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) DIASSED 0.188 SCENTING 0.198 SCENTING 0.19	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 8 And fill the alphabets in minimum and maximum value input box AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 Then click on save button after enter the alphabet input AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 Then click on save button after enter the alphabet input AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 10 Then verify system should not allow user to save the record AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.214 s 0.214 s 0.214 s 0.214 s 0.214 s		CONTROL OF THE CONTRO		
screenshot After_step definitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED O.434 s AFTER_step - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED O.195 s Then click on save button after enter the alphabet input AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot PASSED O.173 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED O.227 s Then verify system should not allow user to save the record AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED O.184 s PASSED O.184 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED O.198 s	7	Then verify system should show the validation for minimum and maximum value mendatory fields	PASSED	0.168 s
8 And fill the alphabets in minimum and maximum value input box AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) 9 Then click on save button after enter the alphabet input AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) 9 AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) 8 AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) 9 AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) 10 Then verify system should not allow user to save the record AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.184 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.198 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.214 s
8 And fill the alphabets in minimum and maximum value input box AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) 9 Then click on save button after enter the alphabet input AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.173 s PASSED 0.227 s Then verify system should not allow user to save the record AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.184 s PASSED 0.184 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 Then click on save button after enter the alphabet input AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 10 Then verify system should not allow user to save the record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.195 s 0.195 s 0.195 s		AZENTIO South of the control of the		
Screenshot 9 Then click on save button after enter the alphabet input AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 10 Then verify system should not allow user to save the record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.173 s 0.227 s 0.227 s 0.228 s 0.184 s 0.184 s	8	And fill the alphabets in minimum and maximum value input box	PASSED	0.434 s
9 Then click on save button after enter the alphabet input AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 10 Then verify system should not allow user to save the record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.173 s 0.227 s 0.227 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.195 s
9 Then click on save button after enter the alphabet input AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 10 Then verify system should not allow user to save the record AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.173 s 0.227 s 0.227 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 10 Then verify system should not allow user to save the record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.227 s PASSED 0.184 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.184 s		AZENTIO AZE		
Screenshot 10 Then verify system should not allow user to save the record AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber.java. Scenario) PASSED 0.184 s 0.198 s	9	Then click on save button after enter the alphabet input	PASSED	0.173 s
10 Then verify system should not allow user to save the record AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario) PASSED 0.184 s 0.198 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.227 s
10 Then verify system should not allow user to save the record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.184 s 0.198 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.198 s		AZENTO Signature Sig		
	10	Then verify system should not allow user to save the record	PASSED	0.184 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.198 s
		screenshot]	

DETAILED SECTION -- 7 --


#	Step / Hook Details	Status	Duration
	AZENTO Service of the Control B		




EXPANDED SECTION -- 9 --



EXPANDED SECTION -- 10 --



EXPANDED SECTION -- 11 --



EXPANDED SECTION -- 12 --

