

# Cucumber Report

14-Sep-2022, 3:12:06 pm

Start : Sep 14, 3:10:17.442 pm

End : Sep 14, 3:12:02.212 pm

Duration : 1 m 44.770 s

Features


Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0


PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 18  
FAILED - 1  
SKIPPED - 0







#	Feature Name	T	P	F	S	Duration
1	<u>check the functionality of the Warehouse Master</u>	1	0	1	0	1 m 44.770 s







#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>check the functionality of the Warehouse Master</u>	<u>Creation of Warehouse Master record- Add Template</u>	19	18	1	0	1 m 44.761 s

**(F)- check the functionality of the Warehouse Master**

<b>FAILED</b>	<b>DURATION - 1 m 44.770 s</b>	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 19 Pass - 18 Fail - 1 Skip - 0	
/ 3:10:17.442 pm // 3:12:02.212 pm /					

**(S)- Creation of Warehouse Master record- Add Template**





<b>FAILED</b>	<b>DURATION - 1 m 44.761 s</b>		Steps Total - 19 Pass - 18 Fail - 1 Skip - 0	
/ 3:10:17.451 pm // 3:12:02.212 pm /				
check the functionality of the Warehouse Master				
@AT_WHM_T001_creation				

#	Step / Hook Details	Status	Duration
1	Given user log in as uls application maker	PASSED	15.825 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.683 s
	screenshot		
			
2	Then user click on configurations Tab	PASSED	0.682 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.399 s
	screenshot		
			

#	Step / Hook Details	Status	Duration
3	When user click Config Manager menu	PASSED	0.245 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.407 s
	screenshot		
			
4	And user click list view icon of Warehouse Master	PASSED	0.262 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.523 s
	screenshot		
			
5	And user click on Add icon for Warehouse master	PASSED	0.729 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.547 s
	screenshot		
			
6	And user Enter the value in description and verify it	PASSED	0.867 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.279 s
	screenshot		
			
7	And user Enter the value in Address field and verify it	PASSED	0.394 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.243 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
8	And user Enter the value in country field and verify it	PASSED	1.065 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.425 s
	screenshot		
			
9	And user Enter the value in state field and verify it	PASSED	0.407 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.452 s
	screenshot		
			
10	And user Enter the value in Location field and verify it	PASSED	0.358 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.387 s
	screenshot		
			
11	And user Enter the value in Zip code field and verify it	PASSED	0.423 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.385 s
	screenshot		


#	Step / Hook Details	Status	Duration
			
12	And user Enter the value in Phone field and verify it	PASSED	0.342 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.212 s
	screenshot		
			
13	And user Enter the value in Fax field and verify it	PASSED	0.338 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.227 s
	screenshot		
			
14	And user Enter the value in Email field and verify it	PASSED	0.325 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.175 s
	screenshot		
			
15	And user Enter the value in Contact person field and verify it	PASSED	0.287 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.211 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
16	And user save the warehouse master Record	PASSED	0.216 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.899 s
	screenshot		
			
17	And user goto the Maker Inbox and store the Referance ID	PASSED	2.800 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.337 s
	screenshot		
			
18	Then user Click on Action Icon	PASSED	0.240 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.723 s
	screenshot		
			
19	And user verify the submit button and submit the Record from Maker stage	FAILED	1 m 3.255 s
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: //div[@id='toast-container']//div[@role='alert']' (tried for 60 second(s) with 2000 milliseconds interval) at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:91) at stepdefinitions.WareHouseMaster.user_verify_the_submit_button_and_submit_the_record_from_maker_stage(WareHouseMaster.		



#	Step / Hook Details	Status	Duration
	<pre> java:241)   at ?.user verify the submit button and submit the Record from Maker stage(file:///C:/Users/inindc00075/git/Arshath_ULS/ Arshath_AzentioULSFramework/src/test/java/features/Warehouse_Master.feature:22) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"/div[@id='toast-container']/div[@role='alert']"} (Session info: chrome=105.0.5195.102) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org. openqa.selenium.chrome.ChromeDriver Command: [8ade2125bdcbbb377dec9d229dcce574, findElement {using=xpath, value=//div[@id='toast-container']/div[@role='alert']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 105.0.5195.102, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:53136}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:53136/devtoo..., se:cdpVersion: 105.0.5195.102, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 8ade2125bdcbbb377dec9d229dcce574   atjdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)   at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)   at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381)   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373)   at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)   at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)   atjdk.proxy2/jdk.proxy2.\$Proxy46.isDisplayed(Unknown Source)   at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307)   at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40)   at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293)   at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290)   at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208)   at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:91)   at stepdefinitions.WareHouseMaster.user_verify_the_submit_button_and_submit_the_record_from_maker_stage(WareHouseMaster. java:241)   at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)   at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)   at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) </pre>		


#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031)		

#	Step / Hook Details	Status	Duration
	at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) * Not displayable characters are replaced by '?'. AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)		
	screenshot	PASSED	0.266 s
			

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Creation of Warehouse Master record-  
Add Template


(F) check the functionality of the  
Warehouse Master



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Creation of Warehouse Master record-  
Add Template


(F) check the functionality of the  
Warehouse Master



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Creation of Warehouse Master record-  
Add Template


(F) check the functionality of the  
Warehouse Master



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Creation of Warehouse Master record-  
Add Template

(F) check the functionality of the  
Warehouse Master



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Creation of Warehouse Master record-  
Add Template

(F) check the functionality of the  
Warehouse Master

The screenshot shows the 'Warehouse Master' list view in the AZENTIO ONE Banking application. The left sidebar contains a navigation menu with options: Dashboard, Configurations (Warehouse Master, LO Module Waiver, Appropriation master, Floating rate master, Employer master, Bounce Master, BP Master, Allocation Master, Allocation Details), Deposit Account Master, Notification Master, Transactions, and Reports. The main area displays a table with columns: Action, Description, Address, Country, State, City, Zip Code, Phone 1, Fax, E-mail, Contact Person, and Status. The table contains 5 entries, all with a status of 'Active'. The bottom of the table shows 'Showing 1 to 5 of 27 entries' with pagination controls.

Action	Description	Address	Country	State	City	Zip Code	Phone 1	Fax	E-mail	Contact Person	Status
	SBI_Description	SBI KULS	1105415	1105472	1105475	98303324	9638527410	1470258369	SBI@gmail.com	DURGA	Active
	ReModify_SBI_Description	ReModify_SBI_Address	1105415	1105472	1105475	98303324	9638527410	1470258369	SBI@gmail.com	DURGA	Active
	RBI_Description	RBI KULS	1105415	1105472	1105475	98303324	9638527410	1470258369	RBI@gmail.com	DURGA	Active
	RBI_Description	RBI KULS	1105415	1105472	1105475	98303324	9638527410	1470258369	RBI@gmail.com	DURGA	Active
	ReModify_AOB_Description	ReModify_AOB_Address	1105415	1105472	1105475	98303324	9638527410	1470258369	AOB@gmail.com	DURGA	Active

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Creation of Warehouse Master record-  
Add Template

(F) check the functionality of the  
Warehouse Master

The screenshot shows the 'Warehouse Master' form view in the AZENTIO ONE Banking application. The left sidebar is the same as the previous screenshot. The main area displays a form with fields for: Description, Country, Location, Phone 1, E-Mail, Address, State, Zip Code, Fax, and Contact Person. The form is currently empty, with dropdown menus for Country, Location, State, and Zip Code.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Creation of Warehouse Master record-  
Add Template

(F) check the functionality of the  
Warehouse Master

**AZENTIO**  
ONEBOOKING

Search the menu

Warehouse Master

Description \*  
SBI\_Description

Country \*  
Country

Location \*  
Select

Phone 1

E-Mail

Address \*  
SBI KULS

State \*  
Select

Zip Code \*  
Zip code

Fax

Contact Person

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Creation of Warehouse Master record-  
Add Template

(F) check the functionality of the  
Warehouse Master

**AZENTIO**  
ONEBOOKING

Search the menu

Warehouse Master

Description \*  
SBI\_Description

Country \*  
INDIA

Location \*  
Select

Phone 1  
INDIA

E-Mail  
SAU

Address \*  
SBI KULS

State \*  
Select

Zip Code \*  
Zip code

Fax

Contact Person

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Creation of Warehouse Master record-  
Add Template

(F) check the functionality of the  
Warehouse Master

The screenshot shows the 'Warehouse Master' form in the AZENTIO application. The form is titled 'Warehouse Master' and contains the following fields:

- Description: SBI\_KULS
- Country: INDIA
- Location: Select
- Phone 1:
- E-Mail:
- Address: SBI KULS
- State: Karnataka
- Zip Code: Select Zip code
- Fax:
- Contact Person: ADESH

The left sidebar shows the navigation menu with 'Warehouse Master' selected under 'Configurations'.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Creation of Warehouse Master record-  
Add Template

(F) check the functionality of the  
Warehouse Master

The screenshot shows the 'Warehouse Master' form in the AZENTIO application. The form is titled 'Warehouse Master' and contains the following fields:

- Description: SBI\_KULS
- Country: INDIA
- Location: Bangalore
- Phone 1: Select
- E-Mail: Bangalore
- Address: SBI KULS
- State: Karnataka
- Zip Code: Zip code
- Fax:
- Contact Person:

The left sidebar shows the navigation menu with 'Warehouse Master' selected under 'Configurations'.



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Creation of Warehouse Master record-  
Add Template

(F) check the functionality of the  
Warehouse Master

**AZENTIO**  
ONEBOOKING

Search the menu

Dashboard

Configurations

- Warehouse Master
- LO Module Waiver
- Appropriation master
- Floating rate master
- Employer master
- Bounce Master
- BP Master
- Allocation Master
- Allocation Details
- Deposit Account Master
- Notification Master

Transactions

Reports

Warehouse Master

Description \*  
SBI\_KULS

Country \*  
INDIA

Location \*  
Bangalore

Address \*  
SBI KULS

State \*  
Karnataka

Zip Code \*  
PIN57946

Phone 1  
9638527410

E-Mail

Contact Person  
PIN57946

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Creation of Warehouse Master record-  
Add Template

(F) check the functionality of the  
Warehouse Master

**AZENTIO**  
ONEBOOKING

Search the menu

Dashboard

Configurations

- Warehouse Master
- LO Module Waiver
- Appropriation master
- Floating rate master
- Employer master
- Bounce Master
- BP Master
- Allocation Master
- Allocation Details
- Deposit Account Master
- Notification Master

Transactions

Reports

Warehouse Master

Description \*  
SBI\_KULS

Country \*  
INDIA

Location \*  
Bangalore

Address \*  
SBI KULS

State \*  
Karnataka

Zip Code \*  
PIN57946

Phone 1  
9638527410

E-Mail

Contact Person

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Creation of Warehouse Master record-  
Add Template

(F) check the functionality of the  
Warehouse Master

**AZENTIO ONEBOOKING**

Search the menu

Warehouse Master

Description \* SBI\_KULS

Country \* INDIA

Location \* Bangalore

Phone 1 9638527410

E-Mail

Address \* SBI KULS

State \* Karnataka

Zip Code \* PIN57946

Fax 01470258369

Contact Person

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Creation of Warehouse Master record-  
Add Template

(F) check the functionality of the  
Warehouse Master

**AZENTIO ONEBOOKING**

Search the menu

Warehouse Master

Description \* SBI\_KULS

Country \* INDIA

Location \* Bangalore

Phone 1 9638527410

E-Mail SBI@gmail.com

Address \* SBI KULS

State \* Karnataka

Zip Code \* PIN57946

Fax 01470258369

Contact Person

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Creation of Warehouse Master record-  
Add Template

(F) check the functionality of the  
Warehouse Master

The screenshot shows the 'Warehouse Master' form in the AZENTIO ONE Banking application. The left sidebar contains a menu with options: Dashboard, Configurations (Warehouse Master, LO Module Waiver, Appropriation master, Floating rate master, Employer master, Bounce Master, BP Master, Allocation Master, Allocation Details), Deposit Account Master, Notification Master, Transactions, and Reports. The main form area is titled 'Warehouse Master' and contains the following fields:

- Description: SBI KULS
- Country: INDIA
- Location: Bangalore
- Phone 1: 9638527410
- E-Mail: SBI@gmail.com
- Address: SBI KULS
- State: Karnataka
- Zip Code: PIN57946
- Fax: 01470258369
- Contact Person: DURGA

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Creation of Warehouse Master record-  
Add Template

(F) check the functionality of the  
Warehouse Master

The screenshot shows the 'Warehouse Master' table view in the AZENTIO ONE Banking application. The left sidebar is identical to the previous screenshot. The main form area is titled 'Warehouse Master' and displays a table with the following columns: ID, Name, Address, State, Zip Code, Phone 1, E-Mail, Fax, and Contact Person. The table contains several rows of data, including:

ID	Name	Address	State	Zip Code	Phone 1	E-Mail	Fax	Contact Person
1	SBI KULS	SBI KULS	Karnataka	PIN57946	9638527410	SBI@gmail.com	01470258369	DURGA
2	SBI KULS	SBI KULS	Karnataka	PIN57946	9638527410	SBI@gmail.com	01470258369	DURGA
3	SBI KULS	SBI KULS	Karnataka	PIN57946	9638527410	SBI@gmail.com	01470258369	DURGA
4	SBI KULS	SBI KULS	Karnataka	PIN57946	9638527410	SBI@gmail.com	01470258369	DURGA
5	SBI KULS	SBI KULS	Karnataka	PIN57946	9638527410	SBI@gmail.com	01470258369	DURGA

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Creation of Warehouse Master record-  
Add Template

(F) check the functionality of the  
Warehouse Master

**AZENTIO ONE Banking**

Search the menu

**Inbox**

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product
	642	WAREHOUSE_MST	MAKER	LOSMKR	in00135	14-Sep-2022 15:10	TSW	
	641	WAREHOUSE_MST	MAKER	LOSMKR	in00135	14-Sep-2022 12:28	TSW	
	45	COVENANT_MST	MAKER	LOSMKR	in00135	14-Sep-2022 12:12	TSW	
	44	COVENANT_MST	MAKER	LOSMKR	in00135	14-Sep-2022 12:10	TSW	
	43	COVENANT_MST	MAKER	LOSMKR	in00135	14-Sep-2022 12:0	TSW	
	640	WAREHOUSE_MST	MAKER	LOSMKR	in00135	13-Sep-2022 18:20	TSW	
	638	WAREHOUSE_MST	MAKER	LOSMKR	in00135	13-Sep-2022 17:45	TSW	
	637	WAREHOUSE_MST	MAKER	LOSMKR	in00135	13-Sep-2022 17:23	TSW	
	42	COVENANT_MST	MAKER	LOSMKR	in00135	13-Sep-2022 14:11	TSW	
	34	INCENTIVE_MST	MAKER	LOSMKR	in00135	12-Sep-2022 12:18	TSW	

Showing 1 to 10 of 1213 entries

Navigation: << < 1 2 3 4 5 > >> 10

Left sidebar menu:

- Dashboard
- Configurations
  - Warehouse Master
  - LO Module Waiver
  - Appropriation master
  - Floating rate master
  - Employer master
  - Bounce Master
  - BP Master
  - Allocation Master
  - Allocation Details
  - Deposit Account Master
  - Notification Master
- Transactions
- Reports

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Creation of Warehouse Master record-  
Add Template

(F) check the functionality of the  
Warehouse Master

**AZENTIO ONE Banking**

Search the menu

**Warehouse Master**

Left sidebar menu:

- Dashboard
- Configurations
  - Warehouse Master
  - LO Module Waiver
  - Appropriation master
  - Floating rate master
  - Employer master
  - Bounce Master
  - BP Master
  - Allocation Master
  - Allocation Details
  - Deposit Account Master
  - Notification Master
- Transactions
- Reports

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Creation of Warehouse Master record-  
Add Template

(F) check the functionality of the  
Warehouse Master

The screenshot shows the AZENTIO ONEBOOKING application interface. On the left is a blue sidebar menu with options: Dashboard, Configurations (expanded), Warehouse Master, LO Module Waiver, Appropriation master, Floating rate master, Employer master, Bounce Master, BP Master, Allocation Master, Allocation Details, Deposit Account Master, Notification Master, Payment Master, Transactions, and Reports. The main content area is titled 'Warehouse Master' and contains a form with the following fields: Description (SBI\_Description), Country (INDIA), Location (Bangalore), Phone 1 (9638527410), E-Mail (SBI@gmail.com), Address (SBI KULS), State (Karnataka), Zip Code (PIN57946), Fax (1470258369), Contact Person (DURGA), and a Status toggle switch. At the top right of the form are 'Submit' and 'Cancel' buttons, and a user profile icon.