

Cucumber Report

22-Sep-2022, 1:46:39 pm

Start : Sep 22, 1:45:56.848 pm

End : Sep 22, 1:46:35.357 pm

Duration : 38.509 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 7
FAILED - 1
SKIPPED - 6







#	Feature Name	T	P	F	S	Duration
1	<u>check the functionality of Customer address details</u>	1	0	1	0	38.509 s







#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>check the functionality of Customer address details</u>	<u>verify system allow user to do a modification on already approved record</u>	14	7	1	6	38.483 s





(F)- check the functionality of Customer address details


FAILED	DURATION - 38.509 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 14 Pass - 7 Fail - 1 Skip - 6	
/ 1:45:56.848 pm // 1:46:35.357 pm /					

(S)- verify system allow user to do a modification on already approved record


<div>FAILED</div> <div>DURATION - 38.483 s</div>			<div>Steps</div> <div>Total - 14</div> <div>Pass - 7</div> <div>Fail - 1</div> <div>Skip - 6</div>	
/ 1:45:56.874 pm // 1:46:35.357 pm /				
check the functionality of Customer address details				
@AT_CAD_07				

#	Step / Hook Details	Status	Duration
1	Given User Launch the KULS url for Transaction	PASSED	13.537 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.431 s
	screenshot		
			
2	And user click on Inbox Icon	PASSED	0.195 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.356 s
	screenshot		
			

#	Step / Hook Details	Status	Duration
3	And user click search icon	PASSED	0.181 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.227 s
	screenshot		
			
4	And user Enter Customer Address details Application ID	PASSED	0.212 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.197 s
	screenshot		
			
5	And user click on First record of Appdata Entry	PASSED	0.201 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.520 s
	screenshot		
			
6	And user click on Additional customer Info Tab	PASSED	1.204 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.640 s
	screenshot		
			
7	And user click on First Record Edit Icon	PASSED	0.203 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.527 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
8	<p>And user click on Address Information First Record Edit Icon</p> <p>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: (/tbody[1]/tr[1]/td[1]/span[1]/button[1])[2]' (tried for 10 second(s) with 2000 milliseconds interval) at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:91) at stepdefinitions.Customer_Address_Information. user_click_on_address_information_first_record_edit_icon(Customer_Address_Information.java:536) at ?.user click on Address Information First Record Edit Icon(file:///C:/Users/inindc00075/git/Arshath_ULS/Arshath_AzenzioULSFramework/src/test/java/features/CustomerAddress_details.feature:83) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"/tbody[1]/tr[1]/td[1]/span[1]/button[1])[2]"} (Session info: chrome=105.0.5195.102) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [59620f435c6c63cb690c5d3b28f1c4c7, findElement {using=xpath, value=/tbody[1]/tr[1]/td[1]/span[1]/button[1])[2]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 105.0.5195.102, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: C:\Users\ININDC~1\AppData\Local\Google\ChromeDevTools\p...}, goog:chromeOptions: {debuggerAddress: localhost:51812}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:51812/devtools, se:cdpVersion: 105.0.5195.102, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 59620f435c6c63cb690c5d3b28f1c4c7 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373)</p>	FAILED	10.263 s


#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy46.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:91) at stepdefinitions.Customer_Address_Information. user_click_on_address_information_first_record_edit_icon(Customer_Address_Information.java:536) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) </pre>		

#	Step / Hook Details	Status	Duration
	<pre> at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.169 s
	screenshot		
			
9	And user Modify the Address type field	SKIPPED	0.000 s
10	And user Modify the Address Status field	SKIPPED	0.000 s
11	And user Modify the Residential status field	SKIPPED	0.000 s
12	And user Modify the Province ID field	SKIPPED	0.001 s
13	And user Modify the City ID field	SKIPPED	0.000 s
14	And user click the update the button	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify system allow user to do a
modification on already approved record


(F) check the functionality of Customer
address details



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify system allow user to do a
modification on already approved record

(F) check the functionality of Customer
address details



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify system allow user to do a
modification on already approved record

(F) check the functionality of Customer
address details

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product	Workflow Type	Event Type	Transaction Type
	620	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 13:35	HLW	AHL		T	T
	231	CHARGE_MST	MAKER	LOSMKR	in02040	22-Sep-2022 13:9	TSW			M	M
	631	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 12:53	HLW	AHL		T	T
	619	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 12:50	HLW	AHL		T	T
	630	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 12:50	HLW	AHL		T	T
	629	APP_CREATE	NEWAPP	BREXEC	in02040	22-Sep-2022 12:19	HLW	AHL		T	T
	628	APP_CREATE	NEWAPP	BREXEC	in02040	22-Sep-2022 12:19	HLW	AHL		T	T
	621	APP_CREATE	NEWAPP	BREXEC	in02040	22-Sep-2022 11:32	HLW	AHL		T	T
	617	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 11:5	HLW	AHL		T	T
	606	APP_CREATE	DISBMKR	OPEMKR	in02040	22-Sep-2022 10:58	HLW	AHL		T	T

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify system allow user to do a
modification on already approved record

(F) check the functionality of Customer
address details

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product	Workflow Type	Event Type	Transaction Type
	620	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 13:35	HLW	AHL		T	T
	231	CHARGE_MST	MAKER	LOSMKR	in02040	22-Sep-2022 13:9	TSW			M	M
	631	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 12:53	HLW	AHL		T	T
	619	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 12:50	HLW	AHL		T	T
	630	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 12:50	HLW	AHL		T	T
	629	APP_CREATE	NEWAPP	BREXEC	in02040	22-Sep-2022 12:19	HLW	AHL		T	T
	628	APP_CREATE	NEWAPP	BREXEC	in02040	22-Sep-2022 12:19	HLW	AHL		T	T
	621	APP_CREATE	NEWAPP	BREXEC	in02040	22-Sep-2022 11:32	HLW	AHL		T	T
	617	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 11:5	HLW	AHL		T	T
	606	APP_CREATE	DISBMKR	OPEMKR	in02040	22-Sep-2022 10:58	HLW	AHL		T	T

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify system allow user to do a
modification on already approved record

(F) check the functionality of Customer
address details

AZENTIO
ONE Banking

Search the menu

Inbox

Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product	Workflow Type	Event Type	Transaction Type
506	APP_CREATE	APPDATAENT	CPUEXEC	in02040	15-Sep-2022 10:22	HLW	AHL		T	

Showing 1 to 1 of 1 entries

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify system allow user to do a
modification on already approved record

(F) check the functionality of Customer
address details

AZENTIO
ONE Banking

Search the menu

Additional Customer Info

Prev Application Info Customer details Additional Customer Info Customer Financials Facility Info Document Details Offering Repayment Schedule Policy Check Fee Details Next

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify system allow user to do a
modification on already approved record

(F) check the functionality of Customer
address details

The screenshot displays the AZENTIO ONEBanking web application. The left sidebar contains a menu with 'Dashboard', 'Configurations', 'Transactions', and 'Reports'. The top navigation bar includes tabs for 'Prev', 'Application Info', 'Customer details', 'Additional Customer Info' (selected), 'Customer Financials', 'Facility Info', 'Document Details', 'Offering', 'Repayment Schedule', 'Policy Check', 'Fee Details', and 'Next'. The main content area is titled 'Customer Personal Information' and shows a table with columns: Select, Action, CIF ID, First Name, Middle Name, Last Name, Customer Type, Applicant Type, and Status. A single record is visible for 'Aanchal Bizo' with status 'Active'.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify system allow user to do a
modification on already approved record

(F) check the functionality of Customer
address details

The screenshot displays the AZENTIO ONEBanking web application. The left sidebar contains a menu with 'Dashboard', 'Configurations', 'Transactions', and 'Reports'. The top navigation bar includes tabs for 'Prev', 'Application Info', 'Customer details', 'Additional Customer Info' (selected), 'Customer Financials', 'Facility Info', 'Document Details', 'Offering', 'Repayment Schedule', 'Policy Check', 'Fee Details', and 'Next'. The main content area is divided into three sections: 'Address Details', 'Customer Identification', and 'References List View'. 'Address Details' shows a table with columns: Action, Address Type, Country, Occupancy Status, Occupance Since, Contact Address, and Status. 'Customer Identification' shows a table with columns: Action, ID Type, ID Number, Issue Date, Expiry Date, Primary ID flag, Verified Flag, Verified Message, and Status. 'References List View' shows a table with columns: Action, Salutation, Name, Mobile Number, Years known, and Status. All three sections show 'No Records found'.