

# Cucumber Report

Jul 26, 2022, 1:41:26 AM

**Start : Jul 26, 1:39:27.977 AM**

**End : Jul 26, 1:41:25.918 AM**

**Duration : 1 m 57.941 s**

*Features*

*Scenarios*

*Steps*

**PASSED - 0**

**FAILED - 1**

**SKIPPED - 0**

**PASSED - 0**


**FAILED - 1**

**SKIPPED - 0**

**PASSED - 22**


**FAILED - 1**

**SKIPPED - 4**







#	Feature Name	T	P	F	S	Duration
1	Product Master Retail Functionality	1	0	1	0	1 m 57.941 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Product Master Retail Functionality	verify Checker user is able to Approve the record	27	22	1	4	1 m 57.937 s





**(F)- Product Master Retail Functionality**

<b>FAILED</b>	<b>DURATION - 1 m 57.941 s</b>	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 27 Pass - 22 Fail - 1 Skip - 4	
/ 1:39:27.977 AM // 1:41:25.918 AM /					





**(S)- verify Checker user is able to Approve the record**




<div>FAILED</div> <div>DURATION - 1 m 57.937 s</div>			<div>Steps</div> <div>Total - 27</div> <div>Pass - 22</div> <div>Fail - 1</div> <div>Skip - 4</div>	
/ 1:39:27.981 AM // 1:41:25.918 AM /				
Product Master Retail Functionality				
@ProductMaster_Retail_Approve_Reject_Return				

#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	9.672 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.151 s
	screenshot		
			
2	And User Login as maker	PASSED	0.000 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.117 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	Then click on Product Setup	PASSED	0.113 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.135 s
	screenshot		
			
4	Then click on Product Master eye icon	PASSED	0.117 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.142 s
	screenshot		
			
5	Then click on Product Master add button	PASSED	1.644 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.250 s
	screenshot		
			
6	Then verify functionality and asterik mark of the field Product Group	PASSED	2.298 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.166 s
	screenshot		


#	Step / Hook Details	Status	Duration
			
7	Then verify functionality and asterik mark of the field Product Code	PASSED	1.164 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.098 s
	screenshot		
			
8	Then Enter Product Description	PASSED	0.208 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.102 s
	screenshot		
			
9	Then verify functionality and asterik mark of the field RetailCorporate	PASSED	2.188 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.162 s
	screenshot		
			
10	Then verify the field Remarks	PASSED	1.167 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.096 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
11	Then click on save button	PASSED	0.124 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.136 s
	screenshot		
			
12	Then validate Success pop up	PASSED	5.095 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.143 s
	screenshot		
			
13	Then click on inbox	PASSED	0.217 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.154 s
	screenshot		
			
14	And open record for Approve	PASSED	2.161 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.195 s
	screenshot		


#	Step / Hook Details	Status	Duration
			
15	Then submit the Record	PASSED	7.628 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.113 s
	screenshot		
			
16	Then user logout from the application	PASSED	0.257 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.105 s
	screenshot		
			
17	And User Login as Checker	PASSED	6.841 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.096 s
	screenshot		
			
18	Then click on Menu	PASSED	0.083 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.122 s
	screenshot		




#	Step / Hook Details	Status	Duration
			
19	Then click on inbox	PASSED	0.227 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.221 s
	screenshot		
			
20	Then Open the record to approve it	PASSED	1.076 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.139 s
	screenshot		
			
21	Then approve the record	PASSED	9.442 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.109 s
	screenshot		
			
22	And User Login as maker	PASSED	0.000 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.112 s
	screenshot		




#	Step / Hook Details	Status	Duration
			
23	<p><b>Then click on Product Setup</b></p> <p>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: //h4[contains(text(),'Product Setup')]' (tried for 60 second(s) with 1000 milliseconds interval)  at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263)  at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231)  at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:91)  at stepdefinitions.ProductMaster_Retail.click_on_product_setup(ProductMaster_Retail.java:39)  at ?.click on Product Setup(file:///C:/Users/inindc00089/git/Azentio_ULSFramework/AzentioAutomationFramework/src/test/java/features/ProductMaster_Retail.feature:99)</p> <p>Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//h4[contains(text(),'Product Setup')]} (Session info: chrome=99.0.4844.82) For documentation on this error, please visit: <a href="https://selenium.dev/exceptions/#no_such_element">https://selenium.dev/exceptions/#no_such_element</a> Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVPD016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [ec7c257559b844bb6fb82b83d96c58fb, findElement {using=xpath, value=//h4[contains(text(),'Product Setup')]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\Local\..., goog:chromeOptions: {debuggerAddress: localhost:57611}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:57611/devtoo..., se.cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: ec7c257559b844bb6fb82b83d96c58fb</p> <p>at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)  at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373)  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)</p>	FAILED	1 m 0.258 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy45.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:91) at stepdefinitions.ProductMaster_Retail.click_on_product_setup(ProductMaster_Retail.java:39) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)		

#	Step / Hook Details	Status	Duration
	<pre> at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.101 s
	<p>screenshot</p> 		
24	Then click on Product Master eye icon	SKIPPED	0.000 s
25	Then click on search icon	SKIPPED	0.000 s
26	Then search approved record	SKIPPED	0.001 s
27	Then user logout from the application	SKIPPED	0.000 s

## (F) Product Master Retail Functionality



<p>(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)</p>	 <p>The screenshot shows the Azentio application interface. On the left is a dark blue sidebar with the 'AZENTIO' logo at the top. Below the logo are three icons: a wrench, a document, and a clipboard. A list of menu items follows: 'Asset Collateral Config', 'Business Rules', 'Corporate Masters', 'Misc Config', 'Other Masters', 'Product Definitions', and 'Product Setup'. The 'Product Setup' item is highlighted with an orange background. At the bottom of the sidebar, there are three more items: 'Regulatory Product Defini...', 'Project Setup', and 'Config Manager'.</p>	 <p>The screenshot shows the 'Product wise Analysis' dashboard in the Azentio application. The top navigation bar includes a hamburger menu, an email icon, language settings ('English'), location settings ('LOS'), software version ('Azentio Software'), a grid icon, a notification bell, a user profile for 'Puneet' with the date '01-Sep-2023', and a small printer icon. The main content area has a title 'Product wise Analysis' and three large white cards, each with a loading spinner: 'Product-wise Amount Financed', 'Subproduct-wise Amount Financed', and 'Scheme wise Amount Financed'. At the bottom of the dashboard, it says 'Powered by Metabase'. A blue circular button with a white icon is visible in the bottom right corner.</p>
<p>(S) verify Checker user is able to Approve the record</p>		
<p>(F) Product Master Retail Functionality</p>		
<p>(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)</p>	 <p>This screenshot is similar to the one above, showing the Azentio application sidebar. The 'Product Setup' item is still highlighted. However, the bottom section of the sidebar now includes 'Asset Auto Master', 'Asset CD Master', and 'Product master'. The 'Product master' item is highlighted with an orange background. The other items remain the same.</p>	
<p>(S) verify Checker user is able to Approve the record</p>		
<p>(F) Product Master Retail Functionality</p>		

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify Checker user is able to Approve  
the record

(F) Product Master Retail Functionality

The screenshot shows the Azentio Product Master interface. On the left is a dark blue sidebar with the Azentio logo and a list of navigation items: Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup, Asset Auto Master, Asset CD Master, Product master (highlighted), Sub Product Master, Regulatory Product Defini..., Project Setup, and Config Manager. The main area displays a table titled 'Product Master' with columns: Action, Product Group, Product Code, Product Description, Retail/Corporate, and Status. The table contains five rows of data, all with a status of 'Active'. Below the table, it says 'Showing 1 to 5 of 127 entries' with pagination controls. The top right of the interface shows user information for Puneet, dated 01-Sep-2023.

Action	Product Group	Product Code	Product Description	Retail/Corporate	Status
	98303249	PR19	Loan	R	Active
	98303249	PR16	Loan	R	Active
	98303249	PR16	Loan	R	Active
	98303249	PR16	Loan	R	Active
	98303249	PR16	Loan	R	Active

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify Checker user is able to Approve  
the record

(F) Product Master Retail Functionality

The screenshot shows the Azentio Product Master form view. The sidebar is identical to the previous screenshot. The main area is a form titled 'Product Master' with fields for Product Group, Product Code, Product Description, and Retail/Corporate. The Product Group field is set to 'Lending'. The Product Description field has a dropdown menu open, showing options: Deposits, Lending (selected), Trade, and Treasury. The Product Code and Retail/Corporate fields are empty. The form also includes a 'Remarks' field. The top right of the interface shows user information for Puneet, dated 01-Sep-2023.

Product Group: Lending

Product Code:

Product Description: Select


Retail/Corporate: Select

Remarks:

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify Checker user is able to Approve  
the record


(F) Product Master Retail Functionality

The image shows the Azentio Product Master form. At the top, there's a header with a back arrow, the title 'Product Master', and a save icon. Below the header, the form has several fields: 'Product Group' with a dropdown menu showing 'Lending'; 'Product Code' with a text input field containing 'PR19'; 'Product Description' with a text input field containing 'Loan'; 'Retail/Corporate' with a dropdown menu showing 'Select'; 'DM Code' with a text input field; and 'Remarks' with a large text area. The form is titled 'Product Master' and has a save icon in the top right corner.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify Checker user is able to Approve  
the record

(F) Product Master Retail Functionality

The image shows the Azentio Product Master form. At the top, there's a header with a back arrow, the title 'Product Master', and a save icon. Below the header, the form has several fields: 'Product Group' with a dropdown menu showing 'Lending'; 'Product Code' with a text input field containing 'PR19'; 'Product Description' with a text input field containing 'Loan'; 'Retail/Corporate' with a dropdown menu showing 'Select'; 'DM Code' with a text input field; and 'Remarks' with a large text area. The form is titled 'Product Master' and has a save icon in the top right corner.



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify Checker user is able to Approve  
the record

(F) Product Master Retail Functionality

The screenshot shows the Azentio Product Master form. The left sidebar contains a navigation menu with options like Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup, Asset Auto Master, Asset CD Master, Product master (highlighted), Sub Product Master, Regulatory Product Defini..., Project Setup, and Config Manager. The main form area has a header with a back arrow, the title 'Product Master', and a save icon. Below the header, there are input fields for Product Group (Lending), Product Code (PR19), Product Description (Loan), and DM Code. A dropdown menu for Retail/Corporate is open, showing options: Select, Corporate, and Retail (which is selected with a checkmark). There is also a Remarks field.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify Checker user is able to Approve  
the record


(F) Product Master Retail Functionality

This screenshot is similar to the one above, showing the Azentio Product Master form. The 'Retail/Corporate' dropdown is now closed. In the 'Remarks' field, the text 'HomeLoan' has been entered. The rest of the form and the sidebar navigation menu are the same as in the previous screenshot.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify Checker user is able to Approve  
the record

(F) Product Master Retail Functionality




The screenshot shows the 'Product Master' form in the Azentio software. The form has a header bar with a back arrow, the title 'Product Master', and a save icon. Below the header, there are several input fields: 'Product Group' (a dropdown menu with 'Lending' selected), 'Product Code' (a text input field with 'PR19'), 'Product Description' (a text input field with 'Loan'), 'Retail/Corporate' (a dropdown menu with 'Retail' selected), 'DM Code' (a text input field), and 'Remarks' (a text input field with 'HomeLoan').






(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify Checker user is able to Approve  
the record

(F) Product Master Retail Functionality



The screenshot shows the 'Product Master' table in the Azentio software. The table has a header bar with a search icon, the title 'Product Master', and an 'Export' button. Below the header, there is a table with 7 columns: Action, Product Group, Product Code, Product Description, Retail/Corporate, Status, and Authorization Status. The table contains 5 rows of data. At the bottom of the table, there is a pagination bar showing 'Showing 1 to 5 of 187 entries' and a dropdown menu for the number of entries per page (currently set to 5).

Action	Product Group	Product Code	Product Description	Retail/Corporate	Status	Authorization Status
	98303249	PR19	Loan	R	Active	
	98303249	PR19	Loan	R	Active	CHECKER
	98303249	PR21	Loan	R	Active	
	98303249	PR20	Loan	R	Active	CHECKER
	98303249	PR18	Loan	R	Active	CHECKER

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify Checker user is able to Approve  
the record

(F) Product Master Retail Functionality

The screenshot displays the Azentio software interface. On the left is a dark blue sidebar with the Azentio logo at the top. Below the logo are several menu items: Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup, Asset Auto Master, Asset CD Master, Product master (highlighted in orange), Sub Product Master, Regulatory Product Defini..., Project Setup, and Config Manager. The main content area is titled 'Inbox' and shows a table with columns: Action, Reference Id, Event Code, Stage Code, Role Code, Employee Name, Created Date, Workflow Code, and Product. The table contains 10 rows of data, with the first row highlighted in orange. The user profile 'Puneet' is visible in the top right corner.

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product
	5821	PRODUCT_MST	MAKER	LOSMKR	in00135	26-Jul-2022 1:39	TSW	
	5815	PRODUCT_MST	MAKER	LOSMKR	in00135	26-Jul-2022 0:40	TSW	
	5803	PRODUCT_MST	MAKER	LOSMKR	in00135	26-Jul-2022 0:28	TSW	
	5801	PRODUCT_MST	MAKER	LOSMKR	in00135	25-Jul-2022 23:47	TSW	
	5797	PRODUCT_MST	MAKER	LOSMKR	in00135	25-Jul-2022 23:39	TSW	
	5790	SUB_PRD_MAST	MAKER	LOSMKR	in00135	25-Jul-2022 21:54	TSW	
	5779	SUB_PRD_MAST	MAKER	LOSMKR	in00135	25-Jul-2022 19:44	TSW	
	5778	SUB_PRD_MAST	MAKER	LOSMKR	in00135	25-Jul-2022 19:12	TSW	
	5777	SUB_PRD_MAST	MAKER	LOSMKR	in00135	25-Jul-2022 18:59	TSW	
	5776	SUB_PRD_MAST	MAKER	LOSMKR	in00135	25-Jul-2022 18:56	TSW	

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify Checker user is able to Approve  
the record

(F) Product Master Retail Functionality

This screenshot is identical to the one above, showing the Azentio software interface with the Product Master section. The sidebar, main content area, and table are the same. The user profile 'Puneet' is visible in the top right corner.

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product
	5821	PRODUCT_MST	MAKER	LOSMKR	in00135	26-Jul-2022 1:39	TSW	
	5815	PRODUCT_MST	MAKER	LOSMKR	in00135	26-Jul-2022 0:40	TSW	
	5803	PRODUCT_MST	MAKER	LOSMKR	in00135	26-Jul-2022 0:28	TSW	
	5801	PRODUCT_MST	MAKER	LOSMKR	in00135	25-Jul-2022 23:47	TSW	
	5797	PRODUCT_MST	MAKER	LOSMKR	in00135	25-Jul-2022 23:39	TSW	
	5790	SUB_PRD_MAST	MAKER	LOSMKR	in00135	25-Jul-2022 21:54	TSW	
	5779	SUB_PRD_MAST	MAKER	LOSMKR	in00135	25-Jul-2022 19:44	TSW	
	5778	SUB_PRD_MAST	MAKER	LOSMKR	in00135	25-Jul-2022 19:12	TSW	
	5777	SUB_PRD_MAST	MAKER	LOSMKR	in00135	25-Jul-2022 18:59	TSW	
	5776	SUB_PRD_MAST	MAKER	LOSMKR	in00135	25-Jul-2022 18:56	TSW	

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify Checker user is able to Approve  
the record

(F) Product Master Retail Functionality

The screenshot displays the AZENTIO software interface. On the left is a dark blue sidebar with a menu. The 'Product master' option is highlighted in orange. The main area shows an 'Inboxes' table with columns: Action, Reference Id, Event Code, Stage Code, Role Code, Employee Name, Created Date, Workflow Code, and Product. The table contains 10 rows of data. A green notification box in the top right corner states: 'Record APPROVED Successfully, and Current Stage is CHECKER with status PENDING from in01589.' A blue circular icon with a gear symbol is visible in the bottom right corner of the interface.

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product
	5815	PRODUCT_MST	MAKER	LOSMKR	in00135	26-Jul-2022 0:40	TSW	
	5803	PRODUCT_MST	MAKER	LOSMKR	in00135	26-Jul-2022 0:28	TSW	
	5801	PRODUCT_MST	MAKER	LOSMKR	in00135	25-Jul-2022 23:47	TSW	
	5797	PRODUCT_MST	MAKER	LOSMKR	in00135	25-Jul-2022 23:39	TSW	
	5790	SUB_PRD_MAST	MAKER	LOSMKR	in00135	25-Jul-2022 21:54	TSW	
	5779	SUB_PRD_MAST	MAKER	LOSMKR	in00135	25-Jul-2022 19:44	TSW	
	5778	SUB_PRD_MAST	MAKER	LOSMKR	in00135	25-Jul-2022 19:12	TSW	
	5777	SUB_PRD_MAST	MAKER	LOSMKR	in00135	25-Jul-2022 18:59	TSW	
	5776	SUB_PRD_MAST	MAKER	LOSMKR	in00135	25-Jul-2022 18:56	TSW	
	167	SCHEME_MST	MAKER	LOSMKR	in00135	25-Jul-2022 18:35	TSW	

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)


(S) verify Checker user is able to Approve  
the record

(F) Product Master Retail Functionality

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify Checker user is able to Approve  
the record


(F) Product Master Retail Functionality



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify Checker user is able to Approve  
the record


(F) Product Master Retail Functionality



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify Checker user is able to Approve  
the record

(F) Product Master Retail Functionality



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify Checker user is able to Approve  
the record

(F) Product Master Retail Functionality

The screenshot shows the same application interface as the first screenshot, but the 'Inbox' section now displays a list of records. The table has columns for Action, Reference Id, Event Code, Stage Code, Role Code, Employee Name, Created Date, Workflow Code, and Product. The first record is highlighted with an orange border.

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product
	5821	PRODUCT_MST	CHECKER	LOCHK	in01589	26-Jul-2022 1:39	TSW	
	5818	PRODUCT_MST	CHECKER	LOCHK	in01589	26-Jul-2022 0:44	TSW	
	5812	PRODUCT_MST	CHECKER	LOCHK	in01589	26-Jul-2022 0:40	TSW	
	5806	PRODUCT_MST	CHECKER	LOCHK	in01589	26-Jul-2022 0:38	TSW	
	5810	PRODUCT_MST	CHECKER	LOCHK	in01589	26-Jul-2022 0:35	TSW	
	5808	PRODUCT_MST	CHECKER	LOCHK	in01589	26-Jul-2022 0:35	TSW	
	5794	PRODUCT_MST	CHECKER	LOCHK	in01589	25-Jul-2022 22:57	TSW	
	5789	SUB_PRD_MAST	CHECKER	LOCHK	in01589	25-Jul-2022 21:46	TSW	
	5780	SUB_PRD_MAST	CHECKER	LOCHK	in01589	25-Jul-2022 21:9	TSW	
	5786	SUB_PRD_MAST	CHECKER	LOCHK	in01589	25-Jul-2022 20:49	TSW	

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify Checker user is able to Approve  
the record

(F) Product Master Retail Functionality











English

No Module Mapped

Azentio Software

Record APPROVED Successfully

Inbox

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product
	5818	PRODUCT_MST	CHECKER	LOCHCK	in01589	26-Jul-2022 0:44	TSW	
	5812	PRODUCT_MST	CHECKER	LOCHCK	in01589	26-Jul-2022 0:40	TSW	
	5806	PRODUCT_MST	CHECKER	LOCHCK	in01589	26-Jul-2022 0:38	TSW	
	5810	PRODUCT_MST	CHECKER	LOCHCK	in01589	26-Jul-2022 0:35	TSW	
	5808	PRODUCT_MST	CHECKER	LOCHCK	in01589	26-Jul-2022 0:35	TSW	
	5794	PRODUCT_MST	CHECKER	LOCHCK	in01589	25-Jul-2022 22:57	TSW	
	5789	SUB_PRD_MAST	CHECKER	LOCHCK	in01589	25-Jul-2022 21:46	TSW	
	5780	SUB_PRD_MAST	CHECKER	LOCHCK	in01589	25-Jul-2022 21:9	TSW	
	5786	SUB_PRD_MAST	CHECKER	LOCHCK	in01589	25-Jul-2022 20:49	TSW	
	5781	SUB_PRD_MAST	CHECKER	LOCHCK	in01589	25-Jul-2022 20:33	TSW	

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify Checker user is able to Approve  
the record

(F) Product Master Retail Functionality











English

No Module Mapped

Azentio Software

Record APPROVED Successfully











Inbox

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product
	5818	PRODUCT_MST	CHECKER	LOCHCK	in01589	26-Jul-2022 0:44	TSW	
	5812	PRODUCT_MST	CHECKER	LOCHCK	in01589	26-Jul-2022 0:40	TSW	
	5806	PRODUCT_MST	CHECKER	LOCHCK	in01589	26-Jul-2022 0:38	TSW	
	5810	PRODUCT_MST	CHECKER	LOCHCK	in01589	26-Jul-2022 0:35	TSW	
	5808	PRODUCT_MST	CHECKER	LOCHCK	in01589	26-Jul-2022 0:35	TSW	
	5794	PRODUCT_MST	CHECKER	LOCHCK	in01589	25-Jul-2022 22:57	TSW	
	5789	SUB_PRD_MAST	CHECKER	LOCHCK	in01589	25-Jul-2022 21:46	TSW	
	5780	SUB_PRD_MAST	CHECKER	LOCHCK	in01589	25-Jul-2022 21:9	TSW	
	5786	SUB_PRD_MAST	CHECKER	LOCHCK	in01589	25-Jul-2022 20:49	TSW	
	5781	SUB_PRD_MAST	CHECKER	LOCHCK	in01589	25-Jul-2022 20:33	TSW	

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify Checker user is able to Approve  
the record

(F) Product Master Retail Functionality

Inbox								
Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product
	5818	PRODUCT_MST	CHECKER	LOCHK	in01589	26-Jul-2022 0:44	TSW	
	5812	PRODUCT_MST	CHECKER	LOCHK	in01589	26-Jul-2022 0:40	TSW	
	5806	PRODUCT_MST	CHECKER	LOCHK	in01589	26-Jul-2022 0:38	TSW	
	5810	PRODUCT_MST	CHECKER	LOCHK	in01589	26-Jul-2022 0:35	TSW	
	5808	PRODUCT_MST	CHECKER	LOCHK	in01589	26-Jul-2022 0:35	TSW	
	5794	PRODUCT_MST	CHECKER	LOCHK	in01589	25-Jul-2022 22:57	TSW	
	5789	SUB_PRD_MAST	CHECKER	LOCHK	in01589	25-Jul-2022 21:46	TSW	
	5780	SUB_PRD_MAST	CHECKER	LOCHK	in01589	25-Jul-2022 21:9	TSW	
	5786	SUB_PRD_MAST	CHECKER	LOCHK	in01589	25-Jul-2022 20:49	TSW	
	5781	SUB_PRD_MAST	CHECKER	LOCHK	in01589	25-Jul-2022 20:33	TSW	