


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Check the functionality of Living Expenses Master	1	0	1	0	52.920 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the functionality of Living	Validate the fields in Living expense parameter sub module	14	8	1	5	52.914 s
	Expenses Master						

(F)- Check the functionality of Living Expenses Master

FAILED	DURATION - 52.920 s	Scenarios		Steps	
		Total - 1		Total - 14	
/ 2:09:15.459 pm	n // 2:10:08.379 pm /	Pass - 0	1	Pass - 8	14
		Fail - 1.		Fail - 1	
		Skip - 0		Skip - 5	

(S)- Validate the fields in Living expense parameter sub module



#	Step / Hook Details	Status	Duration
1	Given user log in as uls application maker	PASSED	19.142 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.143 s
	screenshot		

2	Then user click on configurations Tab	PASSED	2.688 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.727 s
	screenshot		
	Example 1 2 20 20 20 20 20 20 20 20 20 20 20 20 2		


AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) And user Goto the Temp view screen of living Expense AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	#	Step / Hook Details	Status	Duration
And user Goto the Temp view screen of living Expense AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(jo.cucumber.java.Scenario) Screenshot And click on Pencil icon of existing record AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(jo.cucumber.java.Scenario) PASSED ARTER_STEP - stepdefinitions. HooksClass. addScreenshot(jo.cucumber.java.Scenario) PASSED ARTER_STEP - stepdefinitions. HooksClass. addScreenshot(jo.cucumber.java.Scenario) PASSED ARTER_STEP - stepdefinitions. HooksClass. addScreenshot(jo.cucumber.java.Scenario) PASSED AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(jo.cucumber.java.Scenario) PASSED AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(jo.cucumber.java.Scenario) PASSED O.822 s	3	When user click Config Manager menu	PASSED	0.425 s
4 And user Goto the Temp view screen of living Expense AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot AA dictick on Pencil icon of existing record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) passed AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) passed AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) passed AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) passed passed 2.156 s PASSED 0.822 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.443 s
And user Goto the Temp view screen of living Expense AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot ARTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)		screenshot		
AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) 5		2.25770		
screenshot And click on Pencil icon of existing record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And Navigate to Living expense parameter section AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) DASSED O.822 s	4	And user Goto the Temp view screen of living Expense	PASSED	0.703 s
Arter_step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) And Navigate to Living expense parameter section Arter_step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 2.109 s 0.885 s Comparison PASSED 2.156 s Arter_step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot PASSED 0.822 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.648 s
5 And click on Pencil icon of existing record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 And Navigate to Living expense parameter section AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 0.822 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot And Navigate to Living expense parameter section AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot PASSED 2.156 s PASSED 0.885 s				
screenshot And Navigate to Living expense parameter section AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot PASSED 0.822 s 0.822 s	5	And click on Pencil icon of existing record	PASSED	2.109 s
And Navigate to Living expense parameter section AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.885 s
6 And Navigate to Living expense parameter section PASSED 2.156 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot PASSED 0.822 s				
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	6	And Navigate to Living expense parameter section	PASSED	2.156 s
ASSITIO Compared to the com			PASSED	0.822 s
Fig. 1 Fig. 1 Fig. 2 Fig. 2 Fig. 2 Fig. 3 Fig. 4 Fig. 3 Fig. 3 Fig. 3 Fig. 4 Fig. 3 Fig. 4 Fig. 4		screenshot		
		Actions Action Action Action Action Action Action Action A		
7 And Validate all fields present in Living expense parameter view list PASSED 3.174 s	7	And Validate all fields present in Living expense parameter view list	PASSED	3.174 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.233 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.233 s
screenshot		screenshot		

#	Step / Hook Details	Status	Duration
	*** ATANTO *** ATANTO *** AND THE CONTROL OF THE		
8	And Validate that records in Living expense parameter view list is non editable	PASSED	2.083 s
	AFTER STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.390 s
	screenshot		
9	And Search with valid test data in Living expense parameter view list	FAILED	0.558 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//span[contains(text(),' Description ')]"} (Session info: chrome=106.0.5249.119) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [912d959729cf4001f234d75529d302a1, findElement {using=xpath, value=//span[contains(text(),' Description ')]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 106.0.5249.119, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883, userDataDir: C:\Users\ININDC~1\AppData\L}, goog:chromeOptions: {debuggerAddress: localhost:50419}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50419/devtoo, se:cdpVersion: 106.0.5249.119, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 912d959729cf4001f234d75529d302a1		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:153)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)		
	at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381)		


DETAILED SECTION -- 7 --

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at stepdefinitions.KULS_LivingExpense_Step. search_with_valid_test_data_in_living_expense_parameter_view_list(KULS_LivingExpense_Step.java:109) at ?.Search with valid test data in Living expense parameter view list(file:///C:/Users/inindc00075/git/Arshath_ULS/Arshath_AzentioULSFramework/src/test/java/features/MDM_LivingExp_Master.feature:620) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.379 s
	screenshot		
	AZENTO ***********************************		
10	And Search with invalid test data in Living expense parameter view list	SKIPPED	0.000 s
11	And Validate the export to PDF functionality of Living expense parameter	SKIPPED	0.000 s
12	And Validate the export to Excel functionality of Living expense parameter	SKIPPED	0.000 s
13	And Click on Add icon of Living expense parameter	SKIPPED	0.000 s
14	And Click on back button of ILiving expense parameter	SKIPPED	0.000 s


EXPANDED SECTION -- 8 --




EXPANDED SECTION -- 9 --



EXPANDED SECTION -- 10 --





EXPANDED SECTION -- 12 --

