
Start: Feb 25, 11:27:55.663 AM End: Feb 25, 11:28:00.515 AM **Duration: 4.852 s** Scenarios **Features** Steps PASSED - 0 PASSED - 0 PASSED - 0 SKIPPED - 0 SKIPPED - 0 SKIPPED - 9 10 40 50 60 40 50 60 40 50 60 30 Pass % 70 30 Pass % 70 30 Pass % 70 20 20 20 80 80 80 90 90 100

FEATURES SUMMARY -- 2 --



| # | Feature Name | T | P | F | S | Duration |
|---|---|---|---|---|---|----------|
| 1 | To verify the functionality of fee master | 1 | 0 | 1 | 0 | 4.852 s |




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---|--|----|---|---|---|----------|
| 1 | To verify the functionality of fee master | To verify user able to save the modified record with blank | 10 | 0 | 1 | 9 | 4.844 s |
| | | and invalid details | | | | | |

DETAILED SECTION -- 4 --

(F)- To verify the functionality of fee master

| FAILED | DURATION - 4.852 s | Scenarios | | Steps | |
|------------------|------------------------|-----------|---|------------|----|
| | | Total - 1 | | Total - 10 | |
| / 11:27:55.663 A | M // 11:28:00.515 AM / | Pass - 0 | 1 | Pass - 0 | 10 |
| | | Fail - 1 | | Fail - 1 | |
| | | Skip - 0 | | Skip - 9 | |

(S)- To verify user able to save the modified record with blank and invalid details



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Get the URL and login as maker | FAILED | 0.008 s |
| | java.lang.Error: Unresolved compilation problems: Lambda expressions are allowed only at source level 1.8 or above Cannot refer to the non-final local variable Username defined in an enclosing scope Lambda expressions are allowed only at source level 1.8 or above Cannot refer to the non-final local variable Username defined in an enclosing scope Lambda expressions are allowed only at source level 1.8 or above Cannot refer to the non-final local variable Username defined in an enclosing scope Lambda expressions are allowed only at source level 1.8 or above Cannot refer to the non-final local variable Username defined in an enclosing scope Lambda expressions are allowed only at source level 1.8 or above Cannot refer to the non-final local variable Username defined in an enclosing scope Lambda expressions are allowed only at source level 1.8 or above Cannot refer to the non-final local variable Username defined in an enclosing scope Lambda expressions are allowed only at source level 1.8 or above Cannot refer to the non-final local variable Username defined in an enclosing scope Lambda expressions are allowed only at source level 1.8 or above Cannot refer to the non-final local variable User defined in an enclosing scope Lambda expressions are allowed only at source level 1.8 or above Cannot refer to the non-final local variable User defined in an enclosing scope Lambda expressions are allowed only at source level 1.8 or above Cannot refer to the non-final local variable Username defined in an enclosing scope Lambda expressions are allowed only at source level 1.8 or above Cannot refer to the non-final local variable Username defined in an enclosing scope Lambda expressions are allowed only at source level 1.8 or above Cannot refer to the non-final local variable Username defined in an enclosing scope Lambda expressions are allowed only at source level 1.8 or above Cannot refer to the non-final local variable Username defined in an enclosing scope Lambda expressions are allowed only at source level 1.8 or above Ca | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) | | |
| | at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) | | |
| | at org.picocontainer.injectors.AbstractInjector.newInstance(AbstractInjector.java:145) | | |
| | at org.picocontainer.injectors.ConstructorInjector\$1.run(ConstructorInjector.java:342) | | |
| | at org.picocontainer.injectors.AbstractInjector\$ThreadLocalCyclicDependencyGuard.observe(AbstractInjector.java:270) | | |
| | at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364) | | |
| | at org.picocontainer.injectors.AbstractInjectionFactory\$LifecycleAdapter.getComponentInstance(AbstractInjectionFactory.java:56) | | |
| | at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64) | | |
| | at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91) | | |
| | at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699) | | |
| | at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647) | | |
| | at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:678) | | |
| | at io.cucumber.picocontainer.PicoFactory.getInstance(PicoFactory.java:49) | | |
| | at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) | | |
| | at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) | | |
| | at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) | | |
| | at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) | | |
| | at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) | | |
| | at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) | | |
| | at io.cucumber.core.runner.TestStep.run(TestStep.java:64) | | |
| | at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) | | |
| | at io.cucumber.core.runner.TestCase.run(TestCase.java:104) | | |
| | at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) | | |
| | at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) | | |
| | at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) | | |
| | at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) | | |
| | at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) | | |
| | at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) | | |
| | at java.base/java.lang.reflect.Method.invoke(Method.java:578) | | |
| | at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) | | |
| | at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) | | |
| | at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) | | |
| | at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) | | |
| | at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) | | |
| | at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) | | |
| | at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) | | |
| | at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) | | |
| | at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) | | |
| | at org.testng.TestRunner.privateRun(TestRunner.java:794) | | |
| | at org.testng.TestRunner.run(TestRunner.java:596) | | |
| | at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) | | |
| | at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) | | |

DETAILED SECTION -- 6 --

| # | Step / Hook Details | Status | Duration |
|----|---|---------|----------|
| | at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) | | |
| | at org.testng.SuiteRunner.run(SuiteRunner.java:276) | | |
| | at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) | | |
| | at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) | | |
| | at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) | | |
| | at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) | | |
| | at org.testng.TestNG.runSuites(TestNG.java:1063) | | |
| | at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) | | |
| | at org.testing.remote.AbstractKernoteTestivG.turi(AbstractKernoteTestivG.java.113) at org.testing.remote.RemoteTestivG.initAndRun(RemoteTestivG.java.251) | | |
| | at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) | | |
| | AFTER STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.196 s |
| | | FASSLD | 0.1903 |
| | screenshot | | |
| | + | | |
| | | | |
| | | | |
| | | | |
| | | | |
| 2 | And Click the configuration | SKIPPED | 0.000 s |
| 3 | Then Click the config Manager | SKIPPED | 0.001 s |
| 4 | And Click the temp view in the fee master | SKIPPED | 0.000 s |
| 5 | Then Choose the data set id for fee master negative vlaidation | SKIPPED | 0.000 s |
| 6 | Then Chooose the First record in the fee master for modification | SKIPPED | 0.000 s |
| 7 | And Click the legacy code1 and pass the invalid details | SKIPPED | 0.000 s |
| 8 | Then Verify the invalid field validation popup in the fee master | SKIPPED | 0.000 s |
| 9 | And Click the charge type and make that field as blank in fee master | SKIPPED | 0.000 s |
| 10 | Then Verify the balank field validation popup in the fee master | SKIPPED | 0.000 s |

EXPANDED SECTION -- 7 -

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify user able to save the modified record with blank and invalid details

(F) To verify the functionality of fee master