

# Cucumber Report

Sep 15, 2022, 12:04:54 PM

**Start : Sep 15, 12:04:32.489 PM**

**End : Sep 15, 12:04:53.809 PM**

**Duration : 21.320 s**

*Features*

*Scenarios*

*Steps*

**PASSED - 0**

**FAILED - 1**

**SKIPPED - 0**

**PASSED - 0**


**FAILED - 1**

**SKIPPED - 0**

**PASSED - 9**

**FAILED - 1**

**SKIPPED - 0**







#	Feature Name	T	P	F	S	Duration
1	Personal Details Disbursement Checker Functionality	1	0	1	0	21.320 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Personal Details Disbursement Checker Functionality</u>	<u>To check the functionality of Personal Details Disbursement Checker</u>	10	9	1	0	21.317 s





**(F)- Personal Details Disbursement Checker Functionality**




<b>FAILED</b>	<b>DURATION - 21.320 s</b>	Scenarios		Steps	
/ 12:04:32.489 PM // 12:04:53.809 PM /		Total - 1	1	Total - 10	10
		Pass - 0		Pass - 9	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	


**(S)- To check the functionality of Personal Details Disbursement Checker**

<div>FAILED</div> <div>DURATION - 21.317 s</div>	<div></div>	Steps	<div></div>
<div>/ 12:04:32.492 PM // 12:04:53.809 PM /</div>		Total - 10	
<div>Personal Details Disbursement Checker Functionality</div>		Pass - 9	
<div>@PDDC-002</div>		Fail - 1	
		Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	4.899 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.270 s
	screenshot		
			
2	And User Login as maker	PASSED	5.013 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.127 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	Then click on inbox	PASSED	0.179 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.221 s
	screenshot 		
4	Then click on inbox search icon	PASSED	0.133 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.131 s
	screenshot 		
5	Then search Personal Details Disbursement Checker record	PASSED	1.112 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.078 s
	screenshot 		
6	And maker user open the record from inbox	PASSED	1.130 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.108 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
7	Then click on Customer Details Segment button	PASSED	2.173 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.254 s
	screenshot 		
8	Then open Customer Details record	PASSED	0.311 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.128 s
	screenshot 		
9	Then Validate Personal Details Disbursement Checker Back button	PASSED	0.687 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.155 s
	screenshot 		
10	Then Validate Personal Details Disbursement Checker Add button	FAILED	1.612 s
	java.lang.AssertionError at org.junit.Assert.fail(Assert.java:86) at org.junit.Assert.assertTrue(Assert.java:41) at org.junit.Assert.assertTrue(Assert.java:52) at stepdefinitions.PersonalDetailsDisbursementChecker.		

#	Step / Hook Details	Status	Duration
	<div>validate_personal_details_disbursement_checker_add_button(PersonalDetailsDisbursementChecker.java:57) at ?.Validate Personal Details Disbursement Checker Add button(file:///C:/Users/inindc00089/git/repository6/Priyanka_AzentioULSFramework/src/test/java/features/PersonalDetails_DisbursementChecker.feature:14) * Not displayable characters are replaced by '?'. </div>		
	<div>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</div> <div>screenshot</div> <div></div>	PASSED	0.195 s

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) To check the functionality of Personal  
Details Disbursement Checker

(F) Personal Details Disbursement  
Checker Functionality

AZENTIO™  
ONEBanking

User ID

CONTINUE

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) To check the functionality of Personal  
Details Disbursement Checker

(F) Personal Details Disbursement  
Checker Functionality

AZENTIO™  
ONEBanking

Engl...

LOS

Aze...

Search the menu

Dashboard

Configurations

Transactions

Reports

Product wise Analysis

Product-wise Amount Financed

Subproduct-wise Amount Financed

Scheme wise Amount Financed

Powered by Metabase



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) To check the functionality of Personal  
Details Disbursement Checker

(F) Personal Details Disbursement  
Checker Functionality

The screenshot displays the AZENTIO ONEBanking application interface. On the left is a dark blue sidebar with a search bar and a menu containing: Dashboard, Configurations (expanded), Config Manager, Sample Screens, Transactions, and Reports. The main content area is titled 'Inbox' and shows 'Action' with a search icon. Below this, it states 'Showing 0 to 0 of 0 entries' with navigation arrows and a dropdown set to '10'. A blue circular button with a gear icon is visible in the bottom right corner.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) To check the functionality of Personal  
Details Disbursement Checker

(F) Personal Details Disbursement  
Checker Functionality

The screenshot displays the AZENTIO ONEBanking application interface with an inbox containing 10 entries. The sidebar is identical to the previous screenshot. The 'Inbox' section shows a table with the following columns: Action, Reference Id, Event Code, Stage Code, Role Code, Employee Name, Created Date, Workflow Code, and Product. The table contains 10 rows of data, all with 'APP\_CREATE' as the Event Code and 'CPUEXEC' as the Role Code. The 'Showing 1 to 10 of 59 entries' text is visible at the bottom, along with pagination controls and a dropdown set to '10'. A blue circular button with a gear icon is visible in the bottom right corner.

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product
	512	APP_CREATE	APPDATAENT	CPUEXEC	in02040	15-Sep-2022 11:58	HLW	AHL
	507	APP_CREATE	DISBMKR	OPEMKR	in02040	15-Sep-2022 11:36	HLW	AHL
	510	APP_CREATE	OFFERING	CREOFF	in02040	15-Sep-2022 11:28	HLW	AHL
	508	APP_CREATE	DISBMKR	OPEMKR	in02040	15-Sep-2022 11:24	HLW	AHL
	285	APP_CREATE	DISBMKR	OPEMKR	in02040	15-Sep-2022 10:39	HLW	AHL
	506	APP_CREATE	APPDATAENT	CPUEXEC	in02040	15-Sep-2022 10:22	HLW	AHL
	489	APP_CREATE	APPDATAENT	CPUEXEC	in02040	14-Sep-2022 20:59	HLW	AHL
	485	APP_CREATE	OFFERING	CREOFF	in02040	14-Sep-2022 20:34	HLW	AHL
	480	APP_CREATE	APPDATAENT	CPUEXEC	in02040	14-Sep-2022 17:28	HLW	AHL
	478	APP_CREATE	APPDATAENT	CPUEXEC	in02040	14-Sep-2022 16:54	HLW	AHL

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) To check the functionality of Personal  
Details Disbursement Checker

(F) Personal Details Disbursement  
Checker Functionality

**AZENTIO**  
ONEBanking

Search the menu

Dashboard

Configurations

Config Manager

Sample Screens

Transactions

Reports

**Inbox**

313

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product
	313	APP_CREATE	DISBCKR	OPECHK	in02040	05-Sep-2022 15:3	HLW	AHL

Showing 1 to 1 of 1 entries

1

10

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) To check the functionality of Personal  
Details Disbursement Checker

(F) Personal Details Disbursement  
Checker Functionality

**AZENTIO**  
ONEBanking

Search the menu

Dashboard

Configurations

Config Manager

Sample Screens

Transactions

Reports

**Inbox**

313

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product
	313	APP_CREATE	DISBCKR	OPECHK	in02040	05-Sep-2022 15:3	HLW	AHL

Showing 1 to 1 of 1 entries

1

10

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) To check the functionality of Personal  
Details Disbursement Checker

(F) Personal Details Disbursement  
Checker Functionality

The screenshot displays the AZENTIO ONEBanking application interface. The top navigation bar includes the AZENTIO logo, a search menu, and various utility icons. The left sidebar contains a menu with options: Dashboard, Configurations, Config Manager, Sample Screens, Transactions, and Reports. The main content area shows a breadcrumb trail: Prev > Application Details > Customer details > Beneficiary Details > Payment Schedule > Drawdown > Drawdown details > Next. The Customer details tab is active, but the content area is currently blank, suggesting a loading state or a missing view.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) To check the functionality of Personal  
Details Disbursement Checker

(F) Personal Details Disbursement  
Checker Functionality

The screenshot displays the AZENTIO ONEBanking application interface, showing the Customer Personal Information table. The top navigation bar and left sidebar are identical to the previous screenshot. The main content area shows a breadcrumb trail: Prev > Application Details > Customer details > Beneficiary Details > Payment Schedule > Drawdown > Drawdown details > Next. The Customer details tab is active, and the Customer Personal Information table is displayed. The table has columns: Select, Action, CIF ID, First Name, Middle Name, Last Name, Customer Type, Applicant Type, and Status. A single entry is shown with the status 'Active'. The table footer indicates 'Showing 1 to 1 of 1 entries'.

Select	Action	CIF ID	First Name	Middle Name	Last Name	Customer Type	Applicant Type	Status
<input type="radio"/>			testerA	mname	lname	I	P	Active

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) To check the functionality of Personal  
Details Disbursement Checker

(F) Personal Details Disbursement  
Checker Functionality

The screenshot shows the AZENTIO ONEBanking interface. On the left is a blue sidebar with a search bar and menu items: Dashboard, Configurations, Config Manager, Sample Screens, Transactions, and Reports. The main content area is titled 'Customer Personal Information' and includes a breadcrumb trail: Prev > Application Details > Customer details > Beneficiary Details > Payment Schedule > Drawdown > Drawdown details > Next. Below the title is a table with columns: Select, Action, CIF ID, First Name, Middle Name, Last Name, Customer Type, Applicant Type, and Status. The table contains one entry for 'testerA' with status 'Active'. Below the table is a 'Customers Information' section with a 'Personal Details' form. The form includes fields for Customer Type (Individual Customer), Applicant Type (Primary Applicant), KYC Status, Salutation (Mr), First Name (testerA), Middle Name (mname), Last Name (lname), Father's First Name (fname), Father's Middle Name (fmname), Father's Last Name (fname), Spouse's First Name, Spouse's Middle Name, Spouse's Last Name, No. Of Children, Spouse Status, and Date Of Birth. There are also buttons for 'Initiate Video KYC' and a download icon.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) To check the functionality of Personal  
Details Disbursement Checker

(F) Personal Details Disbursement  
Checker Functionality

This screenshot shows the same AZENTIO ONEBanking interface as the previous one, but focuses on the table below the 'Customer Personal Information' header. The table has columns: Select, Action, CIF ID, First Name, Middle Name, Last Name, Customer Type, Applicant Type, and Status. It displays one record for 'testerA' with status 'Active'. Below the table, it shows 'Showing 1 to 1 of 1 entries' and a pagination control with a dropdown set to '5'. The breadcrumb trail and sidebar are identical to the previous screenshot.