

Cucumber Report

Jul 21, 2022, 7:42:50 PM

Start : Jul 21, 7:42:10.036 PM

End : Jul 21, 7:42:47.489 PM

Duration : 37.453 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 12
FAILED - 1
SKIPPED - 16







#	Feature Name	T	P	F	S	Duration
1	<u>Check the functionality of product master</u>	1	0	1	0	37.453 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Check the functionality of product master</u>	<u>Product Master - Modify records (approve, reject and return) at maker stage</u>	29	12	1	16	37.426 s

(F)- Check the functionality of product master

FAILED	DURATION - 37.453 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 29 Pass - 12 Fail - 1 Skip - 16	
/ 7:42:10.036 PM // 7:42:47.489 PM /					




(S)- Product Master - Modify records (approve, reject and return) at maker stage


FAILED	DURATION - 37.426 s		Steps Total - 29 Pass - 12 Fail - 1 Skip - 16	
/ 7:42:10.063 PM // 7:42:47.489 PM /				
Check the functionality of product master				
@M5				

#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	9.805 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.533 s
	screenshot		
			
2	And User Login as maker	PASSED	5.319 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.425 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	Then user should navigate to product master	PASSED	0.242 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.317 s
	screenshot		
			
4	And click on edit view of product master	PASSED	0.183 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.270 s
	screenshot		
			
5	Then click on edit button of record to modify	PASSED	1.639 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.396 s
	screenshot		
			
6	Then user should verify the buttons available on screen while modify	PASSED	1.423 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.131 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
7	Then verify system should modify the record before approved	PASSED	1.672 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.192 s
	screenshot		
			
8	And click on eye icon of product master	PASSED	0.166 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.295 s
	screenshot		
			
9	Then verify system should modify already approved record	PASSED	1.525 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.187 s
	screenshot		
			
10	Then verify system allow user to save modified record with valid data	PASSED	0.198 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.323 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
11	Then system should display the confirmation message	PASSED	0.207 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.142 s
	screenshot		
			
12	Then click on inbox button	PASSED	0.181 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.304 s
	screenshot		
			
13	And select the modified record from inbox to approve	FAILED	0.030 s
	<p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//span[contains(text(),'5640')]/../td/button"} (Session info: chrome=100.0.4896.127) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [7a877c4354b0cffe855ad1167d790fb2, findElement {using=xpath, value=//span[contains(text(),'5640')]/../td/button}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 100.0.4896.127, chrome: {chromedriverVersion: 99.0.4844.51 (d537ec02474b5..., userDataDir: C:\Users\NINDC~1\AppData\Local\...}, goog:chromeOptions: {debuggerAddress: localhost:57037}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57037/devtoo..., se:cdpVersion: 100.0.4896.127, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 7a877c4354b0cffe855ad1167d790fb2</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)</p>		


#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at stepdefinitions.ProductMaster_Retail.select_the_modified_record_from_inbox_to_approve(ProductMaster_Retail.java:144) at ?.select the modified record from inbox to approve(file:///C:/Users/inindc00091/git/Azentio_ULS_04/AzentioAutomationFramework/src/test/ java/features/ProductMaster_Retail.feature:17) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.188 s
14	Then click on submit button	SKIPPED	0.000 s
15	Then system should display confirmation message after submit	SKIPPED	0.000 s
16	And click on edit view of product master	SKIPPED	0.000 s
17	Then click on edit button of record2 to modify	SKIPPED	0.000 s
18	Then verify system should modify the record before approved	SKIPPED	0.000 s
19	Then click on inbox button	SKIPPED	0.000 s
20	And select the modified record from inbox to reject	SKIPPED	0.000 s
21	Then click on submit button	SKIPPED	0.000 s
22	Then system should display confirmation message after submit	SKIPPED	0.001 s
23	And click on edit view of product master	SKIPPED	0.000 s
24	Then click on edit button of record3 to modify	SKIPPED	0.001 s
25	Then verify system should modify the record before approved	SKIPPED	0.000 s
26	Then click on inbox button	SKIPPED	0.000 s
27	And select the modified record from inbox to return	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
28	Then click on submit button	SKIPPED	0.000 s
29	Then system should display confirmation message after submit	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master - Modify records
(approve, reject and return) at maker
stage


(F) Check the functionality of product
master



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master - Modify records
(approve, reject and return) at maker
stage


(F) Check the functionality of product
master



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master - Modify records
(approve, reject and return) at maker
stage


(F) Check the functionality of product
master



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master - Modify records
(approve, reject and return) at maker
stage


(F) Check the functionality of product
master



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master - Modify records
(approve, reject and return) at maker
stage

(F) Check the functionality of product
master




Action	Product Group	Product Code	Product Description	Retail/Corporate	Status	Authorization Status
	98303275	depo32	dsadar35423#\$	R	Active	
	98303275	depo31	Ok	R	Active	
	98303275	depo30		R	Active	
	98303249	122		C	Active	
	98303249	dd		R	Active	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master - Modify records
(approve, reject and return) at maker
stage

(F) Check the functionality of product
master



Product Master

Product Group *
Deposits

Product Code *
depo30

Product Description *

Retail/Corporate *
Retail

DM Code
depo30


Status
On

Remarks
depo30

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master - Modify records
(approve, reject and return) at maker
stage

(F) Check the functionality of product
master




The screenshot shows the Azentio Product Master interface. The left sidebar contains a navigation menu with options like Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup, Asset Auto Master, Asset CD Master, Product master (highlighted), Sub Product Master, Regulatory Product Defini..., Project Setup, and Config Manager. The main content area displays a table of product entries with columns: Action, Product Group, Product Code, Product Description, Retail/Corporate, Status, and Authorization Status. The table shows five entries, all with a status of 'Active' and authorization status of 'CHECKER'. A success message 'Success' is visible at the top right.

Action	Product Group	Product Code	Product Description	Retail/Corporate	Status	Authorization Status
	98303275	depo38	depo38	R	Active	CHECKER
	98303275	depo41	depo41	R	Active	CHECKER
	98303249	A	OK	R	Active	CHECKER
	98303249	A	OK	R	Active	CHECKER
	98303249	A	OK	R	Active	CHECKER

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master - Modify records
(approve, reject and return) at maker
stage


(F) Check the functionality of product
master




The screenshot shows the Azentio Product Master interface. The left sidebar contains a navigation menu with options like Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup, Asset Auto Master, Asset CD Master, Product master (highlighted), Sub Product Master, Regulatory Product Defini..., Project Setup, and Config Manager. The main content area displays a table of product entries with columns: Action, Product Group, Product Code, Product Description, Retail/Corporate, Status, and Authorization Status. The table shows five entries, all with a status of 'Active' and authorization status of 'CHECKER'. A success message 'Success' is visible at the top right.

Action	Product Group	Product Code	Product Description	Retail/Corporate	Status	Authorization Status
	98303275	depo38	depo38	R	Active	CHECKER
	98303275	depo41	depo41	R	Active	CHECKER
	98303249	A	OK	R	Active	CHECKER
	98303249	A	OK	R	Active	CHECKER
	98303249	A	OK	R	Active	CHECKER

(F) Check the functionality of product master




(F) Check the functionality of product master



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)


(S) Product Master - Modify records
(approve, reject and return) at maker
stage

(F) Check the functionality of product
master



The screenshot shows the 'Product Master' interface. On the left is a dark blue sidebar with the 'AZENTIO' logo and a menu. The 'Product master' option is highlighted in orange. The main area displays a table of product records. The table has columns: Action, Product Group, Product Code, Product Description, Retail/Corporate, Status, and Authorization Status. There are five rows of data, all with 'Active' status. At the bottom, it says 'Showing 1 to 5 of 116 entries' with pagination controls.

Action	Product Group	Product Code	Product Description	Retail/Corporate	Status	Authorization Status
	98303275	depo38	depo38	R	Active	CHECKER
	98303275	depo41	depo41	R	Active	CHECKER
	98303249	A	OK	R	Active	CHECKER
	98303249	A	OK	R	Active	CHECKER
	98303249	A	OK	R	Active	CHECKER



The screenshot shows the 'Inbox' interface. On the left is the same dark blue sidebar with 'AZENTIO' logo. The 'Product master' option is highlighted in orange. The main area displays a table of inbox records. The table has columns: Action, Reference Id, Event Code, Stage Code, Role Code, Employee Name, Created Date, Workflow Code, and Product. There are ten rows of data. At the bottom, it says 'Showing 1 to 10 of 10 entries' with pagination controls.

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product
	5638	PRODUCT_MST	MAKER	LOSMKR	in00135	21-Jul-2022 19:43	TSW	
	5635	SUB_PRD_MAST	MAKER	LOSMKR	in00135	21-Jul-2022 18:30	TSW	
	51	SCHEME_MST	MAKER	LOSMKR	in00135	21-Jul-2022 18:23	TSW	
	69	SCHEME_MST	MAKER	LOSMKR	in00135	21-Jul-2022 18:11	TSW	
	5628	SUB_PRD_MAST	MAKER	LOSMKR	in00135	21-Jul-2022 17:52	TSW	
	67	SCHEME_MST	MAKER	LOSMKR	in00135	21-Jul-2022 17:48	TSW	
	5626	SUB_PRD_MAST	MAKER	LOSMKR	in00135	21-Jul-2022 17:47	TSW	
	5623	SUB_PRD_MAST	MAKER	LOSMKR	in00135	21-Jul-2022 17:41	TSW	
	42	SCHEME_MST	MAKER	LOSMKR	in00135	21-Jul-2022 17:40	TSW	
	5619	SUB_PRD_MAST	MAKER	LOSMKR	in00135	21-Jul-2022 17:21	TSW	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master - Modify records
(approve, reject and return) at maker
stage

(F) Check the functionality of product
master

The screenshot displays the AZENTIO software interface. On the left is a dark blue sidebar with the AZENTIO logo at the top. Below the logo are several menu items, each with a circular icon: Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup, Asset Auto Master, Asset CD Master, Product master (highlighted in orange), Sub Product Master, Regulatory Product Defini..., Project Setup, and Config Manager. The main area of the interface is titled 'Inbox' and contains a table with the following columns: Action, Reference Id, Event Code, Stage Code, Role Code, Employee Name, Created Date, Workflow Code, and Product. The table lists 12 records, each with an orange icon in the Action column. The records are as follows:

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product
	5638	PRODUCT_MST	MAKER	LOSMKR	in00135	21-Jul-2022 19:43	TSW	
	5635	SUB_PRD_MAST	MAKER	LOSMKR	in00135	21-Jul-2022 18:30	TSW	
	51	SCHEME_MST	MAKER	LOSMKR	in00135	21-Jul-2022 18:23	TSW	
	69	SCHEME_MST	MAKER	LOSMKR	in00135	21-Jul-2022 18:11	TSW	
	5628	SUB_PRD_MAST	MAKER	LOSMKR	in00135	21-Jul-2022 17:52	TSW	
	67	SCHEME_MST	MAKER	LOSMKR	in00135	21-Jul-2022 17:48	TSW	
	5626	SUB_PRD_MAST	MAKER	LOSMKR	in00135	21-Jul-2022 17:47	TSW	
	5623	SUB_PRD_MAST	MAKER	LOSMKR	in00135	21-Jul-2022 17:41	TSW	
	42	SCHEME_MST	MAKER	LOSMKR	in00135	21-Jul-2022 17:40	TSW	
	5619	SUB_PRD_MAST	MAKER	LOSMKR	in00135	21-Jul-2022 17:21	TSW	

At the top of the interface, there is a header bar with a hamburger menu icon, a mail icon, language settings (English), location (LOS), software version (Azentio Software), a grid icon, a bell icon, a user profile icon for Puneet (01-Sep-2023), and a search icon. A dark blue circular button with a white gear icon is located at the bottom right of the table area.