

# Cucumber Report

14-Nov-2022, 6:44:24 pm

**Start : Nov 14, 6:43:43.121 pm**

**End : Nov 14, 6:44:23.443 pm**

**Duration : 40.322 s**

*Features*

*Scenarios*

*Steps*

**PASSED - 0**

**FAILED - 1**

**SKIPPED - 0**

**PASSED - 0**


**FAILED - 1**

**SKIPPED - 0**

**PASSED - 12**


**FAILED - 1**

**SKIPPED - 8**







#	Feature Name	T	P	F	S	Duration
1	<u>Check the functionality of Living Expenses Master</u>	1	0	1	0	40.322 s







#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the functionality of Living Expenses Master	To verify user can able to update the living expense with invalid inputs	21	12	1	8	40.315 s





**(F)- Check the functionality of Living Expenses Master**

<b>FAILED</b>	<b>DURATION - 40.322 s</b>	Scenarios		Steps	
/ 6:43:43.121 pm // 6:44:23.443 pm /		Total - 1		Total - 21	
		Pass - 0		Pass - 12	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 8	



**(S)- To verify user can able to update the living expense with invalid inputs**

<div>FAILED</div> <div>DURATION - 40.315 s</div>			<div>Steps</div> <div>Total - 21</div> <div>Pass - 12</div> <div>Fail - 1</div> <div>Skip - 8</div>	
/ 6:43:43.128 pm // 6:44:23.443 pm /				
Check the functionality of Living Expenses Master				
@AT_LE_018				

#	Step / Hook Details	Status	Duration
1	Given user log in as uls application maker	PASSED	13.591 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.263 s
	screenshot		
			
2	Then user click on configurations Tab	PASSED	0.467 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.371 s
	screenshot		
			


#	Step / Hook Details	Status	Duration
3	When user click Config Manager menu	PASSED	0.186 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.443 s
	screenshot		
			
4	And click on view button in living expense module	PASSED	0.565 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.482 s
	screenshot		
			
5	And select the approved record of living expense	PASSED	0.647 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.589 s
	screenshot		
			
6	And go to living expese parameter tab	PASSED	0.312 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.664 s
	screenshot		
			
7	And user click on Add Icon for Living Expenses	PASSED	0.714 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.655 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
8	And user Pass the Exceldata value for ParaMeter Creation	PASSED	0.113 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.254 s
	screenshot		
			
9	And user Enter value in Description and verify it	PASSED	0.395 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.257 s
	screenshot		
			
10	And user select the code value	PASSED	0.545 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.442 s
	screenshot		
			
11	And user Enter the value	PASSED	0.251 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.218 s
	screenshot		


#	Step / Hook Details	Status	Duration
			
12	And user save the Record in Living Expenses	PASSED	1.189 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.260 s
	screenshot		
			
13	And select the living expense parameter approved record	FAILED	10.412 s
	<p>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: (//button[@ng-reflect-text='Edit'])[1]' (tried for 10 second(s) with 1000 milliseconds interval)</p> <p>at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263)</p> <p>at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231)</p> <p>at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:91)</p> <p>at stepdefinitions.ULS_LivingExpenseSteps.select_the_living_expense_parameter_approved_record(ULS_LivingExpenseSteps.java:75)</p> <p>at ?.select the living expense parameter approved record(file:///C:/Users/inindc00075/git/Arshath_ULS/Arshath_AzenzioULSFramework/src/test/java/features/MDM_LivingExp_Master.feature:498)</p> <p>Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"(//button[@ng-reflect-text='Edit'])[1]"} (Session info: chrome=106.0.5249.119) For documentation on this error, please visit: <a href="https://selenium.dev/exceptions/#no_such_element">https://selenium.dev/exceptions/#no_such_element</a> Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVPADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [4d78113d447ad23675b07d1cfff8d1b7, findElement {using=xpath, value=(//button[@ng-reflect-text='Edit'])[1]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 106.0.5249.119, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: C:\Users\ININDC~1\AppData\Local\...}, goog:chromeOptions: {debuggerAddress: localhost:57475}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57475/devtoo..., se:cdpVersion: 106.0.5249.119, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 4d78113d447ad23675b07d1cfff8d1b7</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)</p> <p>at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</p> <p>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)</p> <p>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)</p>		


#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy46.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:91) at stepdefinitions.ULS_LivingExpenseSteps.select_the_living_expense_parameter_approved_record(ULS_LivingExpenseSteps.java:75) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) </pre>		



#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.230 s
14	And user Pass the Exceldata value for Update Invalid input	SKIPPED	0.000 s
15	And clear all the input fields of living expense approved record	SKIPPED	0.000 s
16	And click on save button in living expense record	SKIPPED	0.000 s
17	Then verify system should through the validation for blank field	SKIPPED	0.000 s
18	And enter invalid special charecter in input box	SKIPPED	0.000 s
19	Then verify system should through the validation in living expense parameter screen	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
20	And click on back button in living expense parameter screen	SKIPPED	0.000 s
21	Then verify living expense parameter screen should get navigate to previous screen	SKIPPED	0.000 s


<p>(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)</p>	
<p><u>(S) To verify user can able to update the living expense with invalid inputs</u></p>	
<p><u>(F) Check the functionality of Living Expenses Master</u></p>	

<p>(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)</p>	
<p><u>(S) To verify user can able to update the living expense with invalid inputs</u></p>	
<p><u>(F) Check the functionality of Living Expenses Master</u></p>	

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) To verify user can able to update the  
living expense with invalid inputs


(F) Check the functionality of Living  
Expenses Master



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) To verify user can able to update the  
living expense with invalid inputs

(F) Check the functionality of Living  
Expenses Master



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) To verify user can able to update the  
living expense with invalid inputs

(F) Check the functionality of Living  
Expenses Master

The screenshot displays the AZENTIO ONEBOOKING application interface. On the left is a blue sidebar menu with options: Dashboard, Configurations (Living Expense, Builder Master, Subvention Master, Incentive master, Checklist Master, Group Master, QuestionnaireMaster, TemplateMaster, CorporateDocument Master, Document Lodgement Master, Commodity Master), Transactions, and Reports. The main content area is titled 'List of Living Expense Model' and contains a table with the following data:

Action	Description	Rule ID	Effective Date	Status
	Test	98303335	2022-10-15	Active
	yugydyugc	98303256	2022-10-25	Active
	Descr1	98303254	2022-10-16	Active
	Test expense	98303254	2022-10-04	Active

At the bottom of the table, it says 'Showing 1 to 4 of 4 entries' with pagination controls.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) To verify user can able to update the  
living expense with invalid inputs

(F) Check the functionality of Living  
Expenses Master

The screenshot displays the AZENTIO ONEBOOKING application interface, specifically the 'Living Expense Parameter List' section. The top navigation bar shows 'Living Expense Definition', 'Living Expense Parameter' (selected), and 'Living Expense Location'. The main content area is titled 'Living Expense Parameter List' and contains a table with the following data:


Parameter ID	Parameter Name	Parameter Value	Parameter Type	Parameter Unit	Parameter Description

At the bottom right of the screen, there is a small circular icon with a gear symbol.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) To verify user can able to update the  
living expense with invalid inputs


(F) Check the functionality of Living  
Expenses Master



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) To verify user can able to update the  
living expense with invalid inputs

(F) Check the functionality of Living  
Expenses Master



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) To verify user can able to update the  
living expense with invalid inputs

(F) Check the functionality of Living  
Expenses Master

**AZENTIO**  
ONE Banking

14-Nov-2022

Engl... LOS Aze...

Search the menu

Dashboard

Configurations

- Living Expense
- Builder Master
- Subvention Master
- Incentive master
- Checklist Master
- Group Master
- QuestionnaireMaster
- TemplateMaster
- CorporateDocument Master
- Document Lodgement Master
- Commodity Master

Transactions

Reports

Living Expense Definition Living Expense Parameter Living Expense Location

Living Expense Parameter

Description \* Expenses

Code \* Select

Value \*

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) To verify user can able to update the  
living expense with invalid inputs

(F) Check the functionality of Living  
Expenses Master

**AZENTIO**  
ONE Banking

14-Nov-2022

Engl... LOS Aze...

Search the menu

Dashboard

Configurations

- Living Expense
- Builder Master
- Subvention Master
- Incentive master
- Checklist Master
- Group Master
- QuestionnaireMaster
- TemplateMaster
- CorporateDocument Master
- Document Lodgement Master
- Commodity Master

Transactions

Reports

Living Expense Definition Living Expense Parameter Living Expense Location

Living Expense Parameter

Description \* Expenses

Code \* LIVEXP

Value \*

Select

AVGINC

LIVEXP

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) To verify user can able to update the  
living expense with invalid inputs

(F) Check the functionality of Living  
Expenses Master

The screenshot displays the AZENTIO ONEBOOKING application interface. On the left is a blue sidebar menu with options: Dashboard, Configurations (expanded), Living Expense, Builder Master, Subvention Master, Incentive master, Checklist Master, Group Master, QuestionnaireMaster, TemplateMaster, CorporateDocument Master, Document Lodgement Master, Commodity Master, Transactions, and Reports. The main content area shows the 'Living Expense Parameter' form. At the top, there are tabs for 'Living Expense Definition', 'Living Expense Parameter' (selected), and 'Living Expense Location'. The form has three input fields: 'Description' with the value 'Expenses', 'Code' with a dropdown menu showing 'LIVEXP', and 'Value' with the value '200'. The top right of the application shows the date '14-Nov-2022', language 'Engl...', and other settings.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) To verify user can able to update the  
living expense with invalid inputs

(F) Check the functionality of Living  
Expenses Master

The screenshot displays the AZENTIO ONEBOOKING application interface, showing the 'Living Expense Parameter List' table. The sidebar menu is identical to the previous screenshot. The main content area shows the 'Living Expense Parameter List' table with columns: Action, Description, Code, Comparator Value, and Status. The table is currently empty, showing 'No Records found' at the bottom. A green success message banner at the top right reads 'Success! Record created with ID: 592'. The top right of the application shows the date '14-Nov-2022', language 'Engl...', and other settings.



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) To verify user can able to update the  
living expense with invalid inputs

(F) Check the functionality of Living  
Expenses Master

The screenshot displays the AZENTIO ONEBOOKING application interface. The top navigation bar includes the date '14-Nov-2022', a calendar icon, an email icon, a grid icon, and language/region dropdowns for 'Engl...', 'LOS', and 'Aze...'. A user profile icon is also present. The left sidebar menu is blue and contains the following items: Dashboard, Configurations (with a sub-menu arrow), Living Expense (selected), Builder Master, Subvention Master, Incentive master, Checklist Master, Group Master, QuestionnaireMaster, TemplateMaster, CorporateDocument Master, Document Lodgement Master, and Commodity Master. Below these are Transactions and Reports, each with a dropdown arrow. The main content area is titled 'Living Expense Parameter List' and features a search bar with a magnifying glass icon. Below the search bar is a table with columns: Action, Description (sortable), Code (sortable), Comparator Value (sortable), and Status (sortable). The table currently shows 'No Records found' and a pagination control indicating '5' records per page. A blue circular button with a plus sign is located in the bottom right corner of the interface.