

Cucumber Report

Aug 8, 2022, 1:47:55 AM

Start : Aug 08, 1:46:34.937 AM

End : Aug 08, 1:47:53.941 AM

Duration : 1 m 19.004 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 5
FAILED - 1
SKIPPED - 3







#	Feature Name	T	P	F	S	Duration
1	<u>collateral Functionality</u>	1	0	1	0	1 m 19.004 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>collateral Functionality</u>	<u>collateral-While modification, user verify proper validation message for blank field</u>	9	5	1	3	1 m 19.001 s





(F)- collateral Functionality

FAILED	DURATION - 1 m 19.004 s	Scenarios		Steps	
/ 1:46:34.937 AM // 1:47:53.941 AM /		Total - 1		Total - 9	
		Pass - 0		Pass - 5	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 3	

(S)- collateral-While modification, user verify proper validation message for blank field


<div>FAILED</div> <div>DURATION - 1 m 19.001 s</div>			<div>Steps</div> <div>Total - 9</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 3</div>	
/ 1:46:34.940 AM // 1:47:53.941 AM /				
collateral Functionality				
@M6				

#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	10.116 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.233 s
	screenshot		
			
2	And User Login as maker	PASSED	0.000 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.157 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	Then click on Asset collateral config	PASSED	0.075 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.213 s
	screenshot		
			
4	Then click on collateral Edit icon	PASSED	0.133 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.299 s
	screenshot		
			
5	Then open collateral wip record	PASSED	1.127 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.307 s
	screenshot		
			
6	Then verify impact on modification with invalid data	FAILED	1 m 3.041 s
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: //ion-badge[contains(text()),'Alphanumeric characters allowed']' (tried for 60 second(s) with 2000 milliseconds interval) at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:91)		

#	Step / Hook Details	Status	Duration
	<p>at stepdefinitions.Collateral.verify_impact_on_modification_with_invalid_data(Collateral.java:428)</p> <p>at ?.verify impact on modification with invalid data(file:///C:/Users/inindc00089/git/repository6/Priyanka_AzentioULSFramework/src/test/java/features/Collateral.feature:81)</p> <p>Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//ion-badge[contains(text(),'Alphanumeric characters allowed')]"} (Session info: chrome=99.0.4844.82) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVDAP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [53fcb9c8a8df3d9d48d109c5373fe5c, findElement {using=xpath, value=//ion-badge[contains(text(),'Alphanumeric characters allowed')]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\Local\Temp\goog-chromeOptions: {debuggerAddress: localhost:62142}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:62142/devtools, se.cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 53fcb9c8a8df3d9d48d109c5373fe5c</p> <p>atjdk.internal.reflect.GeneratedConstructorAccessor18.newInstance(Unknown Source)</p> <p>at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</p> <p>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)</p> <p>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)</p> <p>at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)</p> <p>at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373)</p> <p>at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)</p> <p>at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)</p> <p>atjdk.proxy2/jdk.proxy2.\$Proxy45.isDisplayed(Unknown Source)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290)</p> <p>at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208)</p> <p>at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:91)</p> <p>at stepdefinitions.Collateral.verify_impact_on_modification_with_invalid_data(Collateral.java:428)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)</p> <p>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)</p> <p>at java.base/java.lang.reflect.Method.invoke(Method.java:568)</p>		

#	Step / Hook Details	Status	Duration
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115)		

#	Step / Hook Details	Status	Duration
	<pre>at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77)</pre> <p>* Not displayable characters are replaced by '?'. </p>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.237 s
7	Then verify the functionality of Back button	SKIPPED	0.000 s
8	Then open collateral wip record	SKIPPED	0.000 s
9	Then verify impact on modification with blank field	SKIPPED	0.001 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) collateral-While modification, user
verify proper validation message for blank
field

(F) collateral Functionality

AZENTIO
ONEBanking

Search the menu

Dashboard

Configurations

Asset Collateral Config

Business Rules

Corporate Masters

Misc Config

Other Masters

Transactions

Reports

Product wise Analysis

Scheme wise Amount Financed

Powered by Metabase

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) collateral-While modification, user
verify proper validation message for blank
field

(F) collateral Functionality

AZENTIO
ONEBanking

Search the menu

Dashboard

Configurations

Asset Collateral Config

Business Rules

Corporate Masters

Misc Config

Other Masters

Product Definitions

Product Setup

Regulatory Product Def...

Project Setup

Transactions

Reports

Product wise Analysis

Product-wise Amount Financed

Subproduct-wise Amount Financed


Scheme wise Amount Financed

Powered by Metabase

```
(Step) AFTER_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)
```

(S) collateral-While modification, user
verify proper validation message for blank
field


(F) collateral Functionality



```
(Step) AFTER_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)
```

(S) collateral-While modification, user verify proper validation message for blank field

(F) collateral Functionality



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) collateral-While modification, user
verify proper validation message for blank
field

(F) collateral Functionality

The screenshot displays the AZENTIO ONEBanking application. On the left is a blue sidebar menu with options: Dashboard, Configurations, Asset Collateral Config, Collateral, Collateral sub type, Collateral type, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, and Transactions. The main area shows a table titled 'List of Asset/Collateral categories'. The table has columns: Action, Asset/Collateral Category Code, AssetCollateral Category Description, Created By, Status, and Authorization Status. The data rows are as follows:

Action	Asset/Collateral Category Code	AssetCollateral Category Description	Created By	Status	Authorization Status
	FD10	Fixed	in00135	Active	CHECKER
	FD9	Fixed Deposit9	in00135	In-active	CHECKER
	FD8	Fixed Deposit8	in00135	Active	CHECKER
	FD7	Fixed Deposit7	in00135	Active	CHECKER
	FD6	Fixed Deposit6	in00135	Active	CHECKER

At the bottom of the table, it says 'Showing 1 to 5 of 97 entries' with pagination controls. A search bar and an 'Export' button are at the top right of the table area.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) collateral-While modification, user
verify proper validation message for blank
field

(F) collateral Functionality

The screenshot displays the AZENTIO ONEBanking application. On the left is a blue sidebar menu with options: Dashboard, Configurations, Asset Collateral Config, Collateral, Collateral sub type, Collateral type, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, and Transactions. The main area shows a form titled 'Asset / Collateral categories' with a sub-header 'Asset / Collateral Category Detail'. The form fields are:

- Description *: Fixed
- Asset / Collateral Category Code *: FD10
- Module *: LM
- Registration Required: ☒
- Repossession Allowed: ☒
- Status: ☒
- Remarks *: OK*