

Cucumber Report

Jul 20, 2022, 4:55:58 PM

Start : Jul 20, 4:55:17.539 PM

End : Jul 20, 4:55:53.033 PM

Duration : 35.494 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 5
FAILED - 1
SKIPPED - 18







#	Feature Name	T	P	F	S	Duration
1	<u>Check the functionality of product master</u>	1	0	1	0	35.494 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Check the functionality of product master</u>	<u>Product Master - Modify records (approve, reject and return) at maker stage</u>	24	5	1	18	35.487 s

(F)- Check the functionality of product master


FAILED	DURATION - 35.494 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 24 Pass - 5 Fail - 1 Skip - 18	
/ 4:55:17.539 PM // 4:55:53.033 PM /					

(S)- Product Master - Modify records (approve, reject and return) at maker stage


<div>FAILED</div> <div>DURATION - 35.487 s</div>		<div></div>	<div>Steps</div> <div>Total - 24</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 18</div>	<div></div>
/ 4:55:17.546 PM // 4:55:53.033 PM /				
Check the functionality of product master				
@M5				


#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	14.963 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.366 s
	screenshot		
			
2	And User Login as maker	PASSED	0.000 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.307 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	Then user should navigate to product master	PASSED	0.117 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.267 s
	screenshot 		
4	And click on edit view of product master	PASSED	3.154 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.189 s
	screenshot 		
5	Then click on edit button of record to modify	PASSED	0.104 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.317 s
	screenshot 		
6	Then user should verify the buttons available on screen while modify	FAILED	0.047 s
	<p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//ion-select[@aria-label='Select, Product Group *']"} (Session info: chrome=100.0.4896.127) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [96c55a5bf94779a7b0fc842109070555, findElement {using=xpath, value=//ion-select[@aria-label='Select, Product Group *']}]</p>		

#	Step / Hook Details	Status	Duration
	<p>Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 100.0.4896.127, chrome: {chromedriverVersion: 99.0.4844.51 (d537ec02474b5..., userDataDir: C:\Users\ININDC~1\AppData\Local\Google\Chrome\User Data\Default\Profile 1\Extensions\pfnldbfapknjaccodhcflmpgakhoijhmjfcfn}, goog:chromeOptions: {debuggerAddress: localhost:51873}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:51873/devtools/page/1, se:cdpVersion: 100.0.4896.127, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 96c55a5bf94779a7b0fc842109070555</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy45.isDisplayed(Unknown Source) at stepdefinitions.ProductMaster_Retail.user_should_verify_the_buttons_available_on_screen_while_modify(ProductMaster_Retail.java:50) at ?user should verify the buttons available on screen while modify(file:///C:/Users/inindc00091/git/Azentio_uls_04/AzentioAutomationFramework/src/test/java/features/ProductMaster_Retail.feature:9) * Not displayable characters are replaced by '?'. </p>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.596 s
7	Then verify system should modify before approved the record	SKIPPED	0.001 s
8	And click on eye icon of product master	SKIPPED	0.001 s
9	Then verify system should modify already approved record	SKIPPED	0.001 s
10	Then verify system allow user to save modified record with valid data	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
11	Then system should display the confirmation message	SKIPPED	0.000 s
12	Then click on inbox and select the modified record	SKIPPED	0.000 s
13	Then click on submit button	SKIPPED	0.000 s
14	Then user verify that system should display confirmation message after submit	SKIPPED	0.000 s
15	And click on edit view of product master	SKIPPED	0.000 s
16	Then click on edit button of record2 to modify	SKIPPED	0.000 s
17	Then verify system allow user to save modified record with valid data	SKIPPED	0.001 s
18	Then click on inbox and select the modified record	SKIPPED	0.000 s
19	Then click on submit button	SKIPPED	0.000 s
20	And click on edit view of product master	SKIPPED	0.000 s
21	Then click on edit button of record3 to modify	SKIPPED	0.001 s
22	Then verify system allow user to save modified record with valid data	SKIPPED	0.000 s
23	Then click on inbox and select the modified record	SKIPPED	0.000 s
24	Then click on submit button	SKIPPED	0.000 s


<p>(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)</p>	 <p>The screenshot shows the Azentio Software interface. On the left is a dark blue sidebar with the 'AZENTIO' logo at the top. Below the logo are three icons: a wrench, a gear, and a document. A list of menu items follows: Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup, Regulatory Product Defini..., Project Setup, Config Manager, and Sample Screens. The top of the interface has a header bar with a hamburger menu icon, an envelope icon, 'English' with a dropdown arrow, 'LOS' with a dropdown arrow, 'Azentio Software' with a dropdown arrow, a grid of dots icon, a bell icon, a user profile icon for 'Puneet' with the date '01-Sep-2023', and a small dark blue icon. The main content area is a large, empty light blue space. In the bottom right corner of this area is a dark blue circular button with a white gear icon.</p>	<p><u>(S) Product Master - Modify records (approve, reject and return) at maker stage</u></p>
<p><u>(F) Check the functionality of product master</u></p>		

<p>(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)</p>	 <p>The screenshot shows the Azentio Software interface. On the left is a dark blue sidebar with the 'AZENTIO' logo at the top. Below the logo are three icons: a wrench, a gear, and a document. A list of menu items follows: Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup, Regulatory Product Defini..., Project Setup, Config Manager, and Sample Screens. The top of the interface has a header bar with a hamburger menu icon, an envelope icon, 'English' with a dropdown arrow, 'LOS' with a dropdown arrow, 'Azentio Software' with a dropdown arrow, a grid of dots icon, a bell icon, a user profile icon for 'Puneet' with the date '01-Sep-2023', and a small dark blue icon. The main content area is a large, empty light blue space. In the bottom right corner of this area is a dark blue circular button with a white gear icon.</p>	<p><u>(S) Product Master - Modify records (approve, reject and return) at maker stage</u></p>
<p><u>(F) Check the functionality of product master</u></p>		

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master - Modify records
(approve, reject and return) at maker
stage

(F) Check the functionality of product
master




The screenshot shows the Azentio software interface. The top navigation bar includes a hamburger menu, language (English), location (LOS), software version (Azentio Software), a grid icon, a bell icon, a user profile (Puneet, 01-Sep-2023), and a dark mode toggle. The left sidebar contains a list of menu items: Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup (highlighted in orange), Asset Auto Master, Asset CD Master, Sub Product Master, Regulatory Product Defini..., Project Setup, and Config Manager. The main content area is currently blank, with a dark mode toggle button in the bottom right corner.











(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master - Modify records
(approve, reject and return) at maker
stage

(F) Check the functionality of product
master




The screenshot shows the Azentio software interface with the Product Master table displayed. The table has columns for Action, Product Group, Product Code, Product Description, Retail/Corporate, Status, and Authorization Status. The table contains five rows of data, all with a status of 'Active'. The bottom of the table shows a pagination bar indicating 'Showing 1 to 5 of 63 entries' and a dark mode toggle button.

Action	Product Group	Product Code	Product Description	Retail/Corporate	Status	Authorization Status
 	98303249	HL	OK	R	Active	
 	98303249	LFH	OK	R	Active	
 	98303275	depo15	depo15	R	Active	
 	98303275	depo14	depo14	R	Active	
 	98303249	jj	ok	R	Active	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master - Modify records
(approve, reject and return) at maker
stage

(F) Check the functionality of product
master




The screenshot displays the Azentio Product Master interface. On the left is a dark blue sidebar with the Azentio logo and a list of navigation items: Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup, Asset Auto Master, Asset CD Master, Product master (highlighted), Sub Product Master, Regulatory Product Defini..., Project Setup, and Config Manager. The main content area has a top header with a hamburger menu, language (English), LOS, Azentio Software, and user profile (Puneet, 01-Sep-2023). Below the header is a 'Product Master' section with a search bar and an 'Export' button. A table lists product entries with columns: Action, Product Group, Product Code, Product Description, Retail/Corporate, Status, and Authorization Status. The table contains five rows of data, all with 'Active' status. The first row is highlighted. At the bottom, a pagination bar shows 'Showing 1 to 5 of 63 entries' and a page selector with '1' highlighted.

Action	Product Group	Product Code	Product Description	Retail/Corporate	Status	Authorization Status
	98303249	HL	OK	R	Active	
	98303249	LFH	OK	R	Active	
	98303275	depo15	depo15	R	Active	
	98303275	depo14	depo14	R	Active	
	98303249	jj	ok	R	Active	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master - Modify records
(approve, reject and return) at maker
stage

(F) Check the functionality of product
master



The screenshot displays the Azentio Product Master interface, similar to the first one. The sidebar and top header are identical. However, the main content area shows a 'Product Master' section with a back arrow on the left and a red notification icon on the right. The table area is empty, indicating that the product data has been cleared or is in a state where no records are visible.