

# Cucumber Report

Sep 22, 2022, 2:28:29 PM

Start : Sep 22, 2:28:03.262 PM

End : Sep 22, 2:28:28.609 PM

Duration : 25.347 s

Features


Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0


PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 12  
FAILED - 1  
SKIPPED - 16







#	Feature Name	T	P	F	S	Duration
1	<u>Check the functionality of Customer Address Details screen</u>	1	0	1	0	25.347 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the functionality of Customer Address Details screen	verify post clicking on Add button, the Customer Address Information screen is getting open with all valid fields	29	12	1	16	25.340 s

**(F)- Check the functionality of Customer Address Details screen**




<b>FAILED</b>	<b>DURATION - 25.347 s</b>	Scenarios		Steps	
/ 2:28:03.262 PM // 2:28:28.609 PM /		Total - 1		Total - 29	
		Pass - 0		Pass - 12	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 16	



**(S)- verify post clicking on Add button, the Customer Address Information screen is getting open with all valid fields**


<div>FAILED</div> <div>DURATION - 25.340 s</div>		<div></div>	<div>Steps</div> <div>Total - 29</div> <div>Pass - 12</div> <div>Fail - 1</div> <div>Skip - 16</div>	<div></div>
/ 2:28:03.269 PM // 2:28:28.609 PM /				
Check the functionality of Customer Address Details screen				
@AT_CAD_01				

#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	5.582 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.381 s
	screenshot		
			
2	And User Login as maker	PASSED	3.493 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.245 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	And user click on Inbox Icon	PASSED	1.194 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.339 s
	screenshot		
			
4	And user click search icon	PASSED	0.141 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.216 s
	screenshot		
			
5	And user Enter Customer Address details Application ID	PASSED	0.174 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.155 s
	screenshot		
			
6	And user click on First record of Appdata Entry	PASSED	0.134 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.273 s
	screenshot		
			

#	Step / Hook Details	Status	Duration
7	And user click on Additional customer Info Tab	PASSED	1.260 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.539 s
	screenshot		
			
8	And user click on First Record Edit Icon	PASSED	0.220 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.593 s
	screenshot		
			
9	And user click on Address Information Add Icon	PASSED	0.532 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.547 s
	screenshot		
			
10	And user verify the Address Type field and Choose the value	PASSED	0.796 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.224 s
	screenshot		
			
11	And user verify the Address status field and choose the value	PASSED	0.476 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.213 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
12	And user verify the Residential status field and choose the value	PASSED	1.303 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.133 s
			
13	<p>And user verify the Address Line 1 field and Enter the Vaue</p> <p>org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element &lt;input class="native-input sc-ion-input-ios" aria-labelledby="ion-input-3-lbl" autocapitalize="off" autocomplete="off" autocorrect="off" name="ion-input-3" placeholder="" spellcheck="false" type="text"&gt; is not clickable at point (391, 511). Other element would receive the click: &lt;ion-radio class="sc-ion-select-popover-ios ios in-item interactive hydrated" aria-checked="false" aria-labelledby="ion-rb-10-lbl" role="radio" tabindex="-1"&gt;&lt;/ion-radio&gt; (Session info: chrome=100.0.4896.60) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [8657ebf0360b4c1d7f7cd04bce58c67f, clickElement {id=919e6418-d0f1-4329-a6e6-b0f25739c60e}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 100.0.4896.60, chrome: {chromedriverVersion: 99.0.4844.51 (d537ec02474b5..., userDataDir: C:\Users\NININDC~1\AppData\Local\Temp\chrome-win-1024x768\chrome-win-1024x768\chrome.exe}, goog:chromeOptions: {debuggerAddress: localhost:53169}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:53169/devtools, se.cdpVersion: 100.0.4896.60, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (8657ebf0360b4c1d7f7cd04bce58c67f)] -&gt; xpath: //ion-label[text()=' Address Line 1 ']/parent::ion-item//input] Session ID: 8657ebf0360b4c1d7f7cd04bce58c67f</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)  at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251)</p>	FAILED	1.147 s


#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy45.click(Unknown Source) at stepdefinitions.Customer_Address_Information. user_verify_the_address_line_1_field_and_enter_the_vaue(Customer_Address_Information.java:102)   at ?.user verify the Address Line 1 field and Enter the Vaue(file:///C:/Users/inindc00091/git/Devesh_AzentioULS_FW/ AzentioULSFrameworkCopy/src/test/java/features/CustomerAddressDetails.feature:125) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.147 s
14	And user verify the Address Line 2 field and Enter the Vaue	SKIPPED	0.001 s
15	And user verify the country field and choose the value	SKIPPED	0.000 s
16	And user verify the District Name field and Enter the value	SKIPPED	0.000 s
17	And user verify the Zip code field and Enter the value	SKIPPED	0.000 s
18	And user verify the PO Box Number field and Enter the value	SKIPPED	0.000 s
19	And user verify the Mobile Number primary field and Enter the value	SKIPPED	0.000 s
20	And user verify the Duration of stay field and Enter the value	SKIPPED	0.001 s
21	And user verify the Latitude details of the address field and Enter the Value	SKIPPED	0.000 s
22	And user verify the Longitude details of the address field and Enter the Value	SKIPPED	0.000 s
23	And user verify the LandMark field and Enter the Value	SKIPPED	0.000 s
24	And user verify the Occupancy date field and choose the date	SKIPPED	0.000 s
25	And user verify the Landlord name field and Enter the Value	SKIPPED	0.000 s
26	And user verify the Landlord Number field and Enter the value	SKIPPED	0.000 s
27	And user verify the Rent amount field and Enter the Value	SKIPPED	0.001 s
28	And user verify the Frequency of Rent field and choose the value	SKIPPED	0.000 s
29	And user click the Save the button	SKIPPED	0.000 s



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify post clicking on Add button, the  
Customer Address Information screen is  
getting open with all valid fields


(F) Check the functionality of Customer  
Address Details screen



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify post clicking on Add button, the  
Customer Address Information screen is  
getting open with all valid fields


(F) Check the functionality of Customer  
Address Details screen



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify post clicking on Add button, the  
Customer Address Information screen is  
getting open with all valid fields

(F) Check the functionality of Customer  
Address Details screen



**AZENTIO**  
ONEBanking

Inbox


Action

Showing 0 to 0 of 0 entries

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify post clicking on Add button, the  
Customer Address Information screen is  
getting open with all valid fields

(F) Check the functionality of Customer  
Address Details screen



**AZENTIO**  
ONEBanking

Inbox

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product	Workflow Type	Event Type	Transaction Type
	636	APP_CREATE	OFFERING	CREOFF	in02040	22-Sep-2022 14:22	HLW	AHL		T	T
	639	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 14:11	HLW	AHL		T	T
	638	APP_CREATE	DUPAPPDEC	BRMANG	in02040	22-Sep-2022 14:11	HLW	AHL		T	T
	620	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 13:35	HLW	AHL		T	T
	231	CHARGE_MST	MAKER	LOSMKR	in02040	22-Sep-2022 13:9	TSW			M	M
	631	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 12:53	HLW	AHL		T	T
	619	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 12:50	HLW	AHL		T	T
	630	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 12:50	HLW	AHL		T	T
	629	APP_CREATE	NEWAPP	BREXEC	in02040	22-Sep-2022 12:50	HLW	AHL		T	T

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify post clicking on Add button, the  
Customer Address Information screen is  
getting open with all valid fields

(F) Check the functionality of Customer  
Address Details screen

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product	Workflow Type	Event Type	Transaction Type
	636	APP_CREATE	OFFERING	CREOFF	in02040	22-Sep-2022 14:22	HLW	AHL		T	T
	639	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 14:11	HLW	AHL		T	T
	638	APP_CREATE	DUPAPPDEC	BRMANG	in02040	22-Sep-2022 14:11	HLW	AHL		T	T
	620	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 13:35	HLW	AHL		T	T
	231	CHARGE_MST	MAKER	LOSMKR	in02040	22-Sep-2022 13:9	TSW			M	M
	631	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 12:53	HLW	AHL		T	T
	619	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 12:50	HLW	AHL		T	T
	630	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 12:50	HLW	AHL		T	T
	629	APP_CREATE	NEWAPP	BREXEC	in02040	22-Sep-2022 12:50	HLW	AHL		T	T

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify post clicking on Add button, the  
Customer Address Information screen is  
getting open with all valid fields


(F) Check the functionality of Customer  
Address Details screen

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product	Workflow Type	Event Type	Transaction Type
	506	APP_CREATE	APPDATAENT	CPUEXEC	in02040	15-Sep-2022 10:22	HLW	AHL		T	

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify post clicking on Add button, the  
Customer Address Information screen is  
getting open with all valid fields


(F) Check the functionality of Customer  
Address Details screen



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify post clicking on Add button, the  
Customer Address Information screen is  
getting open with all valid fields

(F) Check the functionality of Customer  
Address Details screen



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify post clicking on Add button, the  
Customer Address Information screen is  
getting open with all valid fields

(F) Check the functionality of Customer  
Address Details screen

The screenshot shows the 'AZENTIO ONEBanking' interface. The 'Additional Customer Info' tab is active, displaying input fields for 'Application ID', 'Applicant Name', and 'Customer ID'. Navigation tabs at the bottom include 'Prev', 'Application Info', 'Customer details', 'Additional Customer Info', 'Customer Financials', 'Facility Info', 'Document Details', 'Offering', 'Rep', and 'Next'. The 'Next' button is highlighted in blue.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify post clicking on Add button, the  
Customer Address Information screen is  
getting open with all valid fields

(F) Check the functionality of Customer  
Address Details screen

The screenshot shows the 'AZENTIO ONEBanking' interface with the 'Customer Address' form. A dropdown menu is open, showing options: 'Home' (selected with a checkmark), 'Office', and 'Place of actual Residence'. The form fields include 'Address Type', 'Residential Or Occupancy Status', 'Address Line 1', 'Country', 'Address Line 2', and 'Province Id'. Action buttons at the top right include 'Approve', 'Reject', 'Return', 'Eligibility Check', and 'Print'. The 'Next' button is highlighted in blue.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify post clicking on Add button, the  
Customer Address Information screen is  
getting open with all valid fields

(F) Check the functionality of Customer  
Address Details screen

**AZENTIO ONEBanking**

Application ID : Applicant Name : Customer ID :

Prev Application Info Customer details **Additional Customer Info** Customer Financials Facility Info Document Details Offering Next

Approve Reject Return Eligibility Check Print

**Customer Address**

Address Type \* Home

Residential Or Occupancy Status \* Select

Address Line 1 \*

Country \* Select

Address Status \* Previous

Communication Address Select

Address Line 2 \* Previous

Province Id \* Select

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify post clicking on Add button, the  
Customer Address Information screen is  
getting open with all valid fields

(F) Check the functionality of Customer  
Address Details screen

**AZENTIO ONEBanking**

Application ID : Applicant Name : Customer ID :

Prev Application Info Customer details **Additional Customer Info** Customer Financials Facility Info Document Details Offering Next

Approve Reject Return Eligibility Check Print

**Customer Address**

Address Type \* Home

Residential Or Occupancy Status \* Select

Address Line 1 \*

Country \* Select

Address Status \* Previous

Communication Address Select

Address Line 2 \* Previous

Province Id \* Select

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify post clicking on Add button, the  
Customer Address Information screen is  
getting open with all valid fields

(F) Check the functionality of Customer  
Address Details screen

The screenshot displays the 'Customer Address' screen within the AZENTIO ONEBanking application. The interface includes a top navigation bar with the application logo, user profile, and language/region settings. Below this is a breadcrumb trail showing the current step in the process: 'Prev', 'Application Info', 'Customer details', 'Additional Customer Info' (highlighted), 'Customer Financials', 'Facility Info', 'Document Details', 'Offering', and 'Next'. A set of action buttons (Approve, Reject, Return, Eligibility Check, Print) is located at the top right of the main content area. The main form is titled 'Customer Address' and contains several input fields: 'Address Type' (set to 'Home'), 'Residential Or Occupancy Status' (set to 'Select'), 'Address Status' (set to 'Previous'), 'Communication Address' (with a toggle switch), 'Address Line 2', 'Province Id' (set to 'Select'), and 'City Id'. A dropdown menu is open for 'Residential Or Occupancy Status', showing options: 'Select', 'Commercial rent', 'Dormitory', and 'Family owned'.