

Cucumber Report

Jul 27, 2022, 6:39:39 PM

Start : Jul 27, 6:38:06.589 PM

End : Jul 27, 6:39:36.982 PM

Duration : 1 m 30.393 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 0



FAILED - 1

SKIPPED - 0

PASSED - 16


FAILED - 1

SKIPPED - 16







#	Feature Name	T	P	F	S	Duration
1	<u>Check the functionality of product master</u>	1	0	1	0	1 m 30.393 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the functionality of product master	verify Checker user is able to Approve the record	33	16	1	16	1 m 30.387 s



(F)- Check the functionality of product master





FAILED	DURATION - 1 m 30.393 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 33 Pass - 16 Fail - 1 Skip - 16	
/ 6:38:06.589 PM // 6:39:36.982 PM /					

(S)- verify Checker user is able to Approve the record




<div>FAILED</div> <div>DURATION - 1 m 30.387 s</div>		<div></div>	<div>Steps</div> <div>Total - 33</div> <div>Pass - 16</div> <div>Fail - 1</div> <div>Skip - 16</div>	<div></div>
<div>/ 6:38:06.595 PM // 6:39:36.982 PM /</div>				
<div>Check the functionality of product master</div>				
<div>@ProductMaster_Retail_Approve</div>				

#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	6.685 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.388 s
	screenshot		
			
2	And User Login as maker	PASSED	4.896 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.235 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	Then click on Product Setup	PASSED	0.522 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.350 s
	screenshot		
			
4	Then click on Product Master eye icon	PASSED	0.247 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.200 s
	screenshot		
			
5	Then click on Product Master add button	PASSED	2.185 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.415 s
	screenshot		
			
6	Then verify functionality and asterik mark of the field Product Group	PASSED	2.385 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.235 s
	screenshot		


#	Step / Hook Details	Status	Duration
			
7	Then verify functionality and asterik mark of the field Product Code	PASSED	0.287 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.129 s
	screenshot		
			
8	Then Enter Product Description	PASSED	0.232 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.249 s
	screenshot		
			
9	Then verify functionality and asterik mark of the field RetailCorporate	PASSED	0.352 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.244 s
	screenshot		
			
10	Then verify the field Remarks	PASSED	0.231 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.145 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
11	Then click on save button	PASSED	0.157 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.362 s
	screenshot		
			
12	Then validate Success pop up	PASSED	0.386 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.243 s
	screenshot		
			
13	Then click on inbox	PASSED	0.206 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.317 s
	screenshot		
			
14	Then click on search icon of record list	PASSED	0.219 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.242 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
15	Then search Project Master Retail record	PASSED	0.243 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.173 s
	screenshot		
			
16	And maker user open the record from inbox	PASSED	0.313 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.347 s
	screenshot		
			
17	Then maker user submit the Record	FAILED	1 m 0.771 s
	<p>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: (//span[contains(text(),'Submit')])[2]' (tried for 60 second(s) with 2000 milliseconds interval) at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:104) at stepdefinitions.ProductMaster_Retail.maker_user_submit_the_record(ProductMaster_Retail.java:1092) at ?.maker user submit the Record(file:///C:/Users/inindc00091/git/Devesh_AzentioULS_FW/AzentioULSFrameworkCopy/src/test/java/features/ProductMaster_Retail.feature:212)</p> <p>Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"(//span[contains(text(),'Submit')])[2]"} (Session info: chrome=100.0.4896.127) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [3c6abfe103fd064429bc702139648a2e, findElement {using=xpath, value=(//span[contains(text(),'Submit')])[2]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 100.0.4896.127, chrome: {chromedriverVersion: 99.0.4844.51 (d537ec02474b5..., userDataDir: C:\Users\ININDC~1\AppData\L..., goog:chromeOptions: {debuggerAddress: localhost:61020}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform:</p>		

#	Step / Hook Details	Status	Duration
	<p>WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61020/devtoo..., se:cdpVersion: 100.0.4896.127, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 3c6abfe103fd064429bc702139648a2e</p> <p>atjdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) atjdk.proxy2/jdk.proxy2.\$Proxy45.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:104) at stepdefinitions.ProductMaster_Retail_maker_user_submit_the_record(ProductMaster_Retail.java:1092) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)</p>		


#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.136 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
18	Then user logout from the application	SKIPPED	0.001 s
19	And User Login as Checker	SKIPPED	0.001 s
20	Then click on Menu	SKIPPED	0.000 s
21	Then click on inbox	SKIPPED	0.000 s
22	Then click on search icon of record list	SKIPPED	0.000 s
23	Then search Project Master Retail record	SKIPPED	0.000 s
24	Then checker user open the record from inbox	SKIPPED	0.000 s
25	Then checker user approve the record	SKIPPED	0.000 s
26	Then user logout from the application	SKIPPED	0.000 s
27	Given User launch the kuls application	SKIPPED	0.000 s
28	And User Login as maker	SKIPPED	0.000 s
29	Then click on Product Setup	SKIPPED	0.000 s
30	Then click on Product Master eye icon	SKIPPED	0.002 s
31	Then click on search icon	SKIPPED	0.001 s
32	Then search approved record	SKIPPED	0.001 s
33	Then user logout from the application	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve
the record


(F) Check the functionality of product
master



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve
the record


(F) Check the functionality of product
master



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve
the record


(F) Check the functionality of product
master



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve
the record

(F) Check the functionality of product
master



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve
the record

(F) Check the functionality of product
master

The screenshot shows the Azentio Product Master interface. On the left is a dark blue sidebar with the Azentio logo and a list of navigation items: Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup, Asset Auto Master, Asset CD Master, Product master (highlighted), Sub Product Master, Regulatory Product Defini..., Project Setup, and Config Manager. The main content area has a top header with a hamburger menu, language (English), LOS, Azentio Software, and user profile (Puneet, 01-Sep-2023). Below the header is the 'Product Master' title and a table. The table has columns: Action, Product Group, Product Code, Product Description, Retail/Corporate, and Status. It displays five rows of data, all with 'Active' status. At the bottom, it shows 'Showing 1 to 5 of 139 entries' and a pagination control.

Action	Product Group	Product Code	Product Description	Retail/Corporate	Status
	98303249	PR22	Loan	R	Active
	98303249	PR22	Loan	R	Active
	98303249	PR22	Loan	R	Active
	98303275	dep006	desc11	R	Active
	98303249	PR19	Loan	R	Active

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve
the record


(F) Check the functionality of product
master

The screenshot shows the Azentio Product Master form view. The sidebar is identical to the previous screenshot. The main content area has a top header with the same navigation and user profile. Below the header is the 'Product Master' title and a form. The form has fields for Product Group (Lending), Product Code (empty), Product Description (Deposits), Retail/Corporate (empty), DM Code (Lending), and Remarks (empty). There is a 'Select' button next to the Product Description field. At the bottom right, there is a red button with a document icon and a notification bubble.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve
the record

(F) Check the functionality of product
master




The screenshot shows the Azentio Product Master form. The form has the following fields: Product Group (dropdown menu with 'Lending' selected), Product Code (text input with 'PR26'), Product Description (text input with 'Loan'), Retail/Corporate (dropdown menu with 'Select' selected), DM Code (text input), and Remarks (text area). The form is titled 'Product Master' and has a back arrow and a save icon in the top right corner.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve
the record

(F) Check the functionality of product
master




The screenshot shows the Azentio Product Master form. The form has the following fields: Product Group (dropdown menu with 'Lending' selected), Product Code (text input with 'PR26'), Product Description (text input with 'Loan'), Retail/Corporate (dropdown menu with 'Select' selected), DM Code (text input), and Remarks (text area). The form is titled 'Product Master' and has a back arrow and a save icon in the top right corner.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve
the record


(F) Check the functionality of product
master

The screenshot shows the 'Product Master' form in the Azentio software. The form has a header bar with a back arrow, the title 'Product Master', and a save icon. Below the header, there are several input fields: 'Product Group' (a dropdown menu with 'Lending' selected), 'Product Code' (a text field with 'PR26'), 'Product Description' (a text field with 'Loan'), 'Retail/Corporate' (a dropdown menu with 'Retail' selected), 'DM Code' (a text field), and 'Remarks' (a text area). The form is styled with a clean, modern design using blue and gray colors.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve
the record


(F) Check the functionality of product
master

The screenshot shows the 'Product Master' form in the Azentio software. The form has a header bar with a back arrow, the title 'Product Master', and a save icon. Below the header, there are several input fields: 'Product Group' (a dropdown menu with 'Lending' selected), 'Product Code' (a text field with 'PR26'), 'Product Description' (a text field with 'Loan'), 'Retail/Corporate' (a dropdown menu with 'Retail' selected), 'DM Code' (a text field), and 'Remarks' (a text area). The form is styled with a clean, modern design using blue and gray colors.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve
the record

(F) Check the functionality of product
master




The screenshot shows the Azentio Product Master interface. The sidebar on the left contains navigation options: Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup, Asset Auto Master, Asset CD Master, Product master (highlighted), Sub Product Master, Regulatory Product Defini..., Project Setup, and Config Manager. The main content area displays a table with the following columns: Action, Product Group, Product Code, Product Description, Retail/Corporate, Status, and Authorization Status. The table contains five rows of data, all with a status of 'Active'. The top header shows the user 'Puneet' with a date of '01-Sep-2023' and language settings for 'English' and 'LOS'.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve
the record

(F) Check the functionality of product
master




The screenshot shows the Azentio Product Master interface with a success message in the top right corner. The sidebar on the left contains navigation options: Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup, Asset Auto Master, Asset CD Master, Product master (highlighted), Sub Product Master, Regulatory Product Defini..., Project Setup, and Config Manager. The main content area displays a table with the following columns: Action, Product Group, Product Code, Product Description, Retail/Corporate, Status, and Authorization Status. The table contains five rows of data, all with a status of 'Active'. The top header shows the user 'Puneet' with a date of '01-Sep-2023' and language settings for 'English' and 'LOS'. A success message is visible in the top right corner.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve
the record

(F) Check the functionality of product
master




Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product
	5952	PRODUCT_MST	MAKER	LOSMKR	in00135	27-Jul-2022 18:39	TSW	
	5949	PRODUCT_MST	MAKER	LOSMKR	in00135	27-Jul-2022 18:16	TSW	
	5948	PRODUCT_MST	MAKER	LOSMKR	in00135	27-Jul-2022 18:15	TSW	
	5947	PRODUCT_MST	MAKER	LOSMKR	in00135	27-Jul-2022 18:13	TSW	
	103	FLOATING_RATE	MAKER	LOSMKR	in00135	27-Jul-2022 17:58	TSW	
	102	FLOATING_RATE	MAKER	LOSMKR	in00135	27-Jul-2022 17:51	TSW	
	101	FLOATING_RATE	MAKER	LOSMKR	in00135	27-Jul-2022 17:50	TSW	
	57	DUE_MST	MAKER	LOSMKR	in00135	27-Jul-2022 17:50	TSW	
	5936	SUB_PRD_MAST	MAKER	LOSMKR	in00135	27-Jul-2022 17:25	TSW	
	5935	SUB_PRD_MAST	MAKER	LOSMKR	in00135	27-Jul-2022 17:14	TSW	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve
the record

(F) Check the functionality of product
master



Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product
	5952	PRODUCT_MST	MAKER	LOSMKR	in00135	27-Jul-2022 18:39	TSW	
	5949	PRODUCT_MST	MAKER	LOSMKR	in00135	27-Jul-2022 18:16	TSW	
	5948	PRODUCT_MST	MAKER	LOSMKR	in00135	27-Jul-2022 18:15	TSW	
	5947	PRODUCT_MST	MAKER	LOSMKR	in00135	27-Jul-2022 18:13	TSW	
	103	FLOATING_RATE	MAKER	LOSMKR	in00135	27-Jul-2022 17:58	TSW	
	102	FLOATING_RATE	MAKER	LOSMKR	in00135	27-Jul-2022 17:51	TSW	
	101	FLOATING_RATE	MAKER	LOSMKR	in00135	27-Jul-2022 17:50	TSW	
	57	DUE_MST	MAKER	LOSMKR	in00135	27-Jul-2022 17:50	TSW	
	5936	SUB_PRD_MAST	MAKER	LOSMKR	in00135	27-Jul-2022 17:25	TSW	
	5935	SUB_PRD_MAST	MAKER	LOSMKR	in00135	27-Jul-2022 17:14	TSW	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve
the record

(F) Check the functionality of product
master

The screenshot displays the Azentio software interface. On the left is a dark blue sidebar with the Azentio logo at the top and a list of navigation items: Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup, Asset Auto Master, Asset CD Master, Product master (highlighted in orange), Sub Product Master, Regulatory Product Defini..., Project Setup, and Config Manager. The main area is titled 'Inbox' and contains a table with columns: Action, Reference Id, Event Code, Stage Code, Role Code, Employee Name, Created Date, Workflow Code, and Product. A search bar at the top right of the table contains the text 'PRODUCT_MST'. The table lists several records, all with 'PRODUCT_MST' as the Event Code and 'MAKER' as the Role Code. A green success message 'success' is visible in the top right corner. A blue circular icon with a gear symbol is located at the bottom right of the table area.

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product
	5952	PRODUCT_MST	MAKER	LOSMKR	in00135	27-Jul-2022 18:39	TSW	
	5949	PRODUCT_MST	MAKER	LOSMKR	in00135	27-Jul-2022 18:16	TSW	
	5948	PRODUCT_MST	MAKER	LOSMKR	in00135	27-Jul-2022 18:15	TSW	
	5947	PRODUCT_MST	MAKER	LOSMKR	in00135	27-Jul-2022 18:13	TSW	
	103	FLOATING_RATE	MAKER	LOSMKR	in00135	27-Jul-2022 17:58	TSW	
	102	FLOATING_RATE	MAKER	LOSMKR	in00135	27-Jul-2022 17:51	TSW	
	101	FLOATING_RATE	MAKER	LOSMKR	in00135	27-Jul-2022 17:50	TSW	
	57	DUE_MST	MAKER	LOSMKR	in00135	27-Jul-2022 17:50	TSW	
	5936	SUB_PRD_MAST	MAKER	LOSMKR	in00135	27-Jul-2022 17:25	TSW	
	5935	SUB_PRD_MAST	MAKER	LOSMKR	in00135	27-Jul-2022 17:14	TSW	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve
the record

(F) Check the functionality of product
master

This screenshot is identical to the one above, showing the Azentio software interface with the Product Master list. The table contains the same data, and the 'success' message is still present. The blue circular icon with a gear symbol is also visible at the bottom right of the table area.

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product
	5952	PRODUCT_MST	MAKER	LOSMKR	in00135	27-Jul-2022 18:39	TSW	
	5949	PRODUCT_MST	MAKER	LOSMKR	in00135	27-Jul-2022 18:16	TSW	
	5948	PRODUCT_MST	MAKER	LOSMKR	in00135	27-Jul-2022 18:15	TSW	
	5947	PRODUCT_MST	MAKER	LOSMKR	in00135	27-Jul-2022 18:13	TSW	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve
the record

(F) Check the functionality of product
master

AZENTIO™

Product Master

Product Group *
Lending

Product Code *
PR26

Product Description *
Loan

Retail/Corporate *
Retail

DM Code

Status

Remarks
HomeLoan

Submit Cancel