

Cucumber Report

Sep 15, 2022, 12:08:53 PM

Start : Sep 15, 12:08:29.787 PM

End : Sep 15, 12:08:52.419 PM

Duration : 22.632 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 0


FAILED - 1

SKIPPED - 0

PASSED - 9

FAILED - 1

SKIPPED - 0







#	Feature Name	T	P	F	S	Duration
1	Personal Details Disbursement Checker Functionality	1	0	1	0	22.632 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Personal Details Disbursement Checker Functionality</u>	<u>To check the functionality of Personal Details Disbursement Checker</u>	10	9	1	0	22.629 s





(F)- Personal Details Disbursement Checker Functionality




FAILED	DURATION - 22.632 s	Scenarios		Steps	
/ 12:08:29.787 PM // 12:08:52.419 PM /		Total - 1	1	Total - 10	10
		Pass - 0		Pass - 9	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	


(S)- To check the functionality of Personal Details Disbursement Checker

<div>FAILED</div> <div>DURATION - 22.629 s</div>	<div></div>	Steps	<div></div>
/ 12:08:29.790 PM // 12:08:52.419 PM /		Total - 10	
Personal Details Disbursement Checker Functionality		Pass - 9	
@PDDC-002		Fail - 1	
		Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	5.309 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.282 s
	screenshot		
			
2	And User Login as maker	PASSED	5.305 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.106 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	Then click on inbox	PASSED	0.188 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.212 s
	screenshot 		
4	Then click on inbox search icon	PASSED	0.118 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.136 s
	screenshot 		
5	Then search Personal Details Disbursement Checker record	PASSED	1.120 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.087 s
	screenshot 		
6	And maker user open the record from inbox	PASSED	1.165 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.134 s
	screenshot		


#	Step / Hook Details	Status	Duration
			
7	Then click on Customer Details Segment button	PASSED	2.187 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.231 s
	screenshot 		
8	Then open Customer Details record	PASSED	2.198 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.380 s
	screenshot 		
9	Then Validate Personal Details Disbursement Checker Back button	PASSED	0.421 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.151 s
	screenshot 		
10	Then Validate Personal Details Disbursement Checker Add button	FAILED	0.428 s
	<p>org.openqa.selenium.StaleElementReferenceException: stale element reference: element is not attached to the page document (Session info: chrome=99.0.4844.82) For documentation on this error, please visit: https://selenium.dev/exceptions/#stale_element_reference Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [86efca6a60d8b95e0c61349d9b9f4e98, clickElement {id=5dad8f7d-da89-45e6-b040-8819820feced}] Capabilities {acceptInsecureCerts: false,</p>		

#	Step / Hook Details	Status	Duration
	<p>browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\Local\..., goog:chromeOptions: {debuggerAddress: localhost:49285}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:49285/devtools, se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (86efca6a60d8b95e0c61349d9b9f4e98)] -> xpath: //button[@ng-reflect-text='Add']] Session ID: 86efca6a60d8b95e0c61349d9b9f4e98</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy45.click(Unknown Source) at stepdefinitions.PersonalDetailsDisbursementChecker. validate_personal_details_disbursement_checker_add_button(PersonalDetailsDisbursementChecker.java:54) at ?.Validate Personal Details Disbursement Checker Add button(file:///C:/Users/inindc00089/git/repository6/Priyanka_AzentioULSFramework/src/test/java/features/PersonalDetails_DisbursementChecker.feature:14) * Not displayable characters are replaced by '?'. </p>		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.154 s
	<p>screenshot</p> 		

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To check the functionality of Personal
Details Disbursement Checker


(F) Personal Details Disbursement
Checker Functionality



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To check the functionality of Personal
Details Disbursement Checker

(F) Personal Details Disbursement
Checker Functionality



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To check the functionality of Personal
Details Disbursement Checker

(F) Personal Details Disbursement
Checker Functionality

The screenshot shows the AZENTIO ONEBanking application interface. The top navigation bar includes the AZENTIO logo, a search bar, and user profile information. The left sidebar contains a menu with options: Dashboard, Configurations, Config Manager, Sample Screens, Transactions, and Reports. The main content area is titled 'Inbox' and shows 'Action' with a message 'Showing 0 to 0 of 0 entries'. A pagination control shows '10'.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To check the functionality of Personal
Details Disbursement Checker

(F) Personal Details Disbursement
Checker Functionality

The screenshot shows the AZENTIO ONEBanking application interface with an inbox containing 10 entries. The table has columns: Action, Reference Id, Event Code, Stage Code, Role Code, Employee Name, Created Date, Workflow Code, and Product. The entries are as follows:

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product
	514	APP_CREATE	NEWAPP	BREXEC	in02040	15-Sep-2022 12:8	HLW	AHL
	513	APP_CREATE	NEWAPP	BREXEC	in02040	15-Sep-2022 12:8	HLW	AHL
	512	APP_CREATE	APPDATAENT	CPUEXEC	in02040	15-Sep-2022 11:58	HLW	AHL
	507	APP_CREATE	DISBMKR	OPEMKR	in02040	15-Sep-2022 11:36	HLW	AHL
	510	APP_CREATE	OFFERING	CREOFF	in02040	15-Sep-2022 11:28	HLW	AHL
	508	APP_CREATE	DISBMKR	OPEMKR	in02040	15-Sep-2022 11:24	HLW	AHL
	285	APP_CREATE	DISBMKR	OPEMKR	in02040	15-Sep-2022 10:39	HLW	AHL
	506	APP_CREATE	APPDATAENT	CPUEXEC	in02040	15-Sep-2022 10:22	HLW	AHL
	489	APP_CREATE	APPDATAENT	CPUEXEC	in02040	14-Sep-2022 20:59	HLW	AHL
	485	APP_CREATE	OFFERING	CREOFF	in02040	14-Sep-2022 20:34	HLW	AHL

The bottom of the page shows a pagination control with 'Showing 1 to 10 of 61 entries' and a page number '1' highlighted.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To check the functionality of Personal
Details Disbursement Checker

(F) Personal Details Disbursement
Checker Functionality

AZENTIO
ONEBanking

Search the menu

Dashboard

Configurations

Config Manager

Sample Screens

Transactions

Reports

Inbox

313

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product
	313	APP_CREATE	DISBCKR	OPECHK	in02040	05-Sep-2022 15:3	HLW	AHL

Showing 1 to 1 of 1 entries

1

10

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To check the functionality of Personal
Details Disbursement Checker

(F) Personal Details Disbursement
Checker Functionality

AZENTIO
ONEBanking

Search the menu

Dashboard

Configurations

Config Manager

Sample Screens

Transactions

Reports

Inbox

313

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product
	313	APP_CREATE	DISBCKR	OPECHK	in02040	05-Sep-2022 15:3	HLW	AHL

Showing 1 to 1 of 1 entries

1

10

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To check the functionality of Personal
Details Disbursement Checker

(F) Personal Details Disbursement
Checker Functionality

The screenshot displays the AZENTIO ONEBanking application interface. On the left is a dark blue sidebar with a search bar and a menu containing: Dashboard, Configurations (with a sub-menu for Config Manager and Sample Screens), Transactions, and Reports. The main content area has a top navigation bar with tabs: Prev, Application Details, Customer details (selected), Beneficiary Details, Payment Schedule, Drawdown, Drawdown details, and Next. The Customer details tab is active, but the content area is currently blank. At the bottom right of the main area is a blue circular button with a white gear icon. The top right of the application shows user settings for language (Engl...), LOS, and a user profile (Aze...).

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To check the functionality of Personal
Details Disbursement Checker

(F) Personal Details Disbursement
Checker Functionality

This screenshot shows the same AZENTIO ONEBanking application, but the Customer details tab now displays a table titled "Customer Personal Information". The table has a header row with columns: Select, Action, CIF ID, First Name, Middle Name, Last Name, Customer Type, Applicant Type, and Status. Below the header, there is one data row with the following values: an empty circle in the Select column, an edit icon in the Action column, "testerA" for CIF ID, "mname" for First Name, "lname" for Middle Name, "I" for Last Name, "P" for Customer Type, and "Active" for Applicant Type. The Status column shows a green "Active" badge. At the bottom of the table, it says "Showing 1 to 1 of 1 entries" with pagination controls. The interface elements (sidebar, top navigation, and user settings) are identical to the previous screenshot.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To check the functionality of Personal
Details Disbursement Checker

(F) Personal Details Disbursement
Checker Functionality

The screenshot shows the AZENTIO ONEBanking interface. On the left is a blue sidebar with a search bar and menu items: Dashboard, Configurations, Config Manager, Sample Screens, Transactions, and Reports. The main content area is titled 'Customer Personal Information' and includes a breadcrumb trail: Prev > Application Details > Customer details > Beneficiary Details > Payment Schedule > Drawdown > Drawdown details > Next. Below the breadcrumb is a table with columns: Select, Action, CIF ID, First Name, Middle Name, Last Name, Customer Type, Applicant Type, and Status. The 'Customer details' tab is active, showing a 'Customers Information' section with a table of customer records. The first record is expanded, showing 'Personal Details' for a customer with CIF ID 'testerA'. The form includes fields for Customer Type (Individual Customer), Applicant Type (Primary Applicant), KYC Status, Salutation (Mr), First Name (testerA), Middle Name (mname), Last Name (lname), Father's First Name (fname), Father's Middle Name (fmname), Father's Last Name (fname), Spouse's First Name, Spouse's Middle Name, Spouse's Last Name, No. Of Children, Spouse Status, and Date Of Birth.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To check the functionality of Personal
Details Disbursement Checker

(F) Personal Details Disbursement
Checker Functionality

This screenshot shows the same AZENTIO ONEBanking interface as the previous one, but with the 'Customer details' tab active and the 'Customers Information' table displayed. The table has columns for Select, Action, CIF ID, First Name, Middle Name, Last Name, Customer Type, Applicant Type, and Status. The table contains several rows of customer data, with the first row having a 'Select' checkbox and an 'Action' button. The table is currently empty of data rows.