

Cucumber Report

Jul 27, 2022, 6:47:47 PM

Start : Jul 27, 6:47:08.644 PM

End : Jul 27, 6:47:45.332 PM

Duration : 36.688 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 0



FAILED - 1

SKIPPED - 0

PASSED - 13


FAILED - 1

SKIPPED - 52







| # | Feature Name | T | P | F | S | Duration |
|---|--|---|---|---|---|----------|
| 1 | <u>Check the functionality of product master</u> | 1 | 0 | 1 | 0 | 36.688 s |






| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|--|--|----|----|---|----|----------|
| 1 | <u>Check the functionality of product master</u> | <u>Product Master - Modify records (approve, reject and return) at maker stage</u> | 66 | 13 | 1 | 52 | 36.682 s |





(F)- Check the functionality of product master





| | | | | | |
|--------------------------------------|----------------------------|--|---|---|---|
| FAILED | DURATION - 36.688 s | Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0 |  | Steps Total - 66 Pass - 13 Fail - 1 Skip - 52 |  |
| / 6:47:08.644 PM // 6:47:45.332 PM / | | | | | |





(S)- Product Master - Modify records (approve, reject and return) at maker stage


| | | | | |
|--|--|---|--|--|
| <div>FAILED</div> <div>DURATION - 36.682 s</div> | | <div></div> | <div>Steps</div> <div>Total - 66</div> <div>Pass - 13</div> <div>Fail - 1</div> <div>Skip - 52</div> | <div></div> |
| / 6:47:08.650 PM // 6:47:45.332 PM / | | | | |
| Check the functionality of product master | | | | |
| @M5 @ProductMaster | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User launch the kuls application | PASSED | 7.590 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.377 s |
| | screenshot | | |
| |  | | |
| 2 | And User Login as maker | PASSED | 4.740 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.225 s |
| | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| |  | | |
| 3 | Then user should navigate to product master | PASSED | 0.238 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.330 s |
| | screenshot | | |
| |  | | |
| 4 | And click on edit view of product master | PASSED | 0.350 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.323 s |
| | screenshot | | |
| |  | | |
| 5 | Then click on edit button of record to modify | PASSED | 2.518 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.359 s |
| | screenshot | | |
| |  | | |
| 6 | Then user should verify the buttons available on screen while modify | PASSED | 1.307 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.147 s |
| | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|----|---|--------|----------|
| |  | | |
| 7 | Then verify system should modify the record before approved | PASSED | 1.692 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.254 s |
| | screenshot | | |
| |  | | |
| 8 | And click on eye icon of product master | PASSED | 0.239 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.268 s |
| | screenshot | | |
| |  | | |
| 9 | Then verify system should modify already approved record | PASSED | 2.807 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.128 s |
| | screenshot | | |
| |  | | |
| 10 | Then verify system allow user to save modified record with valid data | PASSED | 0.136 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.329 s |
| | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|----|--|--------|----------|
| |  | | |
| 11 | Then system should display the confirmation message | PASSED | 0.564 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.226 s |
| | screenshot  | | |
| 12 | Then click on inbox button | PASSED | 0.216 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.219 s |
| | screenshot  | | |
| 13 | And select the modified record from inbox to approve | PASSED | 1.339 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.294 s |
| | screenshot  | | |
| 14 | Then click on submit button | FAILED | 3.465 s |
| | <p>org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element ... is not clickable at point (1253, 106). Other element would receive the click: <ion-modal class="ios modal-card modal-sheet k-workflow-pop hydrated show-modal" id="wfAction" no-router="" aria-modal="true" tabindex="-1" style="z-index: 20004; pointer-events: auto;">...</ion-modal> (Session info: chrome=100.0.4896.127) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver</p> | | |

| # | Step / Hook Details | Status | Duration |
|----|---|---------|----------|
| | <p>Command: [29ec4222a562b309338f72e520a250b2, clickElement {id=6603c473-bb06-488f-a503-080a3b5049ca}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 100.0.4896.127, chrome: {chromedriverVersion: 99.0.4844.51 (d537ec02474b5..., userDataDir: C:\Users\ININDC~1\AppData\Local..., goog:chromeOptions: {debuggerAddress: localhost:61236}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61236/devtoo..., se:cdpVersion: 100.0.4896.127, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (29ec4222a562b309338f72e520a250b2)] -> xpath: //button/span[contains(text(),'Submit')]] Session ID: 29ec4222a562b309338f72e520a250b2</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at jdk.internal.reflect.GeneratedMethodAccessor4.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy45.click(Unknown Source) at stepdefinitions.ProductMaster_Retail.click_on_submit_button(ProductMaster_Retail.java:196) at ?.click on submit button(file:///C:/Users/inindc00091/git/Devesh_AzentioULS_FW/AzentioULSFrameworkCopy/src/test/java/features/ProductMaster_Retail.feature:18)</p> <p>* Not displayable characters are replaced by '?'. </p> | | |
| | <p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p>  | PASSED | 0.151 s |
| 15 | Then system should display confirmation message after submit | SKIPPED | 0.001 s |
| 16 | Then capture checker ID | SKIPPED | 0.000 s |
| 17 | Then logout user | SKIPPED | 0.000 s |


| # | Step / Hook Details | Status | Duration |
|----|--|---------|----------|
| 18 | And User Login as checker | SKIPPED | 0.000 s |
| 19 | Then click on menu button | SKIPPED | 0.000 s |
| 20 | Then click on inbox button | SKIPPED | 0.001 s |
| 21 | Then select the modified record to approve | SKIPPED | 0.000 s |
| 22 | Then select approve button | SKIPPED | 0.000 s |
| 23 | Then enter remark for approve | SKIPPED | 0.001 s |
| 24 | Then click on approve button | SKIPPED | 0.000 s |
| 25 | Then system should display confirmation message after approved | SKIPPED | 0.000 s |
| 26 | Then logout user | SKIPPED | 0.000 s |
| 27 | And User Login as maker | SKIPPED | 0.000 s |
| 28 | Then user should navigate to product master | SKIPPED | 0.000 s |
| 29 | And click on eye icon of product master | SKIPPED | 0.000 s |
| 30 | Then click on edit button of record2 to modify | SKIPPED | 0.000 s |
| 31 | Then verify system should modify the record before approved | SKIPPED | 0.000 s |
| 32 | Then click on inbox button | SKIPPED | 0.000 s |
| 33 | And select the modified record from inbox to reject | SKIPPED | 0.000 s |
| 34 | Then click on submit button | SKIPPED | 0.000 s |
| 35 | Then system should display confirmation message after submit | SKIPPED | 0.000 s |
| 36 | Then capture checker ID | SKIPPED | 0.000 s |
| 37 | Then logout user | SKIPPED | 0.000 s |
| 38 | And User Login as checker | SKIPPED | 0.000 s |
| 39 | Then click on menu button | SKIPPED | 0.000 s |
| 40 | Then click on inbox button | SKIPPED | 0.000 s |
| 41 | Then select the modified record to reject | SKIPPED | 0.000 s |
| 42 | Then select reject button | SKIPPED | 0.000 s |
| 43 | Then enter remark for reject | SKIPPED | 0.000 s |
| 44 | Then click on reject button | SKIPPED | 0.000 s |
| 45 | Then system should display confirmation message after reject | SKIPPED | 0.000 s |
| 46 | Then logout user | SKIPPED | 0.000 s |
| 47 | And User Login as maker | SKIPPED | 0.000 s |
| 48 | Then user should navigate to product master | SKIPPED | 0.000 s |
| 49 | And click on eye icon of product master | SKIPPED | 0.000 s |
| 50 | Then click on edit button of record3 to modify | SKIPPED | 0.000 s |
| 51 | Then verify system should modify the record before approved | SKIPPED | 0.000 s |

| # | Step / Hook Details | Status | Duration |
|----|--|---------|----------|
| 52 | Then click on inbox button | SKIPPED | 0.000 s |
| 53 | And select the modified record from inbox to return | SKIPPED | 0.001 s |
| 54 | Then click on submit button | SKIPPED | 0.000 s |
| 55 | Then system should display confirmation message after submit | SKIPPED | 0.000 s |
| 56 | Then capture checker ID | SKIPPED | 0.000 s |
| 57 | Then logout user | SKIPPED | 0.000 s |
| 58 | And User Login as checker | SKIPPED | 0.000 s |
| 59 | Then click on menu button | SKIPPED | 0.000 s |
| 60 | Then click on inbox button | SKIPPED | 0.000 s |
| 61 | Then select the modified record to return | SKIPPED | 0.000 s |
| 62 | Then select return button | SKIPPED | 0.001 s |
| 63 | Then enter remark for return | SKIPPED | 0.000 s |
| 64 | Then click on return button | SKIPPED | 0.000 s |
| 65 | Then system should display confirmation message after return | SKIPPED | 0.001 s |
| 66 | Then logout user | SKIPPED | 0.000 s |

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master - Modify records
(approve, reject and return) at maker
stage


(F) Check the functionality of product
master



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master - Modify records
(approve, reject and return) at maker
stage

(F) Check the functionality of product
master



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master - Modify records
(approve, reject and return) at maker
stage

(F) Check the functionality of product
master

The screenshot shows the Azentio Software interface. The sidebar on the left contains a list of menu items: Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup (highlighted in orange), Asset Auto Master, Asset CD Master, Product master, Sub Product Master, Regulatory Product Defini..., Project Setup, and Config Manager. The main content area displays 'Product wise Analysis' with a sub-header 'Scheme wise Amount Financed'. A loading spinner is visible in the center of the main content area. The top navigation bar includes a hamburger menu, language dropdown (English), LOS dropdown, Azentio Software dropdown, a grid icon, a bell icon, a user profile icon for Puneet (01-Sep-2023), and a dark blue circular button with a white gear icon in the bottom right corner. The footer text reads 'Powered by Metabase'.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master - Modify records
(approve, reject and return) at maker
stage

(F) Check the functionality of product
master

The screenshot shows the Azentio Software interface. The sidebar on the left contains a list of menu items: Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup, Asset Auto Master, Asset CD Master, Product master (highlighted in orange), Sub Product Master, Regulatory Product Defini..., Project Setup, and Config Manager. The main content area is currently blank. The top navigation bar includes a hamburger menu, language dropdown (English), LOS dropdown, Azentio Software dropdown, a grid icon, a bell icon, a user profile icon for Puneet (01-Sep-2023), and a dark blue circular button with a white gear icon in the bottom right corner. The footer text reads 'Powered by Metabase'.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master - Modify records
(approve, reject and return) at maker
stage

(F) Check the functionality of product
master

The screenshot shows the Azentio Product Master interface. On the left is a dark blue sidebar with the Azentio logo and a list of navigation items: Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup, Asset Auto Master, Asset CD Master, Product master (highlighted), Sub Product Master, Regulatory Product Defini..., Project Setup, and Config Manager. The main content area has a top header with a hamburger menu, language (English), LOS, Azentio Software, and user profile (Puneet, 01-Sep-2023). Below the header is a 'Product Master' section with a search bar containing 'depo30' and an 'Export' button. A table displays one entry with columns: Action, Product Group, Product Code, Product Description, Retail/Corporate, Status, and Authorization Status. The entry has Product Code 'depo30', Product Description 'desc11', and Status 'Active'. Below the table is a pagination bar showing 'Showing 1 to 1 of 1 entries' and a page selector with '1' selected and a dropdown for '5'.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master - Modify records
(approve, reject and return) at maker
stage


(F) Check the functionality of product
master

The screenshot shows the Azentio Product Master form for editing a record. The sidebar is identical to the previous screenshot. The main content area has a top header with the same navigation and user profile. Below the header is a 'Product Master' section with a back arrow and a title 'Product Master'. The form contains several fields: Product Group (Deposits), Product Code (depo30), Product Description (desc11), Retail/Corporate (Retail), DM Code (depo30), Status (toggle switch), and Remarks (depo30). At the top right of the form are buttons for 'Submit', 'Cancel', and a refresh icon. A small red error message is visible next to the Product Code field.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master - Modify records
(approve, reject and return) at maker
stage

(F) Check the functionality of product
master



The screenshot displays the Azentio Product Master interface. The sidebar on the left contains navigation links: Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup, Asset Auto Master, Asset CD Master, Product master (highlighted), Sub Product Master, Regulatory Product Defini..., Project Setup, and Config Manager. The main content area shows a table with the following data:


| Action | Product Group | Product Code | Product Description | Retail/Corporate | Status | Authorization Status |
|--------|---------------|--------------|---------------------|------------------|--------|----------------------|
| | 98303249 | PR26 | Loan | R | Active | |
| | 98303249 | PR24 | Loan | R | Active | |
| | 98303249 | PR25 | Loan | R | Active | |
| | 98303249 | PR23 | Loan | R | Active | |
| | 98303249 | PR24 | Loan | R | Active | MAKER |

Showing 1 to 5 of 199 entries

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master - Modify records
(approve, reject and return) at maker
stage

(F) Check the functionality of product
master




The screenshot displays the Azentio Product Master interface. The sidebar on the left contains navigation links: Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup, Asset Auto Master, Asset CD Master, Product master (highlighted), Sub Product Master, Regulatory Product Defini..., Project Setup, and Config Manager. The main content area shows a table with the following data:


| Action | Product Group | Product Code | Product Description | Retail/Corporate | Status | Authorization Status |
|--------|---------------|--------------|---------------------|------------------|--------|----------------------|
| | 98303249 | PR26 | Loan | R | Active | |
| | 98303249 | PR24 | Loan | R | Active | |
| | 98303249 | PR25 | Loan | R | Active | |
| | 98303249 | PR23 | Loan | R | Active | |
| | 98303249 | PR24 | Loan | R | Active | MAKER |

Showing 1 to 5 of 199 entries

(F) Check the functionality of product master



(F) Check the functionality of product master



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master - Modify records
(approve, reject and return) at maker
stage

(F) Check the functionality of product
master

AZENTIO™

- Asset Collateral Config
- Business Rules
- Corporate Masters
- Misc Config
- Other Masters
- Product Definitions
- Product Setup
- Asset Auto Master
- Asset CD Master
- Product master**
- Sub Product Master
- Regulatory Product Defini...
- Project Setup
- Config Manager

Product Master

Showing 1 to 5 of 200 entries

| Action | Product Group | Product Code | Product Description | Retail/Corporate | Status | Authorization Status |
|--------|---------------|--------------|---------------------|------------------|--------|----------------------|
| | 98303249 | PR26 | Loan | R | Active | |
| | 98303249 | PR24 | Loan | R | Active | |
| | 98303249 | PR25 | Loan | R | Active | |
| | 98303249 | PR23 | Loan | R | Active | |
| | 98303249 | PR24 | Loan | R | Active | MAKER |

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master - Modify records
(approve, reject and return) at maker
stage

(F) Check the functionality of product
master

AZENTIO™

- Asset Collateral Config
- Business Rules
- Corporate Masters
- Misc Config
- Other Masters
- Product Definitions
- Product Setup
- Asset Auto Master
- Asset CD Master
- Product master**
- Sub Product Master
- Regulatory Product Defini...
- Project Setup
- Config Manager

Inbox

Showing 0 to 0 of 0 entries

| Action |
|--------|
|--------|

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master - Modify records
(approve, reject and return) at maker
stage

(F) Check the functionality of product
master

The screenshot shows the Azentio Product Master Inboxes page. The left sidebar contains a navigation menu with options like Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup, Asset Auto Master, Asset CD Master, Product master (highlighted), Sub Product Master, Regulatory Product Defini..., Project Setup, and Config Manager. The main area displays an 'Inbox' table with columns: Action, Reference Id, Event Code, Stage Code, Role Code, Employee Name, Created Date, Workflow Code, and Product. A single entry is visible with Reference Id 5792, Event Code PRODUCT_MST, Stage Code MAKER, Role Code LOSMKR, Employee Name in00135, Created Date 27-Jul-2022 18:48, and Workflow Code TSW. The bottom of the table shows 'Showing 1 to 1 of 1 entries' and pagination controls.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master - Modify records
(approve, reject and return) at maker
stage

(F) Check the functionality of product
master

The screenshot shows the Azentio Product Master form. The left sidebar is the same as the previous screenshot. The main area displays the 'Product Master' form with fields for Product Group (Deposits), Product Code (dep60), Product Description (desc11), DM Code (dep60), and Remarks (dep60). A modal dialog titled 'Action confirmation' is open, showing a 'SUBMIT' button and a 'Please Enter Remarks' field with the text 'ok'. The dialog also has a 'Close X' button.