

Cucumber Report

Sep 23, 2022, 12:02:46 AM

Start : Sep 23, 12:01:55.889 AM

End : Sep 23, 12:02:42.252 AM

Duration : 46.363 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 11


FAILED - 1

SKIPPED - 0







#	Feature Name	T	P	F	S	Duration
1	Check the functionality of Customer Address Details screen	1	0	1	0	46.363 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the functionality of Customer Address Details screen	Verify the Customer Address Information Parameter details List view	12	11	1	0	46.357 s





(F)- Check the functionality of Customer Address Details screen





FAILED	DURATION - 46.363 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 12 Pass - 11 Fail - 1 Skip - 0	
/ 12:01:55.889 AM // 12:02:42.252 AM /					



(S)- Verify the Customer Address Information Parameter details List view


<div>FAILED</div> <div>DURATION - 46.357 s</div>	<div></div>	<div>Steps</div> <div>Total - 12</div> <div>Pass - 11</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 12:01:55.895 AM // 12:02:42.252 AM /</div>			
<div>Check the functionality of Customer Address Details screen</div>			
<div>@AT_CAD_010</div>			

#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	6.066 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.884 s
	screenshot		
			
2	And User Login as maker	PASSED	4.160 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.254 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	Then user should click on the menu toggle	PASSED	1.583 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.295 s
	screenshot 		
4	Then click on inbox to search for the Customer Address Details record	PASSED	0.279 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.413 s
	screenshot 		
5	Then click on search button to search the record of Customer Address Details	PASSED	0.282 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.254 s
	screenshot 		
6	Then enter the reference id of the Customer Address Details record	PASSED	0.087 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.237 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
7	Then click on the entitle button of the Customer Address Details record of that reference id	PASSED	0.241 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.217 s
	screenshot		
			
8	Then click on the Additional customer info tab in Customer Personal Information screen	PASSED	1.809 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.776 s
	screenshot		
			
9	Then select the Customer Address details record from the customer personal detail screen	PASSED	0.619 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.620 s
	screenshot		
			
10	Then select the record of Address details from the customer identification screen	PASSED	1.668 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.900 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
11	Then Verify the functionality of Back button on List view of Customer Address details	PASSED	1.149 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.271 s
	<p>screenshot</p> 		
12	Then verify search box should display matching record with matched data of Customer Address details	FAILED	0.325 s
	<p>org.openqa.selenium.StaleElementReferenceException: stale element reference: element is not attached to the page document (Session info: chrome=100.0.4896.60) For documentation on this error, please visit: https://selenium.dev/exceptions/#stale_element_reference Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [148bb02fe69b13b83c1cc02669ee7cb7, clickElement {id=7ece0069-b80c-449f-a7ba-8c24b8dc152c}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 100.0.4896.60, chrome: {chromedriverVersion: 99.0.4844.51 (d537ec02474b5..., userDataDir: C:\Users\NINDC~1\AppData\Local\Temp\chromeOptions: {debuggerAddress: localhost:55245}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55245/devtoo..., se:cdpVersion: 100.0.4896.60, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (148bb02fe69b13b83c1cc02669ee7cb7)] -> xpath: //ion-title[text()=' Address Details ']/ancestor::ion-card/descendant::button[@ng-reflect-text='Search']] Session ID: 148bb02fe69b13b83c1cc02669ee7cb7</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251)</p>		

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy46.click(Unknown Source) at stepdefinitions.CustomerAddressDetails. verify_search_box_should_display_matching_record_with_matched_data_of_customer_address_details(CustomerAddressDetails.java:530) at ?.verify search box should display matching record with matched data of Customer Address details(file:///C:/Users/inindc00091/git/Devesh_AzentioULS_FW/AzentioULSFrameworkCopy/src/test/java/features/CustomerAddressDetails.feature:106) * Not displayable characters are replaced by '?'. </pre>		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.353 s
	screenshot		
			

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify the Customer Address
Information Parameter details List view

(F) Check the functionality of Customer
Address Details screen

AZENTIO™
ONEBanking

User ID

CONTINUE

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify the Customer Address
Information Parameter details List view


(F) Check the functionality of Customer
Address Details screen


AZENTIO™
ONEBanking

Engl...

LOS

Aze...


<p>(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)</p>	 <p>The screenshot shows the AZENTIO ONEBanking dashboard. The left sidebar contains a menu with 'Dashboard', 'Configurations', 'Transactions', and 'Reports'. The main content area is titled 'Product wise Analysis' and displays three charts: 'Product-wise Amount Financed', 'Subproduct-wise Amount Financed', and 'Scheme wise Amount Financed'. All charts show a loading spinner. The top right of the dashboard includes a user profile, language (Engl...), and location (LOS) dropdowns. A 'Powered by Metabase' logo is visible at the bottom.</p>
<p><u>(S) Verify the Customer Address Information Parameter details List view</u></p>	
<p><u>(F) Check the functionality of Customer Address Details screen</u></p>	

<p>(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)</p>	 <p>The screenshot shows the AZENTIO ONEBanking dashboard with the 'Inbox' view selected. The left sidebar is the same as the first screenshot. The main content area is titled 'Inbox' and shows a table with one entry, represented by a loading spinner. The table has a search bar and a dropdown for 'Showing 0 to 0 of 0 entries'. The top right of the dashboard includes the same user profile, language, and location dropdowns. A 'Powered by Metabase' logo is visible at the bottom.</p>
<p><u>(S) Verify the Customer Address Information Parameter details List view</u></p>	
<p><u>(F) Check the functionality of Customer Address Details screen</u></p>	


(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify the Customer Address
Information Parameter details List view

(F) Check the functionality of Customer
Address Details screen



AZENTIO
ONEBanking

 Search the menu











Dashboard

Configurations

Transactions

Reports

Inbox


Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product	Workflow Type	Event Type	Transaction Type
	648	APP_CREATE	CHQPR	OPEEXEC	in02040	22-Sep-2022 19:19	HLW	AHL		T	T
	602	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 18:17	HLW	AHL		T	
	640	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 16:51	HLW	AHL		T	T
	615	APP_CREATE	FCUVRFY	CPUEXEC	in02040	22-Sep-2022 16:45	HLW	AHL		T	T
	645	APP_CREATE	DISBMKR	OPEMKR	in02040	22-Sep-2022 16:42	HLW	AHL		T	T
	618	APP_CREATE	DUPAPPDEC	BRMANG	in02040	22-Sep-2022 16:35	HLW	AHL		T	T
	649	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 16:34	HLW	AHL		T	T
	644	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 15:30	HLW	AHL		T	T
	639	APP_CREATE	DISBMKR	OPEMKR	in02040	22-Sep-2022 15:8	HLW	AHL		T	T
	610	APP_CREATE	DISBCKR	OPECHK	in02040	22-Sep-2022 14:56	HLW	AHL		T	T

Showing 1 to 10 of 103 entries << < 1 2 3 4 5 > >>


(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify the Customer Address
Information Parameter details List view

(F) Check the functionality of Customer
Address Details screen



AZENTIO
ONEBanking

 Search the menu











Dashboard

Configurations

Transactions

Reports

Inbox

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product	Workflow Type	Event Type	Transaction Type
	648	APP_CREATE	CHQPR	OPEEXEC	in02040	22-Sep-2022 19:19	HLW	AHL		T	T
	602	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 18:17	HLW	AHL		T	
	640	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 16:51	HLW	AHL		T	T
	615	APP_CREATE	FCUVRFY	CPUEXEC	in02040	22-Sep-2022 16:45	HLW	AHL		T	T
	645	APP_CREATE	DISBMKR	OPEMKR	in02040	22-Sep-2022 16:42	HLW	AHL		T	T
	618	APP_CREATE	DUPAPPDEC	BRMANG	in02040	22-Sep-2022 16:35	HLW	AHL		T	T
	649	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 16:34	HLW	AHL		T	T
	644	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 15:30	HLW	AHL		T	T
	639	APP_CREATE	DISBMKR	OPEMKR	in02040	22-Sep-2022 15:8	HLW	AHL		T	T
	610	APP_CREATE	DISBCKR	OPECHK	in02040	22-Sep-2022 14:56	HLW	AHL		T	T

Showing 1 to 10 of 103 entries << < 1 2 3 4 5 > >>

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify the Customer Address
Information Parameter details List view

(F) Check the functionality of Customer
Address Details screen

AZENTIO ONEBanking

Search the menu

Dashboard

Configurations

Transactions

Reports

Inbox

506

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product	Workflow Type	Event Type	Transaction Type
	506	APP_CREATE	APPDATANT	CPUEXEC	in02040	15-Sep-2022 10:22	HLW	AHL		T	

Showing 1 to 1 of 1 entries

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify the Customer Address
Information Parameter details List view

(F) Check the functionality of Customer
Address Details screen

AZENTIO ONEBanking

Search the menu

Dashboard

Configurations

Transactions

Reports

Prev Application Info Customer details **Additional Customer Info** Customer Financials Facility Info Document Details Next

Customer Personal Information

Export

Select	Action	CIF ID	First Name	Middle Name	Last Name	Customer Type	Applicant Type	Status
		testerE	mname	lname	I	P		Active

Showing 1 to 1 of 1 entries

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify the Customer Address
Information Parameter details List view

(F) Check the functionality of Customer
Address Details screen

The screenshot shows the AZENTIO ONEBanking interface. The top navigation bar includes a search menu, a dashboard icon, and a list of menu items: Configurations, Transactions, and Reports. The main content area is titled 'Customer Identification' and features a table with multiple rows of data. The table has columns for various customer details, including name, address, and contact information. The table is currently empty, showing only the header row.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify the Customer Address
Information Parameter details List view

(F) Check the functionality of Customer
Address Details screen

The screenshot shows the AZENTIO ONEBanking interface. The top navigation bar includes a search menu, a dashboard icon, and a list of menu items: Configurations, Transactions, and Reports. The main content area is titled 'Customer Address' and features a form with various input fields. The form includes fields for Application ID, Applicant Name, and Customer ID. Below these, there are sections for Address Type, Residential Or Occupancy Status, Address Line 1, Address Line 2, Country, Province Id, City Id, Neighbourhood/District Name, Zip Code, PO BOX Number, Mobile Number (Primary), Duration Of Stay, Longitude Details Of The Address, Address Status, Communication Address, Latitude Details Of The Address, Land Mark, and Landlord Name. The form is currently empty, showing only the input fields.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify the Customer Address
Information Parameter details List view

(F) Check the functionality of Customer
Address Details screen

The screenshot displays the AZENTIO ONEBanking application interface. On the left is a dark blue sidebar with a search bar and a menu containing 'Dashboard', 'Configurations', 'Transactions', and 'Reports'. The main content area is titled 'References List View' and contains a table with columns: Action, Salutation, Name, Mobile Number, Years known, and Status. Below this table is a section titled 'Address Details' which contains another table with columns: Action, Address Type, Country, Occupancy Status, Occupance Since, Contact Address, and Status. The 'Address Details' table lists five entries, each with an 'Active' status. The interface includes a top navigation bar with user profile, language (Engl...), and location (LOS) dropdowns. The bottom of the 'Address Details' table shows 'Showing 1 to 5 of 5 entries'.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify the Customer Address
Information Parameter details List view

(F) Check the functionality of Customer
Address Details screen

This screenshot is identical to the one above, showing the AZENTIO ONEBanking application interface. It features the same sidebar, 'References List View' table, 'Address Details' table with five entries, and the bottom navigation bar. The interface elements and data are consistent with the previous screenshot.