


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Ownership Details Functionality	1	0	1	0	12 m 0.499 s

SCENARIOS SUMMARY

-- 3 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Ownership Details Functionality	Validate all the fields of Ownership Details Screen	20	5	1	14	12 m 0.493 s

DETAILED SECTION -- 4 --

(F)- Ownership Details Functionality

FAILED	DURATION - 12 m 0.499 s	Scenarios		Steps	
		Total - 1		Total - 20	
/ 3:05:46.492 p	m // 3:17:46.991 pm /	Pass - 0	1	Pass - 5	20
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 14	

(S)- Validate all the fields of Ownership Details Screen



#	Step / Hook Details	Status	Duration
1	Given User Launch the KULS url for Transaction	PASSED	28.821 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.509 s
	screenshot		

2	And user click on Inbox Icon	PASSED	0.715 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.503 s
	screenshot		
	AZENTO TOTAL STATE OF THE STAT		

#	Step / Hook Details	Status	Duration
3	And user click search icon	PASSED	0.310 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.306 s
	AZENTO		
4	Then search Ownership Details record	PASSED	0.442 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.198 s


5	And user click on First record of Appdata Entry	PASSED	5.155 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	2.067 s
	screenshot		
	ACTIVITY SECURITY SECURI		
	•		
6	And naviagte to the Ownership Details Segment button	FAILED	10 m 39.687 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=107.0.5304.121) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [038978520d3eee09e5e8579c0d9f550a, findElement {using=xpath, value=//button[contains(text(),'Next')]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.121, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576, userDataDir: C:\Users\ININDC~1\AppData\L}, goog:chromeOptions: {debuggerAddress: localhost:53116}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:53116/devtoo, se:cdpVersion: 107.0.5304.121, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:virtualAuthenticators: true} Session ID: 038978520d3eee09e5e8579c0d9f550a at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)		
	at jdk.proxy2/jdk.proxy2.\$Proxy46.toString(Unknown Source)		
	at java.base/java.lang.String.valueOf(String.java:4215)		
	at java.base/java.lang.StringBuilder.append(StringBuilder.java:169)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$10.toString(ExpectedConditions.java:298)		
	at java.base/java.lang.String.valueOf(String.java:4215)		
	at java.base/java.lang.StringBuilder.append(StringBuilder.java:169)		
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:229)		
	at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:91)		
	at stepdefinitions.OwnershipDetails.naviagte_to_the_ownership_details_segment_button(OwnershipDetails.java:68)		
	at ?.naviagte to the Ownership Details Segment button(file:///C:/Users/inindc00075/git/Arshath_ULS/Arshath_AzentioULSFramework/src/test/		
	java/features/OwnershipDetails.feature:10)		
	* Not displayable characters are replaced by '?'.	EALLED	0.000 -
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	FAILED	0.003 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found		
	(Session info: chrome=107.0.5304.121) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip:		
	'10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [038978520d3eee09e5e8579c0d9f550a, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName:		
	chrome, browserVersion: 107.0.5304.121, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576, userDataDir:		
	C:\Users\ININDC~1\AppData\L goog:chromeOptions: \debuggerAddress: \localhost:53116 javascriptEnabled: \true,		
	networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp:		
	ws://localhost:53116/devtoo, se:cdpVersion: 107.0.5304.121, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0,		
	pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true,		
	webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 038978520d3eee09e5e8579c0d9f550a		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstanceO(Native Method)		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:347) at stepdefinitions.HooksClass.addScreenshot(HooksClass.java:42)		
7	Then verify the field Owner Power Of Attorney Details	SKIPPED	0.000 s
8	Then verify the field Name of Ownership Details	SKIPPED	0.000 s
9	Then verify the field Id Type is Pan Card	SKIPPED	0.000 s
10	Then verify the field Id Number when Id Type is Pan Card	SKIPPED	0.000 s
11	Then verify the field Id Type is Aadhar Card	SKIPPED	0.000 s
12	Then verify the field Id Number when Id Type is Aadhar Card	SKIPPED	0.000 s
13	Then verify the field Issue date of Ownership Details	SKIPPED	0.000 s
14	Then verify the field Issue Place of Ownership Details	SKIPPED	0.001 s
15	Then verify the field City of Ownership Details	SKIPPED	0.000 s
16	Then verify the field Mobile of Ownership Details	SKIPPED	0.001 s
17	Then verify the field Phone of Ownership Details	SKIPPED	0.000 s
18	Then verify the field Mobile2 of Ownership Details	SKIPPED	0.000 s
19	Then verify the field Fax of Ownership Details	SKIPPED	0.000 s
20	Then verify the field Email of Ownership Details	SKIPPED	0.000 s
	AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario)	FAILED	32.310 s
	org.openqa.selenium.WebDriverException: disconnected: unable to connect to renderer (failed to check if window was closed: disconnected: unable to connect to renderer) (Session info: chrome=107.0.5304.121) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org. openqa.selenium.chrome.ChromeDriver Command: [038978520d3eee09e5e8579c0d9f550a, close {}}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.121, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576, userDataDir: C:\Users\ININDC~1\AppData\L}, goog:chromeOptions: {debuggerAddress: localhost:53116}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:53116/devtoo, se:cdpVersion: 107.0.5304.121, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 038978520d3eee09e5e8579c0d9f550a at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606)		
	at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:432)		
	at stepdefinitions.HooksClass.TearDown(HooksClass.java:52)		

EXPANDED SECTION -- 9 --



EXPANDED SECTION -- 10 --

