

# Cucumber Report

21-Nov-2022, 4:42:59 pm

**Start : Nov 21, 4:41:40.821 pm**

**End : Nov 21, 4:42:51.575 pm**

**Duration : 1 m 10.754 s**

*Features*

*Scenarios*

*Steps*

**PASSED - 0**

**FAILED - 1**

**SKIPPED - 0**

**PASSED - 0**


**FAILED - 1**

**SKIPPED - 0**

**PASSED - 10**


**FAILED - 1**

**SKIPPED - 6**







#	Feature Name	T	P	F	S	Duration
1	<u>Check the functionality of Living Expenses Master</u>	1	0	1	0	1 m 10.754 s







#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the functionality of Living Expenses Master	Creation of Living expense location record	17	10	1	6	1 m 10.748 s

**(F)- Check the functionality of Living Expenses Master**


<b>FAILED</b>	<b>DURATION - 1 m 10.754 s</b>	Scenarios		Steps	
/ 4:41:40.821 pm // 4:42:51.575 pm /		Total - 1		Total - 17	
		Pass - 0		Pass - 10	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 6	


**(S)- Creation of Living expense location record**

<div>FAILED</div> <div>DURATION - 1 m 10.748 s</div>			<div>Steps</div> <div>Total - 17</div> <div>Pass - 10</div> <div>Fail - 1</div> <div>Skip - 6</div>	
/ 4:41:40.827 pm // 4:42:51.575 pm /				
Check the functionality of Living Expenses Master				
@AT_LE_024				

#	Step / Hook Details	Status	Duration
1	Given user log in as uls application maker	PASSED	20.524 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.642 s
	screenshot		
			
2	Then user change Application Type as Los	PASSED	2.635 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.398 s
	screenshot		
			


#	Step / Hook Details	Status	Duration
3	Then user click on configurations Tab	PASSED	0.383 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.429 s
	screenshot		
			
4	When user click Config Manager menu	PASSED	0.315 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.616 s
	screenshot		
			
5	And user Goto the Temp view screen of living Expense	PASSED	0.823 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	2.204 s
	screenshot		
			
6	And click on Pencil icon of existing record	PASSED	0.798 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.351 s
	screenshot		
			
7	And Navigate to Living expense location page	PASSED	0.385 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.838 s
	screenshot		


#	Step / Hook Details	Status	Duration
			
8	And Click on Add icon of Living expense parameter	PASSED	0.468 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.506 s
	screenshot		
			
9	And user Pass the Exceldata value for Living expense Location creation	PASSED	0.233 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.598 s
	screenshot		
			
10	And Select the value in Country field of Living expense parameter	PASSED	3.432 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.491 s
	screenshot		
			
11	And Select the value in Province field of Living expense parameter	FAILED	1.149 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-select _ngcontent-djm-c322="" ng-reflect-ok-text="OK" ng-reflect-cancel-text="CANCEL" ng-reflect-placeholder="Select" ng-reflect-interface="popover" ng-reflect-multiple="false" ng-reflect-disabled="false" ng-reflect-is-disabled="false" class="ng-untouched ng-pristine ng-valid ios in-item hydrated ion-untouched ion-pristine ion-valid" role="button" aria-haspopup="listbox" aria-label="Select, Province *">...</ion-select> is not clickable at point (1079, 293). Other element would receive the click: <ion-popover class="select-popover ios popover-desktop popover-side-bottom hydrated" id="ion-overlay-4" aria-modal="true" no-router="" tabindex="-1" style="z-index: 20004; --width:528px;">...</ion-popover> (Session info: chrome=106.0.5249.119) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch:		


#	Step / Hook Details	Status	Duration
	<p>'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [ac2c06febbc6abc32e5df93d957fe86f, clickElement {id=96f93a4c-b372-46ea-a84f-9e52425efe9f}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 106.0.5249.119, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: C:\Users\NINDC~1\AppData\Local\..., goog:chromeOptions: {debuggerAddress: localhost:63816}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:63816/devtools..., se:cdpVersion: 106.0.5249.119, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (ac2c06febbc6abc32e5df93d957fe86f)] -&gt; xpath: //ion-select[@aria-label='Select, Province *']] Session ID: ac2c06febbc6abc32e5df93d957fe86f</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)  at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251)  at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)  at java.base/java.lang.reflect.Method.invoke(Method.java:568)  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52)  at jdk.proxy2/jdk.proxy2.\$Proxy46.click(Unknown Source)  at stepdefinitions.KULS_LivingExpense_Step.  select_the_value_in_province_field_of_living_expense_parameter(KULS_LivingExpense_Step.java:267)  at ?.Select the value in Province field of Living expense parameter(file:///C:/Users/inindc00075/git/Arshath_ULS/  Arshath_AzentioULSFramework/src/test/java/features/MDM_LivingExp_Master.feature:669)  * Not displayable characters are replaced by '?'. </p>		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.437 s
	screenshot		
			


#	Step / Hook Details	Status	Duration
12	And Enter the value in Area factor income of Living expense parameter	SKIPPED	0.001 s
13	And Enter the value in Area factor expenditure of Living expense parameter	SKIPPED	0.000 s
14	Then Click on Save button in Living expense parameter	SKIPPED	0.000 s
15	And user goto Inbox and than stored the Ref ID	SKIPPED	0.000 s
16	Then user Click on Action Icon	SKIPPED	0.000 s
17	And user verify submit and than submit New Record from Maker stage	SKIPPED	0.000 s



<p>(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)</p>	
<p><u>(S) Creation of Living expense location record</u></p>	
<p><u>(F) Check the functionality of Living Expenses Master</u></p>	

<p>(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)</p>	
<p><u>(S) Creation of Living expense location record</u></p>	
<p><u>(F) Check the functionality of Living Expenses Master</u></p>	

<p>(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)</p>	
<p><u>(S) Creation of Living expense location record</u></p>	
<p><u>(F) Check the functionality of Living Expenses Master</u></p>	

<p>(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)</p>	
<p><u>(S) Creation of Living expense location record</u></p>	
<p><u>(F) Check the functionality of Living Expenses Master</u></p>	

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Creation of Living expense location  
record

(F) Check the functionality of Living  
Expenses Master

AZENTIO ONEBOOKING

21-Nov-2022

Search the menu

List of Living Expense Model

Dashboard

Configurations

Project Master

Notification Master

Report Master

Target Master

Business Division Master

Approval Reviewer Level Matrix

Income Group Definition

Facility Type

NPA Identification

Classification Master

Living Expense

Transactions

Reports

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Creation of Living expense location  
record

(F) Check the functionality of Living  
Expenses Master

AZENTIO ONEBOOKING

21-Nov-2022

Search the menu

List of Living Expense Model

+ Search Export

Action	Description	Rule ID	Effective Date	Status
	111	9830335	2022-11-20	Active
	Expenses	98303254	2023-08-02	Active
	Expenses	98303254	2023-08-02	Active
	Expenses	98303254	2023-08-02	Active
	Expenses	98303254	2023-08-02	Active

Showing 1 to 5 of 37 entries

1 2 3 4 5

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Creation of Living expense location  
record

(F) Check the functionality of Living  
Expenses Master

The screenshot displays the AZENTIO ONEBOOKING application interface. The top navigation bar includes the date '21-Nov-2022', a search icon, a mail icon, a grid icon, and language/location dropdowns for 'Engl...', 'LOS', and 'Aze...'. The left sidebar menu lists various configuration options under 'Configurations', including Project Master, Notification Master, Report Master, Target Master, Business Division Master, Approval Reviewer Level Matrix, Income Group Definition, Facility Type, NPA Identification, Classification Master, and Living Expense. The main content area shows the 'Living Expense Location List' table with columns: Action, Country, Province, Area Factor Income, Area Factor Expenditure, and Status. The table contains five rows of data, all with a status of 'Active'. At the bottom right, there is a circular icon with a gear symbol.

Action	Country	Province	Area Factor Income	Area Factor Expenditure	Status
	1105415	98313634	12	123	Active
	80000002	98313688	23	12	Active
	80000015	1105467	23	32	Active
	1105415	98313688	12	15	Active
	80000002	1105467	11	12222222	Active

Showing 1 to 5 of 12 entries

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Creation of Living expense location  
record

(F) Check the functionality of Living  
Expenses Master

This screenshot is identical to the one above, showing the AZENTIO ONEBOOKING application interface with the 'Living Expense Location List' table. The table contains five rows of data, all with a status of 'Active'. The bottom right corner features a circular icon with a gear symbol.

Action	Country	Province	Area Factor Income	Area Factor Expenditure	Status
	1105415	98313634	12	123	Active
	80000002	98313688	23	12	Active
	80000015	1105467	23	32	Active
	1105415	98313688	12	15	Active
	80000002	1105467	11	12222222	Active

Showing 1 to 5 of 12 entries

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Creation of Living expense location  
record

(F) Check the functionality of Living  
Expenses Master

**AZENTIO ONE Banking**

21-Nov-2022

Engl... LOS Aze...

Living Expense Location

Country \*  
Select

Province \*  
Select

Area Factor Income \*

Area Factor Expenditure \*

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Creation of Living expense location  
record

(F) Check the functionality of Living  
Expenses Master

**AZENTIO ONE Banking**

21-Nov-2022

Engl... LOS Aze...

Living Expense Location

Country \*  
Select

Province \*  
Select

Area Factor Income \*

Area Factor Expenditure \*

Select

AF  
AX  
AL  
DZ  
AS  
AD  
AO  
AI  
AQ  
AG  
AR  
AM  
AW

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Creation of Living expense location  
record

(F) Check the functionality of Living  
Expenses Master

The screenshot displays the AZENTIO ONEBOOKING application interface. The top navigation bar includes the date '21-Nov-2022', a search icon, and user settings for 'Engl...', 'LOS', and 'Aze...'. The left sidebar menu lists various configuration options: Dashboard, Configurations (Project Master, Notification Master, Report Master, Target Master, Business Division Master, Approval Reviewer Level Matrix, Income Group Definition, Facility Type, NPA Identification, Classification Master, and Living Expense), Transactions, and Reports. The main content area is titled 'Living Expense Location' and features a breadcrumb trail: 'Living Expense Definition' > 'Living Expense Parameter' > 'Living Expense Location'. The form contains three fields: 'Country' (a dropdown menu with a 'Select' placeholder), 'Province' (a dropdown menu with a 'Select' placeholder), and 'Area Factor Income' (a text input field). A dropdown menu is currently open for the 'Country' field, showing a list of two-letter codes: AF, AX, AL, DZ, AS, AD, AO, AI, AQ, AG, AR, AM, and AW.