

Cucumber Report

23-Sep-2022, 6:08:07 pm

Start : Sep 23, 6:06:51.266 pm

End : Sep 23, 6:08:02.195 pm

Duration : 1 m 10.929 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 12
FAILED - 1
SKIPPED - 5







#	Feature Name	T	P	F	S	Duration
1	<u>To test the dept details screen</u>	1	0	1	0	1 m 10.929 s







#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>To test the dept details screen</u>	<u>verify while modification, when user keep any mandatory field blank and Fill the Invalid details</u>	18	12	1	5	1 m 10.924 s





(F)- To test the dept details screen

FAILED	DURATION - 1 m 10.929 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 18 Pass - 12 Fail - 1 Skip - 5	
/ 6:06:51.266 pm // 6:08:02.195 pm /					



(S)- verify while modification, when user keep any mandatory field blank and Fill the Invalid details

<div>FAILED</div> <div>DURATION - 1 m 10.924 s</div>		<div></div>	<div>Steps</div> <div>Total - 18</div> <div>Pass - 12</div> <div>Fail - 1</div> <div>Skip - 5</div>	<div></div>
<div>/ 6:06:51.271 pm // 6:08:02.195 pm /</div>				
<div>To test the dept details screen</div>				
<div>@AT_DD_04</div>				


#	Step / Hook Details	Status	Duration
1	Given User Launch the KULS url for Transaction	PASSED	17.951 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.571 s
	screenshot		
			
2	And click on mail box	PASSED	1.092 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.297 s
	screenshot		
			

#	Step / Hook Details	Status	Duration
3	And search for app data entry record	PASSED	0.611 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.308 s
	screenshot		
			
4	And select the app data entry first record	PASSED	0.232 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.285 s
	screenshot		
			
5	And user click on Customer Financials Tab	PASSED	5.228 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.828 s
	screenshot		
			
6	And user click on First Record Edit Icon	PASSED	0.179 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.987 s
	screenshot		
			
7	And click on pencil icon in financial commitment list view record	PASSED	1.315 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.775 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
8	And Reupdate the finance type dropdown field	PASSED	2.103 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.359 s
	screenshot		
			
9	And Reupdate the financial institution dropdown field	PASSED	0.629 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.419 s
	screenshot		
			
10	And Reupdate the account number field	PASSED	0.380 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.226 s
	screenshot		
			
11	And Reupdate the sanction amount	PASSED	0.456 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.165 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
12	And user click the update button	PASSED	0.513 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.295 s
	screenshot		
			
13	And user verify the validation Messgae for Blank Field	FAILED	10.395 s
	<p>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: //ion-badge[contains(text(),' Positive Integer Allowed')]' (tried for 10 second(s) with 1000 milliseconds interval)</p> <p>at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263)</p> <p>at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231)</p> <p>at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:91)</p> <p>at stepdefinitions.ULS_CustomerDeptDetailsSteps.user_verify_the_validation_messgae_for_Blank_Field(ULS_CustomerDeptDetailsSteps.java:1196)</p> <p>at ?.user verify the validation Messgae for Blank Field(file:///C:/Users/inindc00075/git/Arshath_ULS/Arshath_AzentioULSFramework/src/test/java/features/ULS_CustomerDeptDetailsFEATURE.feature:80)</p> <p>Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//ion-badge[contains(text(),' Positive Integer Allowed')]"}</p> <p>(Session info: chrome=105.0.5195.102) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element</p> <p>Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [772f008c1bbd7c4c0c006974d112ce05, findElement {using=xpath, value=//ion-badge[contains(text(),' Positive Integer Allowed')]}]</p> <p>Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 105.0.5195.102, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: C:\Users\ININDC~1\AppData\Local\googchromeOptions: {debuggerAddress: localhost:65245}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:65245/devtoo..., se:cdpVersion: 105.0.5195.102, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true}</p> <p>Session ID: 772f008c1bbd7c4c0c006974d112ce05</p> <p>atjdk.internal.reflect.GeneratedConstructorAccessor20.newInstance(Unknown Source)</p> <p>at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</p> <p>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)</p> <p>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)</p>		

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy46.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:91) at stepdefinitions.ULS_CustomerDeptDetailsSteps.user_verify_the_validation_messgae_for_Blank_Field(ULS_CustomerDeptDetailsSteps.java:1196) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) </pre>		

#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.205 s
14	And user click on back button	SKIPPED	0.000 s
15	And click on pencil icon in financial commitment list view record	SKIPPED	0.000 s
16	And user update Invalid data to interest rate percentage field	SKIPPED	0.001 s
17	And user click the update button	SKIPPED	0.000 s
18	And user verify the validation Message for Invalid data	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify while modification, when user
keep any mandatory field blank and Fill
the Invalid details

(F) To test the dept details screen

The screenshot shows the AZENTIO ONE Banking dashboard. The left sidebar contains a menu with 'Dashboard', 'Configurations', 'Transactions', and 'Reports'. The main area is titled 'Product wise Analysis' and contains three empty charts: 'Product-wise Amount Financed', 'Subproduct-wise Amount Financed', and 'Scheme wise Amount Financed'. The top right corner shows user interface elements like language (Engl...), LOS, and a user profile.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify while modification, when user
keep any mandatory field blank and Fill
the Invalid details

(F) To test the dept details screen

The screenshot shows the AZENTIO ONE Banking dashboard with the 'Inbox' section active. It displays a table of transactions with the following columns: Action, Reference Id, Event Code, Stage Code, Role Code, Employee Name, Created Date, Workflow Code, Product, Workflow Type, Event Type, and Transaction Type. The table contains 10 rows of data. The bottom right corner shows pagination: 'Showing 1 to 10 of 115 entries' and a page selector with '1' highlighted.

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product	Workflow Type	Event Type	Transaction Type
	676	APP_CREATE	DISBMKR	OPEMKR	in02040	23-Sep-2022 17:38	HLW	AHL		T	T
	675	APP_CREATE	LEGVRFY	CPUEXEC	in02040	23-Sep-2022 17:29	HLW	AHL		T	T
	470	APP_CREATE	CHQPR	OPEEXEC	in02040	23-Sep-2022 16:46	HLW	AHL		T	
	285	APP_CREATE	DISBCKR	OPECHK	in02040	23-Sep-2022 16:18	HLW	AHL		T	
	507	APP_CREATE	CHQPR	OPEEXEC	in02040	23-Sep-2022 16:17	HLW	AHL		T	
	508	APP_CREATE	CHQPR	OPEEXEC	in02040	23-Sep-2022 16:11	HLW	AHL		T	
	662	APP_CREATE	DUPAPPDEC	BRMANG	in02040	23-Sep-2022 16:11	HLW	AHL		T	T
	666	APP_CREATE	CHQPR	OPEEXEC	in02040	23-Sep-2022 15:16	HLW	AHL		T	T
	633	APP_CREATE	APPDATAENT	CPUEXEC	in02040	23-Sep-2022 15:8	HLW	AHL		T	T
	632	APP_CREATE	CHQPR	OPEEXEC	in02040	23-Sep-2022 15:6	HLW	AHL		T	T

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify while modification, when user
keep any mandatory field blank and Fill
the Invalid details

(F) To test the dept details screen

AZENTIO ONEBackup

Search the menu

Dashboard

Configurations

Transactions

Reports

Inbox

APPDATAENT

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product	Workflow Type	Event Type	Transaction Type
	676	APP_CREATE	DISBMKR	OPEMKR	in02040	23-Sep-2022 17:38	HLW	AHL		T	T
	675	APP_CREATE	LEGVRFY	CPUEXEC	in02040	23-Sep-2022 17:29	HLW	AHL		T	T
	470	APP_CREATE	CHQPR	OPEXEC	in02040	23-Sep-2022 16:46	HLW	AHL		T	
	285	APP_CREATE	DISBCKR	OPECHK	in02040	23-Sep-2022 16:18	HLW	AHL		T	
	507	APP_CREATE	CHQPR	OPEXEC	in02040	23-Sep-2022 16:17	HLW	AHL		T	
	508	APP_CREATE	CHQPR	OPEXEC	in02040	23-Sep-2022 16:11	HLW	AHL		T	
	662	APP_CREATE	DUPAPDEC	BRMANG	in02040	23-Sep-2022 16:11	HLW	AHL		T	T
	666	APP_CREATE	CHQPR	OPEXEC	in02040	23-Sep-2022 15:16	HLW	AHL		T	T
	633	APP_CREATE	APPDATAENT	CPUEXEC	in02040	23-Sep-2022 15:8	HLW	AHL		T	T
	632	APP_CREATE	CHQPR	OPEXEC	in02040	23-Sep-2022 15:6	HLW	AHL		T	T

Showing 1 to 10 of 115 entries

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify while modification, when user
keep any mandatory field blank and Fill
the Invalid details

(F) To test the dept details screen

AZENTIO ONEBackup

Search the menu

Dashboard

Configurations

Transactions

Reports

Inbox

APPDATAENT

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product	Workflow Type	Event Type	Transaction Type
	633	APP_CREATE	APPDATAENT	CPUEXEC	in02040	23-Sep-2022 15:8	HLW	AHL		T	T
	661	APP_CREATE	APPDATAENT	CPUEXEC	in02040	23-Sep-2022 13:40	HLW	AHL		T	T
	262	APP_CREATE	APPDATAENT	CPUEXEC	in02040	23-Sep-2022 12:17	HLW	AHL		T	
	602	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 18:17	HLW	AHL		T	
	640	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 16:51	HLW	AHL		T	T
	649	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 16:34	HLW	AHL		T	T
	644	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 15:30	HLW	AHL		T	T
	620	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 13:35	HLW	AHL		T	T
	631	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 12:53	HLW	AHL		T	T
	619	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 12:50	HLW	AHL		T	T

Showing 1 to 10 of 46 entries

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify while modification, when user
keep any mandatory field blank and Fill
the Invalid details

(F) To test the dept details screen

The screenshot shows the AZENTIO ONE Banking interface. The top navigation bar includes links for Prev, Application Info, Customer details, Additional Customer Info, Customer Financials (selected), Facility Info, Document Details, Offering, Repayment Schedule, Policy Check, Fee Details, and Next. The left sidebar contains a search bar and menu items: Dashboard, Configurations, Transactions, and Reports. The main content area is titled 'Customer Personal Information' and features a table with columns: Select, Action, CIF ID, First Name, Middle Name, Last Name, Customer Type, Applicant Type, and Status. A single entry is visible with First Name 'kajal', Middle Name 'shekhr', Last Name 'bhoir', Customer Type 'I', Applicant Type 'P', and Status 'Active'. The bottom of the table indicates 'Showing 1 to 1 of 1 entries'.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify while modification, when user
keep any mandatory field blank and Fill
the Invalid details

(F) To test the dept details screen

The screenshot shows the AZENTIO ONE Banking interface with two sections. The top section is titled 'Customer Employment List' and displays a table with columns for CIF ID, First Name, Middle Name, Last Name, Customer Type, Applicant Type, and Status. The bottom section is titled 'Financial Commitments' and displays a table with columns for CIF ID, First Name, Middle Name, Last Name, Customer Type, Applicant Type, and Status. Both tables are currently empty.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify while modification, when user
keep any mandatory field blank and Fill
the Invalid details

(F) To test the dept details screen

The screenshot displays the AZENTIO ONE Banking application interface. On the left is a blue sidebar with a search bar and a menu containing 'Dashboard', 'Configurations', 'Transactions', and 'Reports'. The main content area has a top navigation bar with tabs: 'Prev', 'Application Info', 'Customer details', 'Additional Customer Info', 'Customer Financials' (active), 'Facility Info', 'Document Details', 'Offering', 'Repayment Schedule', 'Policy Check', 'Fee Details', and 'Next'. Below the tabs, there are input fields for 'Application ID', 'Applicant Name', and 'Customer ID'. The 'Customer Financials' section is currently empty.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify while modification, when user
keep any mandatory field blank and Fill
the Invalid details

(F) To test the dept details screen

The screenshot shows the 'Customer Debt Details' screen in the AZENTIO ONE Banking application. The sidebar and top navigation bar are identical to the previous screenshot. The 'Customer Debt Details' section is active, showing 'Financial Commitments'. It contains several form fields organized into two columns. The left column includes 'Finance Type' (Home Loan), 'Account Number' (10101), 'Sanction Amount' (1000), 'Collateral Type' (Loan with Salary as a Collateral), 'Maturity Date' (05-Aug-2024), 'Remarks' (UpdatedRemark), and 'Frequency'. The right column includes 'Financial Institution' (Jazira Bank), 'Sanction Date' (04-Sep-2022), 'Interest Rate %' (80), 'Tenure (Months)' (100), 'Installment Amount' (100), 'Currency' (INR), 'Next Due Date' (05-Jan-2020), 'Closed Date' (05-Feb-2022), and 'Last Payment Amount'. Each field has a small blue icon to its right.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify while modification, when user
keep any mandatory field blank and Fill
the Invalid details

(F) To test the dept details screen

The screenshot shows the 'Customer Debt Details' form in the AZENTIO ONE Banking application. The form is divided into two main sections: 'Financial Commitments' and 'Financial Institution'. The 'Financial Commitments' section includes fields for Finance Type (Home Loan), Account Number (10101), Sanction Amount (1), Current Principal Balance (1000), Maturity Date (05-Aug-2024), Amount Considered (100), Remarks (UpdatedRemark), Collateral Type (Shares), and Frequency. The 'Financial Institution' section includes fields for Financial Institution (Jazira Bank), Sanction Date (04-Sep-2022), Interest Rate % (80), Tenure (Months) (100), Installment Amount (100), Currency (INR), Next Due Date (05-Jan-2020), Closed Date (05-Feb-2022), and Last Payment Amount. The form is displayed in a tabbed interface with 'Customer Financials' selected. The left sidebar shows the navigation menu with options like Dashboard, Configurations, Transactions, and Reports.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify while modification, when user
keep any mandatory field blank and Fill
the Invalid details

(F) To test the dept details screen

This screenshot is identical to the one above, showing the 'Customer Debt Details' form in the AZENTIO ONE Banking application. It displays the same fields and layout, including the 'Financial Commitments' and 'Financial Institution' sections, and the navigation sidebar.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify while modification, when user
keep any mandatory field blank and Fill
the Invalid details

(F) To test the dept details screen

AZENTIO ONE Banking

Search the menu

Dashboard

Configurations

Transactions

Reports

Application ID: Applicant Name: Customer ID:

Prev Application Info Customer details Additional Customer Info **Customer Financials** Facility Info Document Details Offering Repayment Schedule Policy Check Fee Details Next

Customer Debt Details

Financial Commitments

Finance Type *
Home Loan

Account Number *
10101

Sanction Amount *
|

Current Principal Balance *
1000

Maturity Date *
05-Aug-2024

Amount Considered *
100

Remarks *
UpdatedRemark

Collateral Type *
Shares

Frequency *

Financial Institution *
Jazira Bank

Sanction Date *
04-Sep-2022

Interest Rate % *
80

Tenure (Months) *
100

Installment Amount *
100

Currency *
INR

Next Due Date *
05-Jan-2020

Closed Date
05-Feb-2022

Last Payment Amount *

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify while modification, when user
keep any mandatory field blank and Fill
the Invalid details

(F) To test the dept details screen

AZENTIO ONE Banking

Search the menu

Dashboard

Configurations

Transactions

Reports

Application ID: Applicant Name: Customer ID:

Prev Application Info Customer details Additional Customer Info **Customer Financials** Facility Info Document Details Offering Repayment Schedule Policy Check Fee Details Next

Customer Debt Details

Financial Commitments

Finance Type *
Home Loan

Account Number *
10101

Sanction Amount *
Required field

Current Principal Balance *
1000

Maturity Date *
05-Aug-2024

Amount Considered *
100

Remarks *
UpdatedRemark

Collateral Type *
Shares

Frequency *
Monthly

Last Payment Date *
05-Mar-2022

Financial Institution *
Jazira Bank

Sanction Date *
04-Sep-2022

Interest Rate % *
80

Tenure (Months) *
100

Installment Amount *
100

Currency *
INR

Next Due Date *
05-Jan-2020

Closed Date
05-Feb-2022

Last Payment Amount *
100

Product Name *
Dairy milk silk

Please fill all the details

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify while modification, when user
keep any mandatory field blank and Fill
the Invalid details

(F) To test the dept details screen

The screenshot displays the AZENTIO ONE Banking interface, specifically the 'Customer Financials' section. The left sidebar contains a menu with 'Dashboard', 'Configurations', 'Transactions', and 'Reports'. The main content area is divided into three sections: 'Customer Employment List', 'Financial Commitments', and 'Income'. Each section has a table of data and a 'Showing 1 to 1 of 1 entries' message.

Customer Employment List

Action	Employer Name	Nature of Employment	Employment Type	Status
	Bank of America	52973	98313385	Active

Showing 1 to 1 of 1 entries

Financial Commitments

Action	Financial Institution	Loan Amount	Installment Amount	Current Principal Balance	Tenure (months)	Next Due date	Balance Outstanding	Currency	Status
	53153	1	100	1000	100	05-Jan-2020	1000	\$2055	Active

Showing 1 to 1 of 1 entries

Income

Action	Income header ID	Employer Name	Nature of Employment	Net Income	Net Deduction	Considered Income	Currency	Status
	348		SAL	40000	2000		23	Active

Showing 1 to 1 of 1 entries