Duration: 1 m 11.235 s Start: Nov 23, 2:12:03.865 pm End: Nov 23, 2:13:15.100 pm Scenarios **Features** Steps PASSED - 0 PASSED - 0 PASSED - 8 SKIPPED - 0 SKIPPED - 0 SKIPPED - 25 34 40 50 60 40 50 60 40 50 60 Pass % 70 30 Pass % 70 30 Pass % 70 20 20 20 80 80 80 90 90 10 23 % 100 100


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	To test the dept details screen	1	0	1	0	1 m 11.235 s

SCENARIOS SUMMARY

-- 3 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	To test the dept details screen	Validate that user can able to create a Customer debt	34	8	1	25	1 m 11.221 s

DETAILED SECTION -- 4 --

(F)- To test the dept details screen

FAILED	DURATION - 1 m 11.235 s	Scenarios		Steps	
		Total - 1		Total - 34	
/ 2:12:03.865 pn	n // 2:13:15.100 pm /	Pass - 0	1	Pass - 8	34
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 25	

(S)- Validate that user can able to create a Customer debt



#	Step / Hook Details	Status	Duration
1	Given User Launch the KULS url for Transaction	PASSED	24.623 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.961 s
	screenshot		

2	And click on mail box	PASSED	1.105 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.569 s
	screenshot		
	ALEXTO INDEED SET OF S		


AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) And search for app data entry record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AAFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AAFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AAFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	#	Step / Hook Details	Status	Duration
screenshot 4 And select the app data entry first record AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) 5 And user click on Customer Financials Tab AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot 6 And user click on First Record Edit Icon AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.170 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.179 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 1.563 s	3	And search for app data entry record	PASSED	0.505 s
4 And select the app data entry first record PASSED 0.146 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 5 And user click on Customer Financials Tab AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 And user click on First Record Edit Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.880 s
4 And select the app data entry first record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 5 And user click on Customer Financials Tab AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 And user click on First Record Edit Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And user click on Customer Financials Tab AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And user click on First Record Edit Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)		The state of the		
Screenshot 5 And user click on Customer Financials Tab AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 And user click on First Record Edit Icon AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 1.170 s PASSED 0.179 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot	4	And select the app data entry first record	PASSED	0.146 s
5 And user click on Customer Financials Tab AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 And user click on First Record Edit Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot PASSED 0.179 s 1.563 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.310 s
5 And user click on Customer Financials Tab AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 And user click on First Record Edit Icon AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 1.170 s PASSED 0.179 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 6 And user click on First Record Edit Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) passed 0.179 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 1.170 s		The state of the		
6 And user click on First Record Edit Icon AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot PASSED 0.179 s 1.563 s	5	And user click on Customer Financials Tab	PASSED	2.007 s
6 And user click on First Record Edit Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot PASSED 1.563 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.170 s
6 And user click on First Record Edit Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot PASSED 1.563 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot PASSED 1.563 s				
screenshot	6	And user click on First Record Edit Icon	PASSED	0.179 s
		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.563 s
ASSITIO STATE OF THE PROPERTY		screenshot		
		ASSITIO THE PROPERTY OF THE P		
7 And Click on Add icon of Customer Debt section 0.576 s	7	And Click on Add icon of Customer Debt section	PASSED	0.576 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 2.578 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	2.578 s
screenshot		screenshot		

#	Step / Hook Details	Status	Duration
	ACTION IN THE STATE OF THE STAT		
8	And Select the value in Finance type	PASSED	0.798 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.445 s
	screenshot		
	Control Cont		
9	And Select the value in Financial Institution	FAILED	1.258 s
	org.openga.selenium.ElementClickInterceptedException: element click intercepted: Element -ion-select_ngcontent-tgx-c322="m_ng-reflect-text="CNK" ng-reflect-cancel-text="CANCEL" ng-reflect-placeholder="Select" ng-reflect-interface="popover" ng-reflect-multiple="false" ng-reflect-disabled="false" class="ng-untouched ng-pristine ng-valid ios in-item hydrated ion-untouched ion-pristine ion-valid" role="button" aria-haspopup="listbox" aria-label="Select, Financial Institution "> //on-popover-side-bottom hydrated" id="ion-overlay-4" aria-modal="fure" no-router=""tabindex="-1" style="z-index: 20004; -width:792.016px;"> //on-popover> (Session info: chrower106.0.5249.119) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os. name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openga.selenium.chrome.ChromeDriver Command: [b4c82b6124ab60167e2be41ca4fd713a, clickElement (id=22f39d12-ab52-4baf-86d5-8b7f54c08b0]) Capabilities [acceptInsecureCerts: false, browserName: chrome, browserVersion: 106.0.5249.119, chrome: (chromedriverVersion: 105.0.5195.52 (412c95e51883, userDatabir: C:UsersiNININDC-11AppDatalL), goog:chromeOptions: (debuggerAddress: localhost:51100), pascriptEnabled: fralse, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:51100/devtoo, se:cdpVersion: 106.0.5249.119, setWindowRect: true, strictFileInteractability: false, timeouts: (implicit: 0, pageLoad: 300000, script: 30000), unhandledPromptBehavior: dismiss and notify, webauthn:extension:largeBlob: true, webauthn:virtualAutherticators: true; Element: [[ChromeDriver: chrome on WINDOWS] (b4c82b6124ab60167e2be41ca4fd713a)] -> xpath: //ion-label[contains(text(), 'Financial Institution']]//following-sibling::ion-select] Session ID: b4c82b6124ab60167e2be41ca4fd713a] at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(DelegatingConstructorAccesso		


#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy46.click(Unknown Source) at stepdefinitions.CustomerEntityLayout_CustomerDebt_Step. select_the_value_in_financial_institution(CustomerEntityLayout_CustomerDebt_Step.java:49) at ?.Select the value in Financial Institution(file:///C:/Users/inindc00075/git/Arshath_ULS/Arshath_AzentioULSFramework/src/test/java/features/ULS_CustomerDeptDetails.feature:13) * Not displayable characters are replaced by '?'.		
	AFTER STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.208 s
	screenshot		
	AND		
10	And Enter the value in Account Number	SKIPPED	0.000 s
11	And Select the value in Sanction date	SKIPPED	0.000 s
12	And Enter the value in Sanction amount	SKIPPED	0.000 s
13	And Enter the value in Interest rate	SKIPPED	0.000 s
14	And Enter the value in Current Principle balance	SKIPPED	0.000 s
15	And Enter the value in Tenure months	SKIPPED	0.000 s
16	And Select the value in Maturity date	SKIPPED	0.000 s
17	And Enter the value in Installment amount	SKIPPED	0.000 s
18	And Enter the value in Amount considered	SKIPPED	0.001 s
19	And Select the value in Currency	SKIPPED	0.000 s
20	And Enter the value in Remarks	SKIPPED	0.000 s
21	And Select the value in next due date	SKIPPED	0.000 s
22	And Select the value in Collateral type	SKIPPED	0.000 s
23	And Select the value in Closed date	SKIPPED	0.000 s
24	And Select the value in Frequency field	SKIPPED	0.000 s

DETAILED SECTION -- 8 --


#	Step / Hook Details	Status	Duration
25	And Enter the value in Last payment amount	SKIPPED	0.000 s
26	And Select the value in Last payment date	SKIPPED	0.000 s
27	And Enter the value in Product name	SKIPPED	0.000 s
28	And Enter the value in Last 24 cycle	SKIPPED	0.000 s
29	And Toggle the Balance transfer flag	SKIPPED	0.000 s
30	And Select the value in Facility Status	SKIPPED	0.000 s
31	And Enter the value in Remaining Tenure months	SKIPPED	0.000 s
32	And Select the value in disbursement date	SKIPPED	0.000 s
33	And Select the value in NPA Classification	SKIPPED	0.000 s
34	And save the updated record in customerfinancial commitment record	SKIPPED	0.000 s




EXPANDED SECTION -- 10 --



EXPANDED SECTION -- 11 --



EXPANDED SECTION -- 12 --



EXPANDED SECTION -- 13 --

