

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Check the functionality of Living Expenses Master	1	1	0	0	33.315 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the functionality of Living	Creation of Living Expense Parameter record with valid data	18	18	0	0	33.308 s
	Expenses Master						

DETAILED SECTION

(F)- Check the functionality of Living Expenses Master

PASSED	DURATION - 33.315 s	Scenarios		Steps	
		Total - 1		Total - 18	
/ 3:11:10.370 pm	// 3:11:43.685 pm /	Pass - 1	1	Pass - 18	18
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- Creation of Living Expense Parameter record with valid data



#	Step / Hook Details	Status	Duration
1	Given user log in as uls application maker	PASSED	12.553 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.320 s
	screenshot		
	d a Ø d (see one one one one one one one one one o		
2	Then user click on configurations Tab	PASSED	0.129 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.202 s
	screenshot		

#	Step / Hook Details	Status	Duration
	Account of the second of the s		
3	And user click on Other Masters Tab	PASSED	0.418 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.329 s
	screenshot		
	ADDITION CO S B 10 100 100 100 100 100 100 100 100 10		
4	And user click on List view Icon of Living Expenses	PASSED	0.139 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot +	PASSED	0.177 s
5	And user click on Add Icon for Living Expenses	PASSED	2.220 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.255 s
6	And user Enter value in Description and verify it	PASSED	2.387 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.119 s
	screenshot		

#	Step / Hook Details	Status	Duration
	ALEXTO D D D D D D D D D D D D D D D D D D D		
7	And user Enter value in Description2 and verify it	PASSED	0.243 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.150 s
	screenshot		
	ACTIVITY OF DIFFERENCE OF DIF		
8	And user Enter value in Description3 and verify it	PASSED	0.319 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.137 s
	screenshot		
	at a Ø il (inc) (i		
9	And user select Rule value and verify it	PASSED	0.386 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.224 s
	screenshot		
	C D D D D D D D D D D D D D D D D D D D		
10	And user choose Calender Effective Date and verify it	PASSED	0.678 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.169 s
	screenshot		
		1	1


11 And user save the Record in Living Expenses AFTER_STEP - stepdefinitions. HooksClass. addScreenshot((o.cucumber.java.Scenario) Screenshot 12 And user Goto the Temp view screen of living Expense AFTER_STEP - stepdefinitions. HooksClass. addScreenshot((o.cucumber.java.Scenario) Screenshot 13 And user click on First record in living Expense AFTER_STEP - stepdefinitions. HooksClass. addScreenshot((o.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) passed D.184 s PASSED D.184 s PASSED D.493 s		Application		
screenshot 12 And user Goto the Temp view screen of living Expense AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) 13 And user click on First record in living Expense AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot 14 And user click on Living Expenses Parameter AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.184 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.184 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.493 s	11	And user save the Record in Living Expenses	PASSED	0.213 s
12 And user Goto the Temp view screen of living Expense AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot 13 And user click on First record in living Expense AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED O.305 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED O.460 s 14 And user click on Living Expenses Parameter AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED O.184 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED O.493 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.281 s
12 And user Goto the Temp view screen of living Expense AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 13 And user click on First record in living Expense AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 14 And user click on Living Expenses Parameter AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.326 s 0.413 s 0.413 s PASSED 0.305 s PASSED 0.460 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.413 s 13 And user click on First record in living Expense AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 14 And user click on Living Expenses Parameter AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.484 s PASSED 0.493 s		d many B		
screenshot 13 And user click on First record in living Expense AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 14 And user click on Living Expenses Parameter AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.184 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.493 s	12	And user Goto the Temp view screen of living Expense	PASSED	0.326 s
13 And user click on First record in living Expense PASSED 0.305 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 14 And user click on Living Expenses Parameter AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.184 s 0.184 s 0.493 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)		0.413 s
13 And user click on First record in living Expense PASSED 0.305 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 14 And user click on Living Expenses Parameter AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.184 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.493 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 14 And user click on Living Expenses Parameter AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.460 s PASSED 0.484 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.493 s		ACTIVITY IN ACTIV		
Screenshot 14 And user click on Living Expenses Parameter AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.184 s 0.493 s	13	And user click on First record in living Expense	PASSED	0.305 s
14 And user click on Living Expenses Parameter AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario) PASSED 0.184 s 0.493 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.460 s
14 And user click on Living Expenses Parameter AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario) PASSED 0.184 s 0.493 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.493 s		C TOTAL DE CONTROL DE SENTENCIA		
	14	And user click on Living Expenses Parameter	PASSED	0.184 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.493 s
		screenshot		

#	Step / Hook Details	Status	Duration
	AND THE PROPERTY OF THE PROPER		
15	And user click on Add Icon for Living Expenses	PASSED	0.196 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.352 s
	screenshot		
	ADMINISTRATION OF B 9 1		
16	And user Enter value in Description and verify it	PASSED	0.458 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.200 s
	screenshot	_	
	United States Control of the Control		
17	And user select the code value	PASSED	0.503 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.268 s
	screenshot		
	ACTION OF THE PROPERTY OF THE		
18	And user Enter the value	PASSED	0.477 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.186 s
	screenshot		


DETAILED SECTION -- 9 --

#	Step / Hook Details	Status	Duration
	ASSENCE STORY OF THE PROPERTY		


EXPANDED SECTION -- 10 --




EXPANDED SECTION -- 11 --




EXPANDED SECTION -- 12 --




EXPANDED SECTION -- 13 --




EXPANDED SECTION -- 14 --




EXPANDED SECTION -- 15 --



EXPANDED SECTION -- 16 --



EXPANDED SECTION -- 17 --



EXPANDED SECTION -- 18 --

