


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	To verify the functionality of Deposit Account master	1	0	1	0	1 m 44.586 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	To verify the functionality of Deposit	To verify user is able to add new Deposite account record in	22	9	1	12	1 m 44.580 s
	Account master	the system by entering valid data					

**DETAILED SECTION** 

## (F)- To verify the functionality of Deposit Account master

FAILED	DURATION - 1 m 44.586 s	Scenarios		Steps	
		Total - 1		Total - 22	
/ 9:55:47.397	' AM // 9:57:31.983 AM /	Pass - 0	1	Pass - 9	22
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 12	

## (S)- To verify user is able to add new Deposite account record in the system by entering valid data



#	Step / Hook Details	Status	Duration
1	Given Get the URL and login as maker	PASSED	26.789 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.508 s
	screenshot		
	AZENTO  **** OF THE CONTROL OF THE C		
2	And Click the configuration	PASSED	0.294 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.518 s
	screenshot		
	ASSETTION Nove 25 of 2 (20) (20) (20) (20) (20) (20) (20) (2		

AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  4 And Click the eye icon of deposit master  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  Screenshot  5 Then Choose the data set id for creation of deposit account master  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  Screenshot  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  AFTER_STEP - stepdefinitions. HooksCla	#	Step / Hook Details	Status	Duration
And Click the eye icon of deposit master  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  Then Choose the data set id for creation of deposit account master  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  FASSED  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)	3	Then Click the config Manager	PASSED	0.459 s
And Click the eye icon of deposit master  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  5 Then Choose the data set id for creation of deposit account master  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  Screenshot  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  PASSED  0.716 s  PASSED  0.627 s  Check the Add button in the deposit master  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  PASSED  0.759 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  PASSED  0.759 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  PASSED  0.759 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.422 s
And Click the eye icon of deposit master  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  Then Choose the data set id for creation of deposit account master  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scen		screenshot		
AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot  Then Choose the data set id for creation of deposit account master  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot  Then Click the Add button in the deposit master  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)				
screenshot  Then Choose the data set id for creation of deposit account master  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io	4	And Click the eye icon of deposit master	PASSED	0.272 s
5 Then Choose the data set id for creation of deposit account master  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(jo.cucumber.java.Scenario)  Screenshot  6 Then Click the Add button in the deposit master  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(jo.cucumber.java.Scenario)  PASSED  O.420 s  PASSED  O.759 s  To And Verify all the fields in deposit screen  PASSED  1.766 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.796 s
Then Choose the data set id for creation of deposit account master  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  Then Click the Add button in the deposit master  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  O.420 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  passed  AFTER_STEP - stepdefinitions.Hooks		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  Then Click the Add button in the deposit master  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  7 And Verify all the fields in deposit screen  AFSED  0.627 s  0.627 s  0.627 s  0.627 s				
screenshot  Then Click the Add button in the deposit master  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  And Verify all the fields in deposit screen  PASSED  0.420 s  PASSED  0.759 s  1.766 s	5	Then Choose the data set id for creation of deposit account master	PASSED	0.716 s
Then Click the Add button in the deposit master  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  And Verify all the fields in deposit screen  PASSED  O.420 s  PASSED  0.759 s  PASSED  1.766 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.627 s
Then Click the Add button in the deposit master  AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario)  Screenshot  And Verify all the fields in deposit screen  PASSED  0.420 s  0.759 s  1.766 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  7 And Verify all the fields in deposit screen  PASSED  0.759 s  PASSED  0.759 s  PASSED  1.766 s				
Screenshot  7 And Verify all the fields in deposit screen  PASSED 1.766 s	6	Then Click the Add button in the deposit master	PASSED	0.420 s
7 And Verify all the fields in deposit screen PASSED 1.766 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.759 s
7 And Verify all the fields in deposit screen PASSED 1.766 s		screenshot		
·				
AFTER_STEP - stendefinitions HooksClass addScreenshot(in cucumber java Scenario) PASSED 0.339 s	7	And Verify all the fields in deposit screen	PASSED	1.766 s
74 121 Stopashillions Tooles added to the first and the fi		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.339 s
screenshot		screenshot		


#	Step / Hook Details	Status	Duration
	ASSEND  Send S P NO		
8	Then Select the Bank name in deposit master	PASSED	1.426 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.705 s
	screenshot	1	
	**************************************		
9	And Select the branch name in deposit master	PASSED	55.249 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.441 s
	screenshot		
	ACTION		
10	Then Choose the accounting type in deposit master	FAILED	1.186 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-select_ngcontent-jed-c177="" aria-haspopup="listbox" aria-label="Select, Account Type *" class="ng-untouched ng-pristine ng-valid ios in-item hydrated ion-untouched ion-pristine ion-valid" ng-reflect-disabled="false" ng-reflect-interface="popover" ng-reflect-multiple="false" ng-reflect-oktext="CANCEL" ng-reflect-placeholder="Select" role="button"> is not clickable at point (673, 277). Other element would receive the click: <ion-popover aria-modal="true" class="select-popover ios popover-desktop popover-side-bottom hydrated" id="ion-overlay-4" no-router="" style="z-index: 20004;width:802.016px;" tabindex="-1"></ion-popover> (Session info: chrome=108.0.5359.126) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK973U', ip: '10.200.4.60', os. name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [356f987522574dbad67d9d6c4078b1d2, clickElement {id=91ef0928-d42e-420a-ba88-d2102f3f2e0f}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 108.0.5359.126, chrome: {chromedriverVersion: 108.0.5359.71 (1e0e3868ee06, userDataDir: C:\Users\ININDC-1\AppDataL}, goog:chromeOptions: {debuggerAddress: localhost:63505}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadstrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:63505/devtoo, se:cdpVersion: 108.0.5359.126, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:redBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (356f987522574dbad67d9d6c4078b1d2)] -&gt; xpath: //ion-select[@aria-label='Select, Account Type *]] Session ID: 356f987522574dbad67d9d6c4078b1d2</ion-select_ngcontent-jed-c177="">		

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.odec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:77) at java.base/java.lang.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy46.click(Unknown Source) at stepdefinitions.DepositAccountMaster.choose_the_accounting_type_in_deposit_master(DepositAccountMaster.java:144) at ?.Choose the accounting type in deposit master(file://l/C:/Users/ININDC00073/git/Azentio_ULS/ Kamala_Priya_AzentioULSFramework3/srcftest/java/features/DepositAccountMaster.feature:15) * Not displayable characters are replaced by '?'.  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot	PASSED	0.399 s
11		OKIDDED	0.000
11	And Enter the account number in depost master	SKIPPED	0.000 s
12	Then Choose the account currency in deposit master	SKIPPED	0.001 s
13	And Choose the payment account indicator	SKIPPED	0.001 s
14	Then Select the chart of account mapping type in deposit master	SKIPPED	0.009 s
15	And Select the account status	SKIPPED	0.000 s
16	Then Save the record in deposit master	SKIPPED	0.000 s
17	And Click the inbox in deposit master	SKIPPED	0.000 s
18	Then Search the record in serch field	SKIPPED	0.001 s
19	And Get the reference id and store it in json	SKIPPED	0.004 s
20	And Click the first action icon in deposit master	SKIPPED	0.001 s
21	Then Submit the record in deposit master	SKIPPED	0.000 s


DETAILED SECTION -- 8 --


#	Step / Hook Details	Status	Duration
22	And User Logout from application	SKIPPED	0.000 s

EXPANDED SECTION -- 9 --




EXPANDED SECTION -- 10 --





EXPANDED SECTION -- 12 --



EXPANDED SECTION -- 13 --

