

Cucumber Report

29-Sep-2022, 9:54:10 am

Start : Sep 29, 9:52:25.426 am

End : Sep 29, 9:54:08.381 am

Duration : 1 m 42.955 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 10
FAILED - 1
SKIPPED - 3







#	Feature Name	T	P	F	S	Duration
1	<u>Check the Functionality of Bounce Master</u>	1	0	1	0	1 m 42.955 s







#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the Functionality of Bounce Master	verify system allow user to do a modification on already approved record	14	10	1	3	1 m 42.948 s




(F)- Check the Functionality of Bounce Master





FAILED	DURATION - 1 m 42.955 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 14 Pass - 10 Fail - 1 Skip - 3	
/ 9:52:25.426 am // 9:54:08.381 am /					

(S)- verify system allow user to do a modification on already approved record

<div>FAILED</div> <div>DURATION - 1 m 42.948 s</div>			<div>Steps</div> <div>Total - 14</div> <div>Pass - 10</div> <div>Fail - 1</div> <div>Skip - 3</div>	
/ 9:52:25.433 am // 9:54:08.381 am /				
Check the Functionality of Bounce Master				
@AT-BM-007				


#	Step / Hook Details	Status	Duration
1	Given User Launch the KULS application	PASSED	14.255 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.450 s
	screenshot		
			
2	Then user click on configurations Tab	PASSED	0.161 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	2.652 s
	screenshot		
			

#	Step / Hook Details	Status	Duration
3	When user click Config Manager menu	PASSED	0.615 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.326 s
	screenshot		
			
4	And User click on Bounce Master List view	PASSED	0.535 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.598 s
	screenshot		
			
5	And user click on First Record Edit icon	PASSED	2.391 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.526 s
	screenshot		
			
6	And user update the Bounce code field	PASSED	2.829 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.301 s
	screenshot		
			
7	And user update the Charge Applicable field	PASSED	0.983 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.473 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
8	And user update the Bounce Description field	PASSED	0.684 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.276 s
	screenshot		
			
9	And user update the Bounce Description2 field	PASSED	0.567 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.184 s
	screenshot		
			
10	And user update the Bounce Description3 field	PASSED	0.346 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.280 s
	screenshot		
			
11	And user click the save buttons	FAILED	1 m 0.807 s
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: //div[@aria-label='success']' (tried for 60 second(s) with 2000 milliseconds interval) at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:91) at stepdefinitions.MDM_BounceMaster.user_click_the_save_buttons(MDM_BounceMaster.java:131)		

#	Step / Hook Details	Status	Duration
	<p>at ?.user click the save buttons(file:///C:/Users/inindc00075/git/Arshath_ULS/Arshath_AzentioULSFramework/src/test/java/features/MDM_BounceMaster.feature:28)</p> <p>Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@aria-label='success']} (Session info: chrome=105.0.5195.127) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [c6ee956c1197db30754bdd4d36653fda, findElement {using=xpath, value=//div[@aria-label='success']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 105.0.5195.127, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: C:\Users\ININDC~1\AppData\Local\...}, goog:chromeOptions: {debuggerAddress: localhost:58927}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58927/devtools, se:cdpVersion: 105.0.5195.127, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: c6ee956c1197db30754bdd4d36653fda</p> <p>atjdk.internal.reflect.GeneratedConstructorAccessor20.newInstance(Unknown Source)</p> <p>at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</p> <p>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)</p> <p>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)</p> <p>at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)</p> <p>at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373)</p> <p>at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)</p> <p>at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)</p> <p>atjdk.proxy2/jdk.proxy2.\$Proxy46.isDisplayed(Unknown Source)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290)</p> <p>at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208)</p> <p>at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:91)</p> <p>at stepdefinitions.MDM_BounceMaster.user_click_the_save_buttons(MDM_BounceMaster.java:131)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)</p> <p>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)</p> <p>at java.base/java.lang.reflect.Method.invoke(Method.java:568)</p>		


#	Step / Hook Details	Status	Duration
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115)		

#	Step / Hook Details	Status	Duration
	at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.156 s
12	And user goto the Maker Inbox and store the Referance ID	SKIPPED	0.000 s
13	Then user Click on Action Icon	SKIPPED	0.002 s
14	And user verify the submit button and submit the Record from Maker stage	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify system allow user to do a
modification on already approved record


(F) Check the Functionality of Bounce
Master



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify system allow user to do a
modification on already approved record


(F) Check the Functionality of Bounce
Master



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify system allow user to do a
modification on already approved record


(F) Check the Functionality of Bounce
Master



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify system allow user to do a
modification on already approved record

(F) Check the Functionality of Bounce
Master



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify system allow user to do a
modification on already approved record

(F) Check the Functionality of Bounce
Master

AZENTIO ONE Banking

Search the menu

Dashboard

Configurations

- Bounce Master
- Covenant Master
- Allocation Master
- Allocation Details
- Insurance Master
- UnderwriterOffsetControl
- digitaldocumentmaster
- Deposit Account Master
- Project Master
- Notification Master
- Report Master

Transactions

Reports

List Of Bounce Reason

Action	Bounce Code	Description	Charge Applicable	Status
	XXX	XXX	Y	Active

Showing 1 to 1 of 1 entries

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify system allow user to do a
modification on already approved record

(F) Check the Functionality of Bounce
Master

AZENTIO ONE Banking

Search the menu

Dashboard

Configurations

- Bounce Master
- Covenant Master
- Allocation Master
- Allocation Details
- Insurance Master
- UnderwriterOffsetControl
- digitaldocumentmaster
- Deposit Account Master
- Project Master
- Notification Master
- Report Master

Transactions

Reports

Bounce Master

Bounce Code *
Update Bounce code

Bounce Description *
XXX

Bounce Description 3
XXX3

Charge Applicable *
Yes

Bounce Description 2
XXX2

Status
☒

Authorisation for this record is pending

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify system allow user to do a
modification on already approved record

(F) Check the Functionality of Bounce
Master

AZENTIO

ONE Banking

Search the menu

Dashboard

Configurations

Bounce Master

Covenant Master

Allocation Master

Allocation Details

Insurance Master

UnderwriterOffsetC
ontrol

digitaldocumentma
ster

Deposit Account
Master

Project Master

Notification Master

Report Master

Transactions

Reports

←

Bounce Master

Bounce Code *

Update Bounce code

Bounce Description *

XXX

Bounce Description 3

XXX3

Charge Applicable *

No

Bounce Description 2

XXX2

Status

✕

Authorisation for this record is pending

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify system allow user to do a
modification on already approved record

(F) Check the Functionality of Bounce
Master

AZENTIO

ONE Banking

Search the menu

Dashboard

Configurations

Bounce Master

Covenant Master

Allocation Master

Allocation Details

Insurance Master

UnderwriterOffsetC
ontrol

digitaldocumentma
ster

Deposit Account
Master

Project Master

Notification Master

Report Master

Transactions

Reports

←

Bounce Master

Bounce Code *

Update Bounce code

Bounce Description *

Update Bounce code

Bounce Description 3

XXX3

Charge Applicable *

No

Bounce Description 2

XXX2

Status

✕

Authorisation for this record is pending

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify system allow user to do a
modification on already approved record

(F) Check the Functionality of Bounce
Master

AZENTIO

ONE Banking

Search the menu

Dashboard

Configurations

Bounce Master

Covenant Master

Allocation Master

Allocation Details

Insurance Master

UnderwriterOffsetControl

digitaldocumentmaster

Deposit Account Master

Project Master

Notification Master

Report Master

Transactions

Reports

Bounce Master

Bounce Code *

Update Bounce code

Bounce Description *

Update Bounce code

Bounce Description 3

XXX3

Charge Applicable *

No

Bounce Description 2

Update Bounce code

Status

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify system allow user to do a
modification on already approved record

(F) Check the Functionality of Bounce
Master

AZENTIO

ONE Banking

Search the menu

Dashboard

Configurations

Bounce Master

Covenant Master

Allocation Master

Allocation Details

Insurance Master

UnderwriterOffsetControl

digitaldocumentmaster

Deposit Account Master

Project Master

Notification Master

Report Master

Transactions

Reports

Bounce Master

Bounce Code *

Update Bounce code

Bounce Description *

Update Bounce code

Bounce Description 3

Update Bounce code

Charge Applicable *

No

Bounce Description 2

Update Bounce code

Status

