

Cucumber Report



FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	To verify the functionality of Deposit Account master	1	0	1	0	1 m 49.309 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	To verify the functionality of Deposit	To verify user is able to add new Deposite account record in	22	9	1	12	1 m 49.309 s
	Account master	the system by entering valid data					

DETAILED SECTION

(F)- To verify the functionality of Deposit Account master

FAILED	DURATION - 1 m 49.309 s	Scenarios		Steps	
		Total - 1		Total - 22	
/ 9:53:02.916 Al	M // 9:54:52.225 AM /	Pass - 0	1	Pass - 9	22
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 12	

(S)- To verify user is able to add new Deposite account record in the system by entering valid data



#	Step / Hook Details	Status	Duration
1	Given Get the URL and login as maker	PASSED	25.147 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.353 s
	screenshot		
	TOTAL		
2	And Click the configuration	PASSED	0.216 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.296 s
	screenshot		
	ACCUPTION WORLD S. P. AND AND AND A. P.		

AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) And Click the eye icon of deposit master AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot PASSED 0.355 s 0.355 s Then Choose the data set id for creation of deposit account master AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.331 s	#	Step / Hook Details	Status	Duration
screenshot 4 And Click the eye icon of deposit master AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 5 Then Choose the data set id for creation of deposit account master AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot	3	Then Click the config Manager	PASSED	0.229 s
And Click the eye icon of deposit master AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then Choose the data set id for creation of deposit account master AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.355 s
AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Then Choose the data set id for creation of deposit account master AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.975 s Then Choose the data set id for creation of deposit account master AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot PASSED 0.331 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.314 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.890 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot Then Choose the data set id for creation of deposit account master AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) passed AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) passed Then Click the Add button in the deposit master AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) passed AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) passed O.975 s O.975 s				
screenshot Then Choose the data set id for creation of deposit account master AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot Then Click the Add button in the deposit master AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) passed 0.314 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	4	And Click the eye icon of deposit master	PASSED	0.159 s
Then Choose the data set id for creation of deposit account master AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then Click the Add button in the deposit master AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.314 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 0.890 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.975 s
Then Click the Add button in the deposit master AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario) Then Click the Add button in the deposit master AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario) AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario) Screenshot PASSED 0.469 s 0.331 s 0.331 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then Click the Add button in the deposit master AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot PASSED 0.331 s 0.331 s 0.331 s				
Screenshot Then Click the Add button in the deposit master AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot PASSED 0.314 s PASSED 0.890 s	5	Then Choose the data set id for creation of deposit account master	PASSED	0.469 s
6 Then Click the Add button in the deposit master AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot PASSED 0.314 s 0.890 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.331 s
6 Then Click the Add button in the deposit master AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot PASSED 0.314 s 0.890 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot PASSED 0.890 s				
screenshot	6	Then Click the Add button in the deposit master	PASSED	0.314 s
		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.890 s
ACTION THE REPORT OF THE REPO		screenshot		
7 And Verify all the fields in deposit screen PASSED 1.152 s	7	And Verify all the fields in deposit screen	PASSED	1.152 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.326 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.326 s
corporate		screenshot		


#	Step / Hook Details	Status	Duration
	Section Sect		
8	Then Select the Bank name in deposit master	PASSED	2.034 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.756 s
	screenshot]	
	Company Comp		
9	And Select the branch name in deposit master	PASSED	56.652 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.326 s
	screenshot		
	ACTION		
10	Then Choose the accounting type in deposit master	FAILED	1.150 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-select_ngcontent-tim-c177="" aria-haspopup="listbox" aria-label="Select, Account Type *" class="ng-untouched ng-pristine ng-valid ios in-item hydrated ion-untouched ion-pristine ion-valid" ng-reflect-cancel-text="CANCEL" ng-reflect-disabled="false" ng-reflect-interface="popover" ng-reflect-multiple="false" ng-reflect-oktext="OK" ng-reflect-placeholder="Select" role="button"> is not clickable at point (673, 277). Other element would receive the click: <ion-popover aria-modal="true" class="select-popover ios popover-desktop popover-side-bottom hydrated" id="ion-overlay-4" no-router="" style="z-index: 20004;width:802.016px;" tabindex="-1"></ion-popover> (Session info: chrome=108.0.5359.126) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.4.60', os. name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5871f9e523527e23b947e18a19a19831, clickElement (id=e664c557-b775-44dc-bdfa-b2c17fa3ccc7)] Capabilities (acceptInsecureCerts: false, browserName: chrome, browserVersion: 108.0.5359.126, chrome: {chromedriverVersion: 108.0.5359.11 (1e0e3868ee06, userDataDir: C:\Users\ININDC~1\AppDataL}, goog:chromeOptions: {debuggerAddress: localhost:63425}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadstrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:63425/devtoo, se:cdpVersion: 108.0.5359.126, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (5871f9e523527e23b947e18a19a19831)] -> xpath: //ion-select[@aria-label='Select, Account Type *]] Session ID: 5871f9e523527e23b947e18</ion-select_ngcontent-tim-c177="">		

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.BttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy46.click(Unknown Source) at stepdefinitions.DepositAccountMaster.choose_the_accounting_type_in_deposit_master(DepositAccountMaster.java:144) at ?Choose the accounting type in deposit master(flie:///C/Users/ININDC00073/git/Azentio_ULS/ Kamala_Priya_AzentioULSFramework3/src/test/java/features/DepositAccountMaster.feature:15) * Not displayable characters are replaced by '?'. AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.266 s
11	And Enter the account number in depost master	SKIPPED	0.000 s
12	Then Choose the account currency in deposit master	SKIPPED	0.001 s
13	And Choose the payment account indicator	SKIPPED	0.000 s
14	Then Select the chart of account mapping type in deposit master	SKIPPED	0.000 s
15	And Select the account status	SKIPPED	0.000 s
16	Then Save the record in deposit master	SKIPPED	0.000 s
17	And Click the inbox in deposit master	SKIPPED	0.000 s
18	Then Search the record in serch field	SKIPPED	0.000 s
19	And Get the reference id and store it in json	SKIPPED	0.003 s
20	And Click the first action icon in deposit master	SKIPPED	0.000 s
21	Then Submit the record in deposit master	SKIPPED	0.000 s


DETAILED SECTION -- 8 --


#	Step / Hook Details	Status	Duration
22	And User Logout from application	SKIPPED	0.000 s

EXPANDED SECTION -- 9 --




EXPANDED SECTION -- 10 --





EXPANDED SECTION -- 12 --



EXPANDED SECTION -- 13 --

