

Cucumber Report

23-Sep-2022, 4:46:46 pm

Start : Sep 23, 4:45:39.874 pm

End : Sep 23, 4:46:44.418 pm

Duration : 1 m 4.544 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 0


FAILED - 1

SKIPPED - 0

PASSED - 13


FAILED - 1

SKIPPED - 0







#	Feature Name	T	P	F	S	Duration
1	<u>To test the dept details screen</u>	1	0	1	0	1 m 4.544 s







#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>To test the dept details screen</u>	<u>verify while modification, when user keep any mandatory field blank and Fill the Invalid details</u>	14	13	1	0	1 m 4.538 s





(F)- To test the dept details screen

FAILED	DURATION - 1 m 4.544 s	Scenarios		Steps	
/ 4:45:39.874 pm // 4:46:44.418 pm /		Total - 1	1	Total - 14	14
		Pass - 0		Pass - 13	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	




(S)- verify while modification, when user keep any mandatory field blank and Fill the Invalid details

<div>FAILED</div> <div>DURATION - 1 m 4.538 s</div>			<div>Steps</div> <div>Total - 14</div> <div>Pass - 13</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 4:45:39.880 pm // 4:46:44.418 pm /				
To test the dept details screen				
@AT_DD_04				

#	Step / Hook Details	Status	Duration
1	Given User Launch the KULS url for Transaction	PASSED	18.982 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.439 s
	screenshot		
			
2	And click on mail box	PASSED	1.354 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.307 s
	screenshot		
			


#	Step / Hook Details	Status	Duration
3	And search for app data entry record	PASSED	0.578 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.252 s
	screenshot		
			
4	And select the app data entry first record	PASSED	0.230 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.253 s
	screenshot		
			
5	And user click on Customer Financials Tab	PASSED	5.543 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.703 s
	screenshot		
			
6	And user click on First Record Edit Icon	PASSED	0.202 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.369 s
	screenshot		
			
7	And click on pencil icon in financial commitment list view record	PASSED	0.380 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.508 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
8	And Reupdate the finance type dropdown field	PASSED	2.490 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.361 s
	screenshot		
			
9	And Reupdate the financial institution dropdown field	PASSED	0.529 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.505 s
	screenshot		
			
10	And Reupdate the account number field	PASSED	0.390 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.169 s
	screenshot		
			
11	And Reupdate the sanction amount	PASSED	0.363 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.192 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
12	And user update Invalid data to interest rate percentage field	PASSED	0.344 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.163 s
	screenshot		
			
13	And save the updated record in customerfinancial commitment record	PASSED	3.132 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.212 s
	screenshot		
			
14	<p>And user verify the validation Messgae for Invalid data</p> <p>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: //ion-badge[contains(text(),' Positive Integer Allowed')]' (tried for 10 second(s) with 1000 milliseconds interval) at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:91) at stepdefinitions.ULS_CustomerDeptDetailsSteps.user_verify_the_validation_messgae_for_invalid_data(ULS_CustomerDeptDetailsSteps.java:1193) at ?user verify the validation Messgae for Invalid data(file:///C:/Users/inindc00075/git/Arshath_ULS/Arshath_AzenioULSFramework/src/test/java/features/ULS_CustomerDeptDetailsFEATURE.feature:81) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//ion-badge[contains(text(),' Positive Integer Allowed')]} (Session info: chrome=105.0.5195.102) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVPD014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [fd663b327a9907a9d75678fcf88b225a, findElement {using=xpath, value=//ion-badge[contains(text(),' Positive Integer Allowed')]} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 105.0.5195.102, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: C:\Users\ININDC~1\AppData\Local\, goog:chromeOptions: {debuggerAddress: localhost:58334}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy:</p>	FAILED	10.797 s

#	Step / Hook Details	Status	Duration
	<p>normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58334/devtoo..., se:cdpVersion: 105.0.5195.102, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: fd663b327a9907a9d75678fcf88b225a</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy46.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:91) at stepdefinitions.ULS_CustomerDeptDetailsSteps.user_verify_the_validation_messgae_for_invalid_data(ULS_CustomerDeptDetailsSteps.java:1193) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92)</p>		


#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.144 s
	screenshot		

#	Step / Hook Details	Status	Duration
			

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify while modification, when user
keep any mandatory field blank and Fill
the Invalid details

(F) To test the dept details screen



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify while modification, when user
keep any mandatory field blank and Fill
the Invalid details

(F) To test the dept details screen

The screenshot displays the AZENTIO ONE Banking dashboard with the 'Inbox' section active. The table lists various transactions with the following columns: Action, Reference Id, Event Code, Stage Code, Role Code, Employee Name, Created Date, Workflow Code, Product, Workflow Type, Event Type, and Transaction Type. The data is as follows:

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product	Workflow Type	Event Type	Transaction Type
	470	APP_CREATE	DISBCKR	OPECHK	in02040	23-Sep-2022 16:45	HLW	AHL		T	
	285	APP_CREATE	DISBCKR	OPECHK	in02040	23-Sep-2022 16:18	HLW	AHL		T	
	507	APP_CREATE	CHQPR	OPEEXEC	in02040	23-Sep-2022 16:17	HLW	AHL		T	
	508	APP_CREATE	CHQPR	OPEEXEC	in02040	23-Sep-2022 16:11	HLW	AHL		T	
	662	APP_CREATE	DUPAPPDEC	BRMANG	in02040	23-Sep-2022 16:11	HLW	AHL		T	T
	666	APP_CREATE	CHQPR	OPEEXEC	in02040	23-Sep-2022 15:16	HLW	AHL		T	T
	633	APP_CREATE	APPDATAENT	CPUEXEC	in02040	23-Sep-2022 15:8	HLW	AHL		T	T
	632	APP_CREATE	CHQPR	OPEEXEC	in02040	23-Sep-2022 15:6	HLW	AHL		T	T
	515	APP_CREATE	DISBCKR	OPECHK	in02040	23-Sep-2022 15:0	HLW	AHL		T	
	541	APP_CREATE	DISBCKR	OPECHK	in02040	23-Sep-2022 14:57	HLW	AHL		T	

The bottom of the table shows pagination information: 'Showing 1 to 10 of 113 entries' and a page selector with options 1, 2, 3, 4, 5, and a dropdown for 10.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify while modification, when user
keep any mandatory field blank and Fill
the Invalid details

(F) To test the dept details screen

AZENTIO ONEBackup

Search the menu

Inbox

APPDATAENT

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product	Workflow Type	Event Type	Transaction Type
	470	APP_CREATE	DISBCKR	OPECHK	in02040	23-Sep-2022 16:45	HLW	AHL		T	
	285	APP_CREATE	DISBCKR	OPECHK	in02040	23-Sep-2022 16:18	HLW	AHL		T	
	507	APP_CREATE	CHQPR	OPEEXEC	in02040	23-Sep-2022 16:17	HLW	AHL		T	
	508	APP_CREATE	CHQPR	OPEEXEC	in02040	23-Sep-2022 16:11	HLW	AHL		T	
	662	APP_CREATE	DUPAPPDEC	BRMANG	in02040	23-Sep-2022 16:11	HLW	AHL		T	T
	666	APP_CREATE	CHQPR	OPEEXEC	in02040	23-Sep-2022 15:16	HLW	AHL		T	T
	633	APP_CREATE	APPDATAENT	CPUEXEC	in02040	23-Sep-2022 15:08	HLW	AHL		T	T
	632	APP_CREATE	CHQPR	OPEEXEC	in02040	23-Sep-2022 15:06	HLW	AHL		T	T
	515	APP_CREATE	DISBCKR	OPECHK	in02040	23-Sep-2022 15:0	HLW	AHL		T	
	541	APP_CREATE	DISBCKR	OPECHK	in02040	23-Sep-2022 14:57	HLW	AHL		T	

Showing 1 to 10 of 113 entries

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify while modification, when user
keep any mandatory field blank and Fill
the Invalid details

(F) To test the dept details screen

AZENTIO ONEBackup

Search the menu

Inbox

APPDATAENT


Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product	Workflow Type	Event Type	Transaction Type
	633	APP_CREATE	APPDATAENT	CPUEXEC	in02040	23-Sep-2022 15:08	HLW	AHL		T	T
	661	APP_CREATE	APPDATAENT	CPUEXEC	in02040	23-Sep-2022 13:40	HLW	AHL		T	T
	262	APP_CREATE	APPDATAENT	CPUEXEC	in02040	23-Sep-2022 12:17	HLW	AHL		T	
	602	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 18:17	HLW	AHL		T	
	640	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 16:51	HLW	AHL		T	T
	649	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 16:34	HLW	AHL		T	T
	644	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 15:30	HLW	AHL		T	T
	620	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 13:35	HLW	AHL		T	T
	631	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 12:53	HLW	AHL		T	T
	619	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 12:50	HLW	AHL		T	T

Showing 1 to 10 of 46 entries

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify while modification, when user
keep any mandatory field blank and Fill
the Invalid details


(F) To test the dept details screen



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify while modification, when user
keep any mandatory field blank and Fill
the Invalid details

(F) To test the dept details screen



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify while modification, when user
keep any mandatory field blank and Fill
the Invalid details

(F) To test the dept details screen

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify while modification, when user
keep any mandatory field blank and Fill
the Invalid details

(F) To test the dept details screen

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify while modification, when user
keep any mandatory field blank and Fill
the Invalid details

(F) To test the dept details screen

The screenshot shows the 'Customer Debt Details' form in the AZENTIO ONE Banking application. The form is divided into two main sections: 'Financial Commitments' and 'Financial Institution'. The 'Financial Commitments' section includes fields for Finance Type (Home Loan), Account Number (111), Sanction Amount (100), Current Principal Balance (1000), Maturity Date (08-Aug-2024), Amount Considered (100), Remarks (UpdatedRemark), and Collateral Type (Shares). The 'Financial Institution' section includes fields for Financial Institution (Jazira Bank), Sanction Date (08-Sep-2022), Interest Rate % (80), Tenure (Months) (100), Installment Amount (100), Currency (INR), Next Due Date (08-Jan-2020), and Closed Date (08-Feb-2022). The form is displayed in a tabbed interface with 'Customer Financials' selected. The left sidebar shows navigation options: Dashboard, Configurations, Transactions, and Reports.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify while modification, when user
keep any mandatory field blank and Fill
the Invalid details

(F) To test the dept details screen

This screenshot is identical to the one above, showing the 'Customer Debt Details' form in the AZENTIO ONE Banking application. The form is divided into two main sections: 'Financial Commitments' and 'Financial Institution'. The 'Financial Commitments' section includes fields for Finance Type (Home Loan), Account Number (10101), Sanction Amount (100), Current Principal Balance (1000), Maturity Date (08-Aug-2024), Amount Considered (100), Remarks (UpdatedRemark), and Collateral Type (Shares). The 'Financial Institution' section includes fields for Financial Institution (Jazira Bank), Sanction Date (08-Sep-2022), Interest Rate % (80), Tenure (Months) (100), Installment Amount (100), Currency (INR), Next Due Date (08-Jan-2020), and Closed Date (08-Feb-2022). The form is displayed in a tabbed interface with 'Customer Financials' selected. The left sidebar shows navigation options: Dashboard, Configurations, Transactions, and Reports.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify while modification, when user
keep any mandatory field blank and Fill
the Invalid details

(F) To test the dept details screen

AZENTIO
ONE Banking

Search the menu

Dashboard

Configurations

Transactions

Reports

100

Current Principal Balance *

1000

Maturity Date *

08-Aug-2024

Amount Considered *

100

Remarks *

UpdatedRemark

Collateral Type *

Shares

Frequency *

Monthly

Last Payment Date *

08-Mar-2022

Last 24 Cycle

1

Facility Status *

Active

Disbursement Date *

21-Sep-2022

Status

80

Tenure (Months) *

100

Installment Amount *

100

Currency *

INR

Next Due Date *

08-Jan-2020

Closed Date

08-Feb-2022

Last Payment Amount *

100

Product Name *

Dairy milk silk

Balance Transfer Flag

Remaining Tenure (Months) *

10

NPA CLASSIFICATION

Doubtful

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify while modification, when user
keep any mandatory field blank and Fill
the Invalid details

(F) To test the dept details screen

AZENTIO
ONE Banking

Search the menu

Dashboard

Configurations

Transactions

Reports

100

Current Principal Balance *

1000

Maturity Date *

08-Aug-2024

Amount Considered *

100

Remarks *

UpdatedRemark

Collateral Type *

Shares

Frequency *

Monthly

Last Payment Date *

08-Mar-2022

Last 24 Cycle

1

Facility Status *

Active

Disbursement Date *

21-Sep-2022

Status

80

Tenure (Months) *

100

Installment Amount *

100

Currency *

INR

Next Due Date *

08-Jan-2020

Closed Date

08-Feb-2022

Last Payment Amount *

100

Product Name *

Dairy milk silk

Balance Transfer Flag

Remaining Tenure (Months) *

10

NPA CLASSIFICATION

Doubtful

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify while modification, when user
keep any mandatory field blank and Fill
the Invalid details

(F) To test the dept details screen

The screenshot displays the AZENTIO ONE Banking interface. The top navigation bar includes a search menu, a sidebar with options like Dashboard, Configurations, Transactions, and Reports, and a main header with tabs for Application Info, Customer details, Additional Customer Info, Customer Financials (selected), Facility Info, Document Details, Offering, Repayment Schedule, Policy Check, Fee Details, and Next. A green success message is visible in the top right corner.

The main content area is titled "Customer Employment List" and contains three sections:

- Income:** A table with columns: Action, Income header ID, Employer Name, Nature of Employment, Net income, Net Deduction, Considered Income, Currency, and Status. The first entry shows an income header ID of 348, employer name SAL, net income of 40000, net deduction of 2000, and a status of Active.
- Financial Commitments:** A table with columns: Action, Financial Institution, Loan Amount, Installment Amount, Current Principal Balance, Tenure (months), Next Due date, Balance Outstanding, Currency, and Status. The first entry shows a financial institution of 53153, loan amount of 100, installment amount of 100, current principal balance of 1000, tenure of 100 months, next due date of 07-Jan-2020, balance outstanding of 1000, and a status of Active.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify while modification, when user
keep any mandatory field blank and Fill
the Invalid details

(F) To test the dept details screen

The screenshot displays the AZENTIO ONE Banking interface for the "Customer Debt Details" screen. The top navigation bar is similar to the previous screenshot, but the "Customer Financials" tab is not selected. The main content area is titled "Customer Debt Details" and contains a "Financial Commitments" section.

The "Financial Commitments" section includes the following fields:

- Finance Type: Home Loan
- Account Number: 10101
- Sanction Amount: 100
- Current Principal Balance: 1000
- Maturity Date: 07-Aug-2024
- Amount Considered: 100
- Remarks: UpdatedRemark
- Collateral Type: Shares
- Frequency: (blank)
- Financial Institution: Jazira Bank
- Sanction Date: 07-Sep-2022
- Interest Rate: 80
- Tenure (Months): 100
- Installment Amount: 100
- Currency: INR
- Next Due Date: 07-Jan-2020
- Closed Date: 07-Feb-2022
- Last Payment Amount: (blank)