

# Cucumber Report

07-Oct-2022, 6:35:03 pm

Start : Oct 07, 6:31:46.789 pm

End : Oct 07, 6:34:45.712 pm

Duration : 2 m 58.923 s

Features


Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0


PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 18  
FAILED - 1  
SKIPPED - 0







#	Feature Name	T	P	F	S	Duration
1	<u>check the functionality of the Warehouse Master</u>	1	0	1	0	2 m 58.923 s







#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>check the functionality of the Warehouse Master</u>	<u>Creation of Warehouse Master record- Add Template</u>	19	18	1	0	2 m 58.917 s

**(F)- check the functionality of the Warehouse Master**

<b>FAILED</b>	<b>DURATION - 2 m 58.923 s</b>	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 19 Pass - 18 Fail - 1 Skip - 0	
/ 6:31:46.789 pm // 6:34:45.712 pm /					

**(S)- Creation of Warehouse Master record- Add Template**





<b>FAILED</b>	<b>DURATION - 2 m 58.917 s</b>		Steps Total - 19 Pass - 18 Fail - 1 Skip - 0	
/ 6:31:46.795 pm // 6:34:45.712 pm /				
check the functionality of the Warehouse Master				
@AT_WHM_T001_creation				

#	Step / Hook Details	Status	Duration
1	Given user log in as uls application maker	PASSED	50.098 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	5.143 s
	screenshot		
			
2	Then user click on configurations Tab	PASSED	0.209 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.487 s
	screenshot		
			

#	Step / Hook Details	Status	Duration
3	When user click Config Manager menu	PASSED	0.271 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.710 s
	screenshot		
			
4	And user click list view icon of Warehouse Master	PASSED	0.503 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.576 s
	screenshot		
			
5	And user click on Add icon for Warehouse master	PASSED	0.242 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.805 s
	screenshot		
			
6	And user Enter the value in description and verify it	PASSED	0.983 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.191 s
	screenshot		
			
7	And user Enter the value in Address field and verify it	PASSED	0.345 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.351 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
8	And user Enter the value in country field and verify it	PASSED	1.584 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.475 s
	screenshot		
			
9	And user Enter the value in state field and verify it	PASSED	0.327 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.402 s
	screenshot		
			
10	And user Enter the value in Location field and verify it	PASSED	0.417 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.415 s
	screenshot		
			
11	And user Enter the value in Zip code field and verify it	PASSED	0.331 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.418 s
	screenshot		


#	Step / Hook Details	Status	Duration
			
12	And user Enter the value in Phone field and verify it	PASSED	0.447 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.457 s
	screenshot		
			
13	And user Enter the value in Fax field and verify it	PASSED	0.350 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.229 s
	screenshot		
			
14	And user Enter the value in Email field and verify it	PASSED	0.610 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.259 s
	screenshot		
			
15	And user Enter the value in Contact person field and verify it	PASSED	0.306 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.179 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
16	And user save the warehouse master Record	PASSED	0.174 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.397 s
	screenshot		
			
17	And user goto the Maker Inbox and store the Referance ID	PASSED	3.408 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.336 s
	screenshot		
			
18	Then user Click on Action Icon	PASSED	0.559 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.358 s
	screenshot		
			
19	And user verify the submit button and submit the Record from Maker stage	FAILED	25.271 s
	<p>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: //div[@id='toast-container']//div[@role='alertdialog']' (tried for 20 second(s) with 2000 milliseconds interval)</p> <p>at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263)</p> <p>at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231)</p> <p>at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:91)</p> <p>at stepdefinitions.WareHouseMaster.user_verify_the_submit_button_and_submit_the_record_from_maker_stage(WareHouseMaster.</p>		



#	Step / Hook Details	Status	Duration
	<pre> java:239)   at ?.user verify the submit button and submit the Record from Maker stage(file:///C:/Users/inindc00075/git/Arshath_ULS/ Arshath_AzentioULSFramework/src/test/java/features/MDM_Warehouse_Master.feature:22) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"/div[@id='toast-container']/div[@role='alertdialog']} (Session info: chrome=105.0.5195.127) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [949117575b1435131281370436712a96, findElement {using=xpath, value=/div[@id='toast-container']/div[@role='alertdialog']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 105.0.5195.127, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:58942}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58942/devtoo..., se:cdpVersion: 105.0.5195.127, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 949117575b1435131281370436712a96   atjdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)   at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)   at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381)   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373)   at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)   at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)   atjdk.proxy2/jdk.proxy2.\$Proxy46.isDisplayed(Unknown Source)   at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307)   at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40)   at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293)   at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290)   at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208)   at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:91)   at stepdefinitions.WareHouseMaster.user_verify_the_submit_button_and_submit_the_record_from_maker_stage(WareHouseMaster. java:239)   at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)   at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)   at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) </pre>		


#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031)		

#	Step / Hook Details	Status	Duration
	<div>at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) * Not displayable characters are replaced by '?'. </div>		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.661 s
	screenshot		
			

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Creation of Warehouse Master record-  
Add Template


(F) check the functionality of the  
Warehouse Master



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Creation of Warehouse Master record-  
Add Template


(F) check the functionality of the  
Warehouse Master



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Creation of Warehouse Master record-  
Add Template


(F) check the functionality of the  
Warehouse Master



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Creation of Warehouse Master record-  
Add Template

(F) check the functionality of the  
Warehouse Master



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Creation of Warehouse Master record-  
Add Template

(F) check the functionality of the  
Warehouse Master

The screenshot shows the AZENTIO ONEBOOKING interface. On the left is a blue sidebar with a search bar and a menu containing: Dashboard, Configurations (Warehouse Master, Collateral sub type, LO Module Waiver, Collateral type, Fee master, Asset Auto Master, Charge master, Asset CD Master, Appropriation master, Due master, Product master), Pricing indicator, Transactions, and Reports. The main area is titled 'Warehouse Master' and contains a table with 5 entries. The table has columns: Action, Description, Address, Country, State, City, Zip Code, Phone 1, Fax, E-mail, Contact Person, and Status. The status for all entries is 'Active'. At the bottom right of the table, it says 'Showing 1 to 5 of 9 entries' with pagination controls.

Action	Description	Address	Country	State	City	Zip Code	Phone 1	Fax	E-mail	Contact Person	Status
	Ware house	panchseel colony	1105415	1105474	909935	98303323	9027827789	78001923	g@g.com	soni	Active
	ASDFGH	ASDFG	1105415	1105474	909932	98303323	987546213	9876541	a@a	ime	Active
	Union new	Union new new	1105415	1105474	909931	98303323	589092344510	878977	D@b.com	ugcu@	Active
	Shweta	Raipur	1105415	1105474	909934	98303324	625325462	98784	as@g.com	wdy	Active
	union	NIT campus	1105415	1105474	909933	98303323	464547580	67958	av@gmail.com	FVUFDYUGCVGY	Active

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Creation of Warehouse Master record-  
Add Template

(F) check the functionality of the  
Warehouse Master

The screenshot shows the AZENTIO ONEBOOKING interface for the 'Warehouse Master' form. The left sidebar is the same as in the previous screenshot. The main area is titled 'Warehouse Master' and contains a form with the following fields: Description (text input with 'TMB\_Description'), Country (dropdown menu), Location (dropdown menu), Phone 1 (text input), E-Mail (text input), Address (text input), State (dropdown menu), Zip Code (dropdown menu), Fax (text input), and Contact Person (text input). There are red asterisks next to Country, Location, Address, State, and Zip Code, indicating they are required fields. At the top right of the form, there is a back arrow, a plus icon, and a lock icon with a red circle.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Creation of Warehouse Master record-  
Add Template

(F) check the functionality of the  
Warehouse Master

**AZENTIO**  
ONEBanking

Search the menu

Warehouse Master

Description: TMB\_Description

Country: Country

Location: Select

Phone 1

E-Mail

Address: TMB KULS

State: Select

Zip Code: Select

Fax

Contact Person

Dashboard

Configurations

- Warehouse Master
- Collateral sub type
- LO Module Waiver
- Collateral type
- Fee master
- Asset Auto Master
- Charge master
- Asset CD Master
- Appropriation master
- Due master
- Product master

Pricing indicator

Transactions

Reports

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Creation of Warehouse Master record-  
Add Template

(F) check the functionality of the  
Warehouse Master

**AZENTIO**  
ONEBanking

Search the menu

Warehouse Master

Description: TMB\_Description

Country: INDIA

Location: Select

Phone 1

E-Mail

Address: TMB KULS

State: Select

Zip Code: Select

Fax

Contact Person

Dashboard

Configurations

- Warehouse Master
- Collateral sub type
- LO Module Waiver
- Collateral type
- Fee master
- Asset Auto Master
- Charge master
- Asset CD Master
- Appropriation master
- Due master
- Product master

Pricing indicator

Transactions

Reports

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Creation of Warehouse Master record-  
Add Template

(F) check the functionality of the  
Warehouse Master

**AZENTIO ONEBOOKING**

Search the menu

Dashboard

Configurations

- Warehouse Master
- Collateral sub type
- LO Module Waiver
- Collateral type
- Fee master
- Asset Auto Master
- Charge master
- Asset CD Master
- Appropriation master
- Due master
- Product master
- Prices indicator
- Transactions
- Reports

**Warehouse Master**

Description: TMB\_Description

Country: INDIA

Location: Bangalore

Phone 1: Select

E-Mail: E-Mail#ngalore

Address: TMB KULS

State: Karnataka

Zip Code: 560001

Fax: JAMMU AND KASHMIR

Contact Person: RAJASTHAN

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Creation of Warehouse Master record-  
Add Template

(F) check the functionality of the  
Warehouse Master

**AZENTIO ONEBOOKING**

Search the menu

Dashboard

Configurations

- Warehouse Master
- Collateral sub type
- LO Module Waiver
- Collateral type
- Fee master
- Asset Auto Master
- Charge master
- Asset CD Master
- Appropriation master
- Due master
- Product master
- Prices indicator
- Transactions
- Reports

**Warehouse Master**

Description: TMB\_Description

Country: INDIA

Location: Bangalore

Phone 1: Select

E-Mail: E-Mail#ngalore

Address: TMB KULS

State: Karnataka

Zip Code: 560001

Fax: JAMMU AND KASHMIR

Contact Person: RAJASTHAN



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Creation of Warehouse Master record-  
Add Template

(F) check the functionality of the  
Warehouse Master

The screenshot shows the 'Warehouse Master' form in the AZENTIO ONEBanking application. The form is divided into two main sections: 'Description' and 'Address'. The 'Description' section includes fields for 'Description' (TMB\_KULS), 'Country' (INDIA), 'Location' (Bangalore), 'Phone 1', and 'E-Mail'. The 'Address' section includes fields for 'Address' (TMB KULS), 'State' (Karnataka), 'Zip Code' (PIN57946), 'Fax', and 'Contact Person'. The left sidebar shows a menu with options like Dashboard, Configurations, Warehouse Master, Collateral sub type, LO Module Waiver, Collateral type, Fee master, Asset Auto Master, Charge master, Asset CD Master, Appropriation master, Due master, Product master, Pricing indicator, Transactions, and Reports.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Creation of Warehouse Master record-  
Add Template

(F) check the functionality of the  
Warehouse Master

The screenshot shows the 'Warehouse Master' form in the AZENTIO ONEBanking application. The form is divided into two main sections: 'Description' and 'Address'. The 'Description' section includes fields for 'Description' (TMB\_KULS), 'Country' (INDIA), 'Location' (Bangalore), 'Phone 1' (9638527410), and 'E-Mail'. The 'Address' section includes fields for 'Address' (TMB KULS), 'State' (Karnataka), 'Zip Code' (PIN57946), 'Fax', and 'Contact Person'. The left sidebar shows a menu with options like Dashboard, Configurations, Warehouse Master, Collateral sub type, LO Module Waiver, Collateral type, Fee master, Asset Auto Master, Charge master, Asset CD Master, Appropriation master, Due master, Product master, Pricing indicator, Transactions, and Reports.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Creation of Warehouse Master record-  
Add Template

(F) check the functionality of the  
Warehouse Master

**AZENTIO**  
ONEBanking

Search the menu

Dashboard

Configurations

- Warehouse Master
- Collateral sub type
- LO Module Waiver
- Collateral type
- Fee master
- Asset Auto Master
- Charge master
- Asset CD Master
- Appropriation master
- Due master
- Product master
- Pricing indicator
- Transactions
- Reports

Warehouse Master

Description: TMB\_KULS

Country: INDIA

Location: Bangalore

Phone 1: 9638527410

E-Mail:

Address: TMB KULS

State: Karnataka

Zip Code: PINS7946

Fax: 01470258369

Contact Person:

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Creation of Warehouse Master record-  
Add Template

(F) check the functionality of the  
Warehouse Master

**AZENTIO**  
ONEBanking

Search the menu

Dashboard

Configurations

- Warehouse Master
- Collateral sub type
- LO Module Waiver
- Collateral type
- Fee master
- Asset Auto Master
- Charge master
- Asset CD Master
- Appropriation master
- Due master
- Product master
- Pricing indicator
- Transactions
- Reports

Warehouse Master

Description: TMB\_KULS

Country: INDIA

Location: Bangalore

Phone 1: 9638527410

E-Mail: TMB@gmail.com

Address: TMB KULS

State: Karnataka

Zip Code: PINS7946

Fax: 01470258369

Contact Person:

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Creation of Warehouse Master record-  
Add Template

(F) check the functionality of the  
Warehouse Master

The screenshot shows the AZENTIO ONEBanking interface. On the left is a blue sidebar with a search bar and a menu containing: Dashboard, Configurations (with a sub-menu for Warehouse Master, Collateral sub type, LO Module Waiver, Collateral type, Fee master, Asset Auto Master, Charge master, Asset CD Master, Appropriation master, Due master, Product master, Pricing indicator), Transactions, and Reports. The main content area is titled 'Warehouse Master' and contains a form with the following fields: Description (TMB\_Description), Country (INDIA), Location (Bangalore), Phone 1 (9638527410), E-Mail (TMB@gmail.com), Address (TMB KULS), State (Karnataka), Zip Code (PINS7946), Fax (01470258369), and Contact Person (DURGA).

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Creation of Warehouse Master record-  
Add Template

(F) check the functionality of the  
Warehouse Master

This screenshot is identical to the one above, showing the AZENTIO ONEBanking 'Warehouse Master' form with the same sidebar and form fields.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Creation of Warehouse Master record-  
Add Template

(F) check the functionality of the  
Warehouse Master

The screenshot displays the AZENTIO ONEBanking interface. On the left, a blue sidebar contains a menu with options: Dashboard, Configurations (expanded), Warehouse Master (selected), Collateral sub type, LO Module Waiver, Collateral type, Fee master, Asset Auto Master, Charge master, Asset CD Master, Appropriation master, Due master, Product master, Pricing indicator, Transactions, and Reports. The main area shows an 'Inbox' table with columns: Action, Reference Id, Event Code, Stage Code, Role Code, Employee Name, Created Date, Workflow Code, Product, Workflow Type, Event Type, and Transaction Type. The table lists 10 entries, all with 'MAKER' as the role and 'in00135' as the employee name. A green success message 'success' is visible in the top right corner. A pagination bar at the bottom indicates 'Showing 1 to 10 of 58 entries'.

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product	Workflow Type	Event Type	Transaction Type
[icon]	563	WAREHOUSE_MST	MAKER	LOSMKR	in00135	07-Oct-2022 18:33	TSW			M	M
[icon]	157	BOUNCE_MST	MAKER	LOSMKR	in00135	07-Oct-2022 16:0	TSW			M	M
[icon]	159	BOUNCE_MST	MAKER	LOSMKR	in00135	07-Oct-2022 15:56	TSW			M	M
[icon]	155	BOUNCE_MST	MAKER	LOSMKR	in00135	07-Oct-2022 15:22	TSW			M	M
[icon]	5294	UW_OFFSET_CONTROL	MAKER	LOSMKR	in00135	07-Oct-2022 13:48	TSW			M	M
[icon]	5290	UW_OFFSET_CONTROL	MAKER	LOSMKR	in00135	07-Oct-2022 12:57	TSW			M	M
[icon]	5285	UW_OFFSET_CONTROL	MAKER	LOSMKR	in00135	07-Oct-2022 12:24	TSW			M	M
[icon]	5280	UW_OFFSET_CONTROL	MAKER	LOSMKR	in00135	07-Oct-2022 12:11	TSW			M	M
[icon]	5274	UW_OFFSET_CONTROL	MAKER	LOSMKR	in00135	07-Oct-2022 11:38	TSW			M	M
[icon]	5268	UW_OFFSET_CONTROL	MAKER	LOSMKR	in00135	07-Oct-2022 10:49	TSW			M	M

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Creation of Warehouse Master record-  
Add Template

(F) check the functionality of the  
Warehouse Master

This screenshot is identical to the one above, showing the AZENTIO ONEBanking interface with the Warehouse Master configuration page and an inbox table. The table lists 10 entries, all with 'MAKER' as the role and 'in00135' as the employee name. A green success message 'success' is visible in the top right corner. A pagination bar at the bottom indicates 'Showing 1 to 10 of 58 entries'.

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product	Workflow Type	Event Type	Transaction Type
[icon]	563	WAREHOUSE_MST	MAKER	LOSMKR	in00135	07-Oct-2022 18:33	TSW			M	M
[icon]	157	BOUNCE_MST	MAKER	LOSMKR	in00135	07-Oct-2022 16:0	TSW			M	M
[icon]	159	BOUNCE_MST	MAKER	LOSMKR	in00135	07-Oct-2022 15:56	TSW			M	M
[icon]	155	BOUNCE_MST	MAKER	LOSMKR	in00135	07-Oct-2022 15:22	TSW			M	M
[icon]	5294	UW_OFFSET_CONTROL	MAKER	LOSMKR	in00135	07-Oct-2022 13:48	TSW			M	M
[icon]	5290	UW_OFFSET_CONTROL	MAKER	LOSMKR	in00135	07-Oct-2022 12:57	TSW			M	M
[icon]	5285	UW_OFFSET_CONTROL	MAKER	LOSMKR	in00135	07-Oct-2022 12:24	TSW			M	M
[icon]	5280	UW_OFFSET_CONTROL	MAKER	LOSMKR	in00135	07-Oct-2022 12:11	TSW			M	M
[icon]	5274	UW_OFFSET_CONTROL	MAKER	LOSMKR	in00135	07-Oct-2022 11:38	TSW			M	M
[icon]	5268	UW_OFFSET_CONTROL	MAKER	LOSMKR	in00135	07-Oct-2022 10:49	TSW			M	M

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Creation of Warehouse Master record-  
Add Template

(F) check the functionality of the  
Warehouse Master

AZENTIO

ONEBOOKING

Search the menu

Dashboard

Configurations

Warehouse Master

Collateral sub type

LO Module Waiver

Collateral type

Fee master

Asset Auto Master

Charge master

Asset CD Master

Appropriation master

Due master

Product master

Pricing indicator

Transactions

Reports

Inbox

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product	Workflow Type	Event Type	Transaction Type
	157	BOUNCE_MST	MAKER	LOSMKR	in00135	07-Oct-2022 16:0	TSW			M	M
	159	BOUNCE_MST	MAKER	LOSMKR	in00135	07-Oct-2022 15:56	TSW			M	M
	155	BOUNCE_MST	MAKER	LOSMKR	in00135	07-Oct-2022 15:22	TSW			M	M
	5294	UW_OFFSET_CONTROL	MAKER	LOSMKR	in00135	07-Oct-2022 13:48	TSW			M	M
	5290	UW_OFFSET_CONTROL	MAKER	LOSMKR	in00135	07-Oct-2022 12:57	TSW			M	M
	5285	UW_OFFSET_CONTROL	MAKER	LOSMKR	in00135	07-Oct-2022 12:24	TSW			M	M
	5280	UW_OFFSET_CONTROL	MAKER	LOSMKR	in00135	07-Oct-2022 12:11	TSW			M	M
	5274	UW_OFFSET_CONTROL	MAKER	LOSMKR	in00135	07-Oct-2022 11:38	TSW			M	M
	5268	UW_OFFSET_CONTROL	MAKER	LOSMKR	in00135	07-Oct-2022 10:49	TSW			M	M
	141	ASSET_CD_MST	MAKER	LOSMKR	in00135	06-Oct-2022 14:34	TSW			M	M

Showing 1 to 10 of 57 entries