

# Cucumber Report

22-Sep-2022, 2:01:04 pm

Start : Sep 22, 2:00:15.325 pm

End : Sep 22, 2:01:03.489 pm

Duration : 48.164 s

Features


Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0


PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 7  
FAILED - 1  
SKIPPED - 5







#	Feature Name	T	P	F	S	Duration
1	<u>check the functionality of Customer address details</u>	1	0	1	0	48.164 s







#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>check the functionality of Customer address details</u>	<u>verify system allow user to do a modification on already approved record</u>	13	7	1	5	48.157 s




**(F)- check the functionality of Customer address details**


<b>FAILED</b>	<b>DURATION - 48.164 s</b>	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 13 Pass - 7 Fail - 1 Skip - 5	
/ 2:00:15.325 pm // 2:01:03.489 pm /					

**(S)- verify system allow user to do a modification on already approved record**


<div>FAILED</div> <div>DURATION - 48.157 s</div>			<div>Steps</div> <div>Total - 13</div> <div>Pass - 7</div> <div>Fail - 1</div> <div>Skip - 5</div>	
/ 2:00:15.332 pm // 2:01:03.489 pm /				
check the functionality of Customer address details				
@AT_CAD_07				

#	Step / Hook Details	Status	Duration
1	Given User Launch the KULS url for Transaction	PASSED	15.925 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.390 s
	screenshot		
			
2	And user click on Inbox Icon	PASSED	0.290 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.342 s
	screenshot		
			

#	Step / Hook Details	Status	Duration
3	And user click search icon	PASSED	0.149 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.287 s
	screenshot		
			
4	And user Enter Customer Address details Application ID	PASSED	0.137 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.169 s
	screenshot		
			
5	And user click on First record of Appdata Entry	PASSED	0.104 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.392 s
	screenshot		
			
6	And user click on Additional customer Info Tab	PASSED	1.183 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.397 s
	screenshot		
			
7	And user click on First Record Edit Icon	PASSED	5.182 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.351 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
8	<p><b>And user click on Address Information First Record Edit Icon</b></p> <p>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: (/tbody[1]/tr[1]/td[1]/span[1]/button[1])[2]' (tried for 10 second(s) with 2000 milliseconds interval)  at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263)  at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231)  at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:91)  at stepdefinitions.Customer_Address_Information.  user_click_on_address_information_first_record_edit_icon(Customer_Address_Information.java:536)  at ?.user click on Address Information First Record Edit Icon(file:///C:/Users/inindc00075/git/Arshath_ULS/Arshath_AzentioULSFramework/src/test/java/features/CustomerAddress_details.feature:83)  Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element:  {"method":"xpath","selector":"/tbody[1]/tr[1]/td[1]/span[1]/button[1])[2]"} (Session info: chrome=105.0.5195.102) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e08672434d7ff768feaab2df169bba69, findElement {using=xpath, value=/tbody[1]/tr[1]/td[1]/span[1]/button[1])[2]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 105.0.5195.102, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:53391}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:53391/devtoo..., se:cdpVersion: 105.0.5195.102, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: e08672434d7ff768feaab2df169bba69  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)  at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373)</p>	FAILED	10.145 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy46.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:91) at stepdefinitions.Customer_Address_Information. user_click_on_address_information_first_record_edit_icon(Customer_Address_Information.java:536) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) </pre>		


#	Step / Hook Details	Status	Duration
	<pre> at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.173 s
	screenshot		
			
9	And user Modify the Address type field	SKIPPED	0.000 s
10	And user Modify the Address Status field	SKIPPED	0.000 s
11	And user Modify the Residential status field	SKIPPED	0.000 s
12	And user Modify the City ID field	SKIPPED	0.000 s
13	And user click the update the button	SKIPPED	0.001 s



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify system allow user to do a  
modification on already approved record


(F) check the functionality of Customer  
address details



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify system allow user to do a  
modification on already approved record

(F) check the functionality of Customer  
address details



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify system allow user to do a  
modification on already approved record

(F) check the functionality of Customer  
address details

**AZENTIO ONEBackup**

Search the menu

Dashboard

Configurations

Transactions

Reports

**Inbox**

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product	Workflow Type	Event Type	Transaction Type
	620	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 13:35	HLW	AHL		T	T
	231	CHARGE_MST	MAKER	LOSMKR	in02040	22-Sep-2022 13:9	TSW			M	M
	631	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 12:53	HLW	AHL		T	T
	619	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 12:50	HLW	AHL		T	T
	630	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 12:50	HLW	AHL		T	T
	629	APP_CREATE	NEWAPP	BREXEC	in02040	22-Sep-2022 12:19	HLW	AHL		T	T
	628	APP_CREATE	NEWAPP	BREXEC	in02040	22-Sep-2022 12:19	HLW	AHL		T	T
	621	APP_CREATE	NEWAPP	BREXEC	in02040	22-Sep-2022 11:32	HLW	AHL		T	T
	617	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 11:5	HLW	AHL		T	T
	606	APP_CREATE	DISBMKR	OPEMKR	in02040	22-Sep-2022 10:58	HLW	AHL		T	T

Showing 1 to 10 of 96 entries

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify system allow user to do a  
modification on already approved record

(F) check the functionality of Customer  
address details

**AZENTIO ONEBackup**

Search the menu

Dashboard

Configurations

Transactions

Reports

**Inbox**

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product	Workflow Type	Event Type	Transaction Type
	620	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 13:35	HLW	AHL		T	T
	231	CHARGE_MST	MAKER	LOSMKR	in02040	22-Sep-2022 13:9	TSW			M	M
	631	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 12:53	HLW	AHL		T	T
	619	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 12:50	HLW	AHL		T	T
	630	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 12:50	HLW	AHL		T	T
	629	APP_CREATE	NEWAPP	BREXEC	in02040	22-Sep-2022 12:19	HLW	AHL		T	T
	628	APP_CREATE	NEWAPP	BREXEC	in02040	22-Sep-2022 12:19	HLW	AHL		T	T
	621	APP_CREATE	NEWAPP	BREXEC	in02040	22-Sep-2022 11:32	HLW	AHL		T	T
	617	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 11:5	HLW	AHL		T	T
	606	APP_CREATE	DISBMKR	OPEMKR	in02040	22-Sep-2022 10:58	HLW	AHL		T	T

Showing 1 to 10 of 96 entries

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify system allow user to do a  
modification on already approved record

(F) check the functionality of Customer  
address details

The screenshot shows the AZENTIO ONE Banking interface. On the left is a blue sidebar with a search bar and menu items: Dashboard, Configurations, Transactions, and Reports. The main area displays an 'Inbox' table with columns: Action, Reference Id, Event Code, Stage Code, Role Code, Employee Name, Created Date, Workflow Code, Product, Workflow Type, Event Type, and Transaction Type. A single entry is visible with Reference Id 506, Event Code APP\_CREATE, Stage Code APPDATAENT, Role Code CPUEXEC, Employee Name in02040, Created Date 15-Sep-2022 10:22, Workflow Code HLW, Product AHL, and Event Type T. Below the table, it says 'Showing 1 to 1 of 1 entries' with navigation arrows and a page size dropdown set to 10. A blue circular button with a plus icon is at the bottom right.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify system allow user to do a  
modification on already approved record

(F) check the functionality of Customer  
address details

The screenshot shows the AZENTIO ONE Banking interface. On the left is a blue sidebar with a search bar and menu items: Dashboard, Configurations, Transactions, and Reports. The main area displays a greyed-out 'Application Details' page. At the top, there's a navigation bar with tabs: Prev, Application Info (active), Customer details, Additional Customer Info, Customer Financials, Facility Info, Document Details, Offering, Repayment Schedule, Policy Check, Fee Details, and Next. Below the tabs, there are buttons: Approve, Reject, Return, Eligibility Check, and Print. A blue circular button with a plus icon is at the bottom right.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify system allow user to do a  
modification on already approved record

(F) check the functionality of Customer  
address details

The screenshot displays the 'Customer Identification' page in the AZENTIO ONE Banking system. The page has a blue sidebar with navigation options: Dashboard, Configurations, Transactions, and Reports. The main content area shows a table with columns: Action, ID Type, ID Number, Issue Date, Expiry Date, Primary ID flag, Verified Flag, Verified Message, and Status. There is one entry with ID Type 26003, ID Number 45432222, and Status Active. Below the table are sections for Address Details and Contact Details, both showing empty forms.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify system allow user to do a  
modification on already approved record

(F) check the functionality of Customer  
address details

The screenshot displays the 'Customer Identification' page in the AZENTIO ONE Banking system. The page has a blue sidebar with navigation options: Dashboard, Configurations, Transactions, and Reports. The main content area shows a table with columns: Action, ID Type, ID Number, Issue Date, Expiry Date, Primary ID flag, Verified Flag, Verified Message, and Status. There is one entry with ID Type 26003, ID Number 45432222, and Status Active. Below the table are sections for Address Details and Contact Details, both showing empty forms.