

Cucumber Report

Aug 8, 2022, 1:59:09 AM

Start : Aug 08, 1:57:48.901 AM

End : Aug 08, 1:59:08.799 AM

Duration : 1 m 19.898 s

Features

Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 9
FAILED - 1
SKIPPED - 0







#	Feature Name	T	P	F	S	Duration
1	<u>collateral Functionality</u>	1	0	1	0	1 m 19.898 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>collateral Functionality</u>	<u>collateral-While modification, user verify proper validation message for blank field</u>	10	9	1	0	1 m 19.894 s



(F)- collateral Functionality

FAILED	DURATION - 1 m 19.898 s	Scenarios		Steps	
/ 1:57:48.901 AM // 1:59:08.799 AM /		Total - 1	1	Total - 10	10
		Pass - 0		Pass - 9	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

(S)- collateral-While modification, user verify proper validation message for blank field


<div>FAILED</div> <div>DURATION - 1 m 19.894 s</div>			<div>Steps</div> <div>Total - 10</div> <div>Pass - 9</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 1:57:48.905 AM // 1:59:08.799 AM /				
collateral Functionality				
@M6				

#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	11.149 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.147 s
	screenshot		
			
2	And User Login as maker	PASSED	0.000 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.138 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	Then click on Asset collateral config	PASSED	0.143 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.133 s
	screenshot		
			
4	Then click on collateral Edit icon	PASSED	0.097 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.214 s
	screenshot		
			
5	Then open collateral wip record	PASSED	1.144 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.241 s
	screenshot		
			
6	Then verify impact on modification with invalid data	PASSED	0.501 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.146 s
	screenshot		

#	Step / Hook Details	Status	Duration
	<p>at stepdefinitions.Collateral.verify_impact_on_modification_with_blank_field(Collateral.java:415)</p> <p>at ?.verify impact on modification with blank field(file:///C:/Users/inindc00089/git/repository6/Priyanka_AzentioULSFramework/src/test/java/features/Collateral.feature:86)</p> <p>Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//ion-badge[contains(text(),'Required field')]"} (Session info: chrome=99.0.4844.82) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f67d8af636ddb5cf98f8fd7723fd3284, findElement {using=xpath, value=//ion-badge[contains(text(),'Required field')]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\Local\..., goog:chromeOptions: {debuggerAddress: localhost:62583}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62583/devtools..., se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: f67d8af636ddb5cf98f8fd7723fd3284</p> <p>atjdk.internal.reflect.GeneratedConstructorAccessor18.newInstance(Unknown Source)</p> <p>at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</p> <p>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)</p> <p>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)</p> <p>at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)</p> <p>at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373)</p> <p>at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)</p> <p>at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)</p> <p>atjdk.proxy2/jdk.proxy2.\$Proxy45.isDisplayed(Unknown Source)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290)</p> <p>at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208)</p> <p>at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:91)</p> <p>at stepdefinitions.Collateral.verify_impact_on_modification_with_blank_field(Collateral.java:415)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)</p> <p>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)</p> <p>at java.base/java.lang.reflect.Method.invoke(Method.java:568)</p>		


#	Step / Hook Details	Status	Duration
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115)		

#	Step / Hook Details	Status	Duration
	<div>at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) * Not displayable characters are replaced by '?'.</div>		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.145 s
	screenshot		
			

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) collateral-While modification, user
verify proper validation message for blank
field


(F) collateral Functionality



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) collateral-While modification, user
verify proper validation message for blank
field


(F) collateral Functionality



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) collateral-While modification, user
verify proper validation message for blank
field


(F) collateral Functionality



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) collateral-While modification, user
verify proper validation message for blank
field

(F) collateral Functionality



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) collateral-While modification, user
verify proper validation message for blank
field

(F) collateral Functionality

The screenshot displays the AZENTIO ONEBanking application. On the left is a blue sidebar menu with options: Dashboard, Configurations, Asset Collateral Config, Collateral, Collateral sub type, Collateral type, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, and Transactions. The main area shows a table titled 'List of Asset/Collateral categories'. The table has columns: Action, Asset/Collateral Category Code, AssetCollateral Category Description, Created By, Status, and Authorization Status. The data rows are as follows:

Action	Asset/Collateral Category Code	AssetCollateral Category Description	Created By	Status	Authorization Status
	FD10	Fixed	in00135	Active	CHECKER
	FD9	Fixed Deposit9	in00135	In-active	CHECKER
	FD8	Fixed Deposit8	in00135	Active	CHECKER
	FD7	Fixed Deposit7	in00135	Active	CHECKER
	FD6	Fixed Deposit6	in00135	Active	CHECKER

Below the table, it says 'Showing 1 to 5 of 97 entries' with pagination controls. A blue circular button with a gear icon is at the bottom right.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) collateral-While modification, user
verify proper validation message for blank
field

(F) collateral Functionality

The screenshot displays the AZENTIO ONEBanking application. On the left is a blue sidebar menu with options: Dashboard, Configurations, Asset Collateral Config, Collateral, Collateral sub type, Collateral type, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, and Transactions. The main area shows a form titled 'Asset / Collateral categories' with a sub-header 'Asset / Collateral Category Detail'. The form fields are:

- Description *: Fixed
- Asset / Collateral Category Code *: FD10
- Module *: LM
- Status: ☒
- Registration Required: ☒
- Repossession Allowed: ☒
- Remarks *: (empty text area)

There is a blue circular button with a gear icon at the bottom right.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) collateral-While modification, user
verify proper validation message for blank
field

(F) collateral Functionality

AZENTIO ONEBanking

Search the menu

Dashboard

Configurations

Asset Collateral Config

Collateral

Collateral sub type

Collateral type

Business Rules

Corporate Masters

Misc Config

Other Masters

Product Definitions

Transactions

List of Asset/Collateral categories

Action	Asset/Collateral Category Code	AssetCollateral Category Description	Created By	Status	Authorization Status
	FD10	Fixed	in00135	Active	CHECKER
	FD9	Fixed Deposit9	in00135	In-active	CHECKER
	FD8	Fixed Deposit8	in00135	Active	CHECKER
	FD7	Fixed Deposit7	in00135	Active	CHECKER

Asset / Collateral categories

Asset / Collateral Category Detail

Description *

Fixed

Asset / Collateral Category Code *

FD10*

Alphanumeric characters allowed

Module *

Registration Required

Repossession Allowed

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) collateral-While modification, user
verify proper validation message for blank
field

(F) collateral Functionality

AZENTIO ONEBanking

Search the menu

Dashboard

Configurations

Asset Collateral Config

Collateral

Collateral sub type

Collateral type

Business Rules

Corporate Masters

Misc Config

Other Masters

Product Definitions

Transactions

List of Asset/Collateral categories

Action	Asset/Collateral Category Code	AssetCollateral Category Description	Created By	Status	Authorization Status
--------	--------------------------------	--------------------------------------	------------	--------	----------------------

Asset / Collateral categories

Asset / Collateral Category Detail

Description *

Asset / Collateral Category Code *

Module *

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) collateral-While modification, user
verify proper validation message for blank
field

(F) collateral Functionality

The screenshot displays the AZENTIO ONEBanking application interface. On the left is a blue sidebar menu with options: Dashboard, Configurations, Asset Collateral Config, Collateral, Collateral sub type, Collateral type, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, and Transactions. The main content area is titled 'List of Asset/Collateral categories' and features a table with the following data:

Action	Asset/Collateral Category Code	AssetCollateral Category Description	Created By	Status	Authorization Status
	FD10	Fixed	in00135	Active	CHECKER
	FD9	Fixed Deposit9	in00135	In-active	CHECKER
	FD8	Fixed Deposit8	in00135	Active	CHECKER
	FD7	Fixed Deposit7	in00135	Active	CHECKER
	FD6	Fixed Deposit6	in00135	Active	CHECKER

Below the table, it indicates 'Showing 1 to 5 of 97 entries' with pagination controls. The top right of the interface shows user settings for 'Engl...', 'LOS', and 'Aze...' along with a profile icon.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) collateral-While modification, user
verify proper validation message for blank
field

(F) collateral Functionality

This screenshot is identical to the one above, showing the same AZENTIO ONEBanking interface and table data. However, a blue circular floating action button with a gear icon is visible in the bottom right corner of the main content area.